


TAIWAN ALPHA ELECTRONIC CO., LTD.

ACUSTOMER'S NAME				NOTE	3_3_3_3_3_3	-				I	DATE		
CUSTOMER'S PART NAME	-												
CUSTOMER'S DRAWING NO.	//									-			
1. MECHANICAL SPECIFICAT	ΓΙΟΝ					2.	ELECTRICAL S	SPECIFIC	ATION				
1. OUTSIDE DIMENSION	UTSIDE DIMENSION ap						1. OVERALL RESISTANCE & TOLERANCE			terminal 1-3	1M	Ω± 3	0 %
2. TOTAL ROTATION ANGLE		degree			300	±5°	2. TAP RESISTANCE & TOLERANCE			terminal 1-4		Ω±	%
3. TOTAL TRAVEL STROKE		mm				±0.5	3. RATED WATTAGE			temp 0~50°C		0.5	W
4. NUT WIRING STRENGTH		twisting moment			an 9 k	gf.cm	4. MAXIMUM	WORKING	VOLTAGE			500	V
5. SCREW TIGHTENING FORCE	t	torsional moment			an k	gf.cm	5. RESISTANCE TAPER MEASURING POINT						point
6. ROTATION TORQUE	S	speed 60 deg/sec.			~200 g	f.cm	& TOLERANCE				40		50 %
7. SLIDING FORCE		speed 20m	m/sec		g	f.cm	6. RESIDUAL R	RESISTANO	CE	terminal 1/3 side	less than		
8. SHAFT LEVER STRENGTH		pulling pu	shing	more t	han kgf	.cm	7. TAP RESIDU	AL RESIST	TANCE	terminal 4 side	less than		Ω
9. SHAFT LEVER WOBBLE	within	n n	nm (bending	n (bending moment gf.cm)			8. SLIDE NOISE			speed 60° / 1 sec			mV
10. SHAFT LEVER STOP STRENGT	TH more	than 6	kgf.cm (st	f.cm (static load) / 60 sec			9. INSULATION RESISTANCE			more than 100	MΩ(DC	500	
	4.00		gf.cm / 10				10. WITHSTAND VOLTAGE			AC 500	V		ninute
11. TERMINAL STRENGTH		ing heat 350 change wi		00gf.cm/10 ±1sec			11. TRACKING ERROR				1		
12. CLICK POSITION & TORQUE	Tesist	gf.cm					12. SWITCH CONTACT RESISTANCE			МΩ	less than		$m\Omega$
13. SWITCH WORKING ANGLE (STRO	JKE)	degree (r	- All -				13. SWITCH RAT	ΓING					
14. SWITCH WORKING TORQUE (FOI													
15. SWITCH CIRCUIT		gf.cm		1 7									
13. 5 WITCH CIRCUIT				13	Δ.								
							3. USABLE 7	ΓEMPER	ATURE RAN	GE: from -10°C to	70°C		
SHAFT							4. VR LIFE	15,000	<u>±</u>	TIMES			
ANGLE OF FLAT OR SLO		OT DIMEN				10		RESIST	TANCE CHAN	NGE: within ±		%	
MATERIAL θ	at	M	L	F	Т			SLIDE	NOISE : less t	han		mV	,
			15			1	SW LIFE		±	TIMES			
			13					CONTA	ACT RESISTA	NCE: less than		m	Ω
							REFE	RENCE NO	D.		RI		
MODEL NAME				AWING	NO.								
RV24AF-10-15R1-B1M-3													

STANDARD RESISTANCE TAPER



可變電阻無鉛焊錫與保管條件共通規格書

Common Specification of Lead-Free Soldering and Storage conditions for Potentiometers

以下焊錫條件以可變電阻置於單層 1.6mm 厚度之印刷電路板上測試爲基準.

The specification below is based on testing results of 1.6mm thickness single layer printed circuit board.

1. 手工焊錫條件:

For Manual Soldering:

1-1 操作溫度最高 350°C,操作時間 3 秒以內。

To be performed within 3 seconds at 350°C or below.

2. 自動或半自動機台焊錫條件:

For Automated or Semi-Automated Soldering Equipments:

2-1 使用發泡式且比重 **0.82** 以上的助焊劑,發泡高度以印刷電路板厚度一半爲標準,且助劑不能流入可變電阻基板表面及印刷電路板表面。

Flux of 0.82 specific gravity, applied by foam fluxer, shall be used. Foam head shall be limited to the height which is half thickness of printed circuit board to be soldered. No flux should be allowed to run up onto resistive element board of potentiometer and the surface of printed circuit board.

- 2-2 預熱時間不超過兩分鐘,焊錫接面 (即印刷電路板底) 最高預熱溫度不超過 100°C。 Regarding preheating, the entire flow duration should not exceed 2 minutes, and soldering surface temperature (undersurface of PCB) shall be settled within 100°C.
- 2-3 焊錫過程機台設定溫度在 260°C 以下、 4 秒以內。
 Solder Dipping is to be performed within 4 seconds at 260°C or below.
- 3. 若回轉型電位器是塑膠軸且帶有檔位,請將主軸先調整至其中一個檔位或中心檔位上才可以 進行焊錫作業。

For rotary potentiometer with plastic shaft which have centre detent or multiple detents, the shaft should be settled in relevant detent position prior to soldering process.

4. 手工焊錫、自動或半自動機台焊錫不得超過一回。

Regardless of soldering facility and method, solder dipping or solder smearing must not be carried out more than 1 time.

註: 本項焊錫溫度條件不適用於回流焊接作業設備。

Remarks: This specification is not recommended for and applicable in reflow soldering.


焊錫注意事項:

Caution for soldering:

如圖所示,請避免 PCB 上層表面有焊錫 Please avoid soldering on upper surface of P.C.B. as shown.

5. 保管條件(Storage conditions):

產品需儲存在原始的包裝,以及保持常溫 常濕、避免陽光直射、遠離任何腐蝕性氣體. 產品需盡快完全地使用完,建議最慢不要超過



交貨後6個月.產品經拆封後,全部的數量都需迅速地使用完.

The products shall be stored in the original packaging and kept at room temperature and humidity, out of direct sunlight, and away from any and all corrosive gas. The products shall be completely used as soon as possible, but no longer than 6 months from the date of delivery. Once product packaging is opened, the complete quantity of such products shall be promptly used.