## **Declaration of Conformity**

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221 (800) 719-4619

Declaration #

D0215012g

**Declaration Date** 

2/25/2015

Tested Item #

72706SA4

6' Web Mini SRD Single-leg Swivel Eye+Alum Snap Hook

Additional Ite	ms Conformin	g Under this De	claration:	72706SA1	72706SA2	72706SA3	72706TH0
72706SA5	72706SA6	72706SB1	72706SB2	72706SB3	72706SB4	72706SB5	72906SC6L
72706SB6	72706SD1	72706SD3	72706SE2	72706SF4	72706SF6	72706SG5	
72706SG6	72706TB1	72706TB2	72706TB3	72706TB4	72706TB5	72706TB6	
72706SC1	72706SC3	72706SC6	72906SD5	72906SA4	72706TB3F	72706TH3	
72906TB1	72906TB3	72906TB6	72906TB5	72706TH1	72906SC3S	72706TH5	

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following product standard(s):

#### **ANSI Z359.14-2012 & ASTM F887**

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014					
Level 1		Level 2	X	Level 3	

Level 1: FallTech Lab	Level 2: FallTech Lab	Level 3: Independent 3rd Party Lab
Outside the Scope of	Within the Scope of	accredited to
ISO/IEC Standard 17025:2005	ISO/IEC Standard 17025:2005	ISO/IEC Standard 17025:2005

Supporting PC-0542 PC-0543 K-418927-1607H09-R00

**Authorized Signature** 

Name Zachary Winters Title Engineering Manager Date 11/4/2021

ACCREDITED

International Accreditation Service, Inc

FallTech Lab - TL-594

3060 Saturn St, Ste 100

ISO/IEC 17025:2017

Brea, CA 92821 +1 562-364-8201

Alexander Andrew Inc dba FallTech

Exova 3883 East Eagle Drive Anaheim California USA 92807 T: +1 (714) 630-3003 F: +1 (714) 630-4443 E: sales@exova.com W: www.exova.com



Testing. Advising. Assuring.

March 18, 2015

FallTech Testing Laboratory 1306 S. Alameda Street Compton, CA 90221

Attention: Peter Mahbubani

**Quality Engineer Supervisor** 

Subject: Attestation of Witnessing Testing

Exova OCM Job # 350239-2

FallTech P.O. 13004 Report # PC-0542

Base Part No. 72706SA4

Dear Mr. Muhbubani:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:

- Date of Testing:
  - February 3, 2015 and February 24, 2014
- Exova OCM Test Witness:
  - Robert Fortner
- FallTech Test Operators:
  - Peter Mahbubani
  - Yesbet Sierra
- · Specification:
  - ANSI Z359.14-2012
- Equipment Calibration Interval
  - 1 year



Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-0542	2/25/2015	72706SA4	6' Web Self-retracting Device	2333203 2333184 2333188 2333200 2333189 2333208 2333175 2333171 2333187 2333193 1234571 2333193 2333172 2333177 2333177 2333173 2333173 2333190 2333209 2333209	Pass

Test Witness Signature:	(Signed for and on behalf of Exova-OCM)
Robert Fortner Technician Mechanical Laboratory	Robert Fortin (8)

Approval Signature:	(Signed for and on behalf of Exova-OCM)	OCM
Bruce K. Sauer		(2056)
Technical Director	Four K Com	APPROT

Approval Signature:	(Signed for and on behalf of Exova-OCM)	OCM
l'homas J. (Tom) Parsons Manager	An Darms	054

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.







FallTech Test Report								
Test Report Number	PC-0542	Date	2/25/2015	Rev		Rev Date		
Report Prepared For	FallTech							
Initiated By	Dan Redden	Test Specif	fication	ANSI Z359.14-2012 4.2.1, 4.2.3, 4.2.5, 4.2.6, 4.2.8.1, 4.2.8.2, 4.2.8.3				
Base Part #	72706SA4	Description	า	6' Web Self-retrac	cting Device			
Proposed Part #	N/A	Built By Whom		Production		BOM	No	
Test Request #	PC-0542	Date Recei	ved	2/23/2015	Date	e Complete	2/24/2015	
Test Operator	Peter Mahbubani	<b>Test Opera</b>	tor	Yesbet Sierra				

	Material/Sample Identification
Sample ID	Description
2333203	6' Web Self-retracting Device
2333184	6' Web Self-retracting Device
2333188	6' Web Self-retracting Device
2333200	6' Web Self-retracting Device
2333189	6' Web Self-retracting Device
2333208	6' Web Self-retracting Device
2333175	6' Web Self-retracting Device
2333171	6' Web Self-retracting Device
2333187	6' Web Self-retracting Device
2333193	6' Web Self-retracting Device
1234571	6' Web Self-retracting Device
2333193	6' Web Self-retracting Device
2333172	6' Web Self-retracting Device
2333177	6' Web Self-retracting Device
2333173	6' Web Self-retracting Device
2333190	6' Web Self-retracting Device
2333209	6' Web Self-retracting Device
2333207	6' Web Self-retracting Device

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC-IAF Communiqué dated January 2009).



Page 1 of 26 FLT-08 Rev. D 10/1/2014



FallTech Test Report							
Test Report Number	PC-0542	Date	2/25/2015	Rev	Rev Date		
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification ANSI Z359.14-2012 4.2.1, 4.2.3, 4.2.5, 4.2.6, 4.2.8.1, 4.2.8.2, 4.2.8.3					
Base Part #	72706SA4	Description	1	6' Web Self-retrac	cting Device		
Proposed Part #	N/A	Built By W	hom	Production	BOM No		
Test Request #	PC-0542	Date Recei	ved	2/23/2015	Date Complete 2/24/2015		

	Test Summary							
Test Specification	Test (	Criteria	Test Result	Pass/Fail				
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	17.6"	Pass				
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	1342.1 LBf	Pass				
4.2.1	Avg Arrest Force	Class A ≤ 1350 Lbf Class B ≤ 900 Lbf	876.9 LBf	Pass				
	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	1.6 LBf	Pass				
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	21.7"	Pass				
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	1202.6 LBf	Pass				
4.2.1	Avg Arrest Force	Class A ≤ 1350 Lbf Class B ≤ 900 Lbf	828.3 LBf	Pass				
	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	1.8 LBf	Pass				
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	18.1"	Pass				
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	1285.0 LBf	Pass				
4.2.1	Avg Arrest Force	Class A ≤ 1350 Lbf Class B ≤ 900 Lbf	914.7 LBf	Pass				
	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	1.8 LBf	Pass				
ANSI Z359.14-2012 4.2.3	Dynamic Strength	4' Fall w/ 300 Lb Test Weight; Weight Shall Not Strike the Ground	Did not strike ground	Pass				
	Line Constituent Strength	≥ 1000 Lbf	1040.1 LBf	Pass				
ANSI Z359.14-2012 4.2.3	Dynamic Strength	4' Fall w/ 300 Lb Test Weight; Weight Shall Not Strike the Ground	Did not strike ground	Pass				
5	Line Constituent Strength	≥ 1000 Lbf	1042.3 LBf	Pass				
ANSI Z359.14-2012 4.2.3	Dynamic Strength	4' Fall w/ 300 Lb Test Weight; Weight Shall Not Strike the Ground	Did not strike ground	Pass				
	Line Constituent Strength	≥ 1000 Lbf	1040.8 LBf	Pass				

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC-IAF Communiqué dated January 2009).





FallTech Test Report								
Test Report Number	PC-0542	Date	2/25/2015	Rev	I	Rev Date		
Report Prepared For	FallTech							
Initiated By	Dan Redden	Test Specif	tication	ANSI Z359.14-2012 4.2.1, 4.2.3, 4.2.5, 4.2.6, 4.2.8.1, 4.2.8.2, 4.2.8.3			6, 4.2.8.1,	
Base Part #	72706SA4	Description	n	6' Web Self-retracting Device				
Proposed Part #	N/A	Built By W	hom	Production		BOM	No	
Test Request #	PC-0542	Date Recei	ved	2/23/2015	Date (	Complete	2/24/2015	

	1			T
ANSI Z359.14-2012 4.2.5	Static Strength	≥ 3,000 Lbf for ≥ 60 Seconds	3021.1 lbF	Pass
ANSI Z359.14-2012 4.2.5	Static Strength	≥ 3,000 Lbf for ≥ 60 Seconds	3018.8 lbF	Pass
ANSI Z359.14-2012 4.2.5	Static Strength	≥ 3,000 Lbf for ≥ 60 Seconds	3021.8 lbF	Pass
ANSI Z359.14-2012 4.2.6	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	2.1 lbF	Pass
ANSI Z359.14-2012 4.2.6	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	2.4 lbF	Pass
ANSI Z359.14-2012 4.2.6	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	2.2 lbF	Pass
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	18.7"	Pass
ANSI Z359.14-2012	Max Arrest Force	<u>≤</u> 1800 Lbf	1133.9 LBf	Pass
4.2.8.1	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	789.9 LBf	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf < 24" Extended	2.2 LBf	Pass
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	20.6"	Pass
ANSI Z359.14-2012	Max Arrest Force	<u>≤</u> 1800 Lbf	1076.2 LBf	Pass
4.2.8.1	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	785.0 LBf	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf < 24" Extended	1.6 LBf	Pass
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	18.7"	Pass
ANSI Z359.14-2012	Max Arrest Force	<u>≤</u> 1800 Lbf	1305.8 LBf	Pass
4.2.8.1	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	837.3 LBf	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	1.75 LBf	Pass

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC-IAF Communiqué dated January 2009).





FallTech Test Report									
Test Report Number	PC-0542	Date	2/25/2015	Rev	Rev Date				
Report Prepared For	FallTech								
Initiated By	Dan Redden	Test Speci	tication	ANSI Z359.14-2012 4.2.1, 4.2.3, 4.2.5, 4.2.6, 4.2.8.1, 4.2.8.2, 4.2.8.3					
Base Part #	72706SA4	Description	า	6' Web Self-retracting Device					
Proposed Part #	N/A	<b>Built By W</b>	hom	Production	BOM N	lo			
Test Request #	PC-0542	Date Recei	ved	2/23/2015	Date Complete	2/24/2015			

	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	12.25"	Pass
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	1197.2 LBf	Pass
4.2.8.2	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	838.1 LBf	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	2.4 lbF	Pass
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	18.0"	Pass
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	1254.0 LBf	Pass
4.2.8.2	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	897.5 LBf	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	1.8 lbF	Pass
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	16.4"	Pass
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	1120.8 lbF	Pass
4.2.8.2	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	851.3 lbF	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf < 24" Extended	2.0 lbF	Pass
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	19.1"	Pass
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	1168.2 lbF	Pass
4.2.8.3	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	776.0 lbF	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	1.8 lbF	Pass
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	21.9"	Pass
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	1250.5 lbF	Pass
4.2.8.3	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	815.3 lbF	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf < 24" Extended	1.8 lbF	Pass

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC-IAF Communiqué dated January 2009).

Page 4 of 26







Test Report Number	PC-0542	Date	2/25/2015	Rev		Rev Date	
Report Prepared For	FallTech					The second second second	
Initiated By	Dan Redden			ANSI Z359.14-20 4.2.8.2, 4.2.8.3	012 4.2.1, 4.2	2.3, 4.2.5, 4.2.€	6, 4.2.8.1,
Base Part #	72706SA4	Descriptio	n	6' Web Self-retra	cting Device		
Proposed Part #	N/A	Built By W	/hom	Production		BOM	No
Test Request #	PC-0542	Date Rece	ived	2/23/2015	Da	te Complete	2/24/2015
	Vi-			1122			
ANSI Z359.14-2012	Arrest Distance	Class A ≤ 24" Class B ≤ 54"		19.2"		Pass	
	Max Arrest Force	≤1800 Lbf		1330.6 lbF		Pass	
4.2.8.3	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf		923.0 lbF		- Pass	
	Retraction Tension	N 7000000	bf - 25 Lbf Extended	2.0 lbF		Pa	ass
		C	onclusion	Charles I	THE	PART D	Vale
	FallTech P/N 72706SA4	Self-retracting Dev	vice meets the r	equirements of ANS	Z359.14-2012	2.	
	The second second	Report Signa	itories and A	Approval		and the latest	
Lab Quality Manager Peter Mahbubani	AL	•			Date	2/25	/2015
					1		

This laboratory is accredited in accordance with the recognized international Standard SO IEC 17025-2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint SO-LAC-IAF Communique dated January 2009).

Exova 3883 East Eagle Drive Anaheim California USA 92807 T: +1 (714) 630-3003 F: +1 (714) 630-4443 E: sales@exova.com W: www.exova.com



Testing. Advising. Assuring.

March 18, 2015 Revised April 22, 2015

FallTech Testing Laboratory 1306 S. Alameda Street Compton, CA 90221

Attention: Peter Mahbubani

**Quality Engineer Supervisor** 

Subject: Attestation of Witnessing Testing

Exova OCM Job # 350239-3A

FallTech P.O. 13004 Report # PC-0543

Base Part No. 72706SA4

Dear Mr. Muhbubani:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:

- · Date of Testing:
  - February 3, 2015 and February 24, 2014
- Exova OCM Test Witness:
  - Robert Fortner
- FallTech Test Operators:
  - Peter Mahbubani
  - Yesbet Sierra
- Specification:
  - ANSI Z359.14-2012 4.2.1, 4.2.3, 4.2.5, 4.2.6, 4.2.8.1, 4.2.8.2, 4.2.8.3
- Equipment Calibration Interval
  - 1 year



Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-0543	2/25/2015	72706SA4	6' Web Self-retracting Device	2333206 2333202 2333176 2333183 2333204 2333175 2333171 2333187 2333203 1234184 2333188 2333182 2333164 2333210 2333210 2333194 2333167 2333169 2333191 2333201	Pass

Test Witness Signature:

Robert Fortner
Technician
Mechanical Laboratory

(Signed for and on behalf of Exova-OCM)

Rollet Julius

Approval Signature: (Signed for and on behalf of Exova-OCM)

Bruce K. Sauer
Technical Director

Approval Signature:

Thomas J. (Tom) Parsons
Manager
Quality / Technical Services

(Signed for and on behalf of Exova-OCM)

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.







FallTech Test Report									
Test Report Number	PC-0543 Date 2/25/2015 Rev Rev Date								
Report Prepared For	FallTech								
Initiated By	Dan Redden	Last Spacification		ANSI Z359.14-2012 4.2.1, 4.2.3, 4.2.5, 4.2.6, 4.2.8.1, 4.2.8.2, 4.2.8.3					
Base Part #	72706SA4	Description	n	6' Web Self-retracting Device					
Proposed Part #	N/A	<b>Built By W</b>	hom	Production	BOM No				
Test Request #	PC-0543	Date Recei	ved	2/23/2015	Date Complete 2/24/2015				
Test Operator	Peter Mahbubani	Test Opera	tor	Yesbet Sierra					

	Material/Sample Identification
Sample ID	Description
2333206	6' Web Self-retracting Device
2333202	6' Web Self-retracting Device
2333176	6' Web Self-retracting Device
2333183	6' Web Self-retracting Device
2333204	6' Web Self-retracting Device
2333178	6' Web Self-retracting Device
2333175	6' Web Self-retracting Device
2333171	6' Web Self-retracting Device
2333187	6' Web Self-retracting Device
2333203	6' Web Self-retracting Device
2333184	6' Web Self-retracting Device
2333188	6' Web Self-retracting Device
2333182	6' Web Self-retracting Device
2333164	6' Web Self-retracting Device
2333212	6' Web Self-retracting Device
2333210	6' Web Self-retracting Device
2333194	6' Web Self-retracting Device
2333167	6' Web Self-retracting Device
2333169	6' Web Self-retracting Device
2333191	6' Web Self-retracting Device
2333201	6' Web Self-retracting Device

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC-IAF Communiqué dated January 2009).



Page 1 of 26 FLT-08 Rev. D 10/1/2014



FallTech Test Report									
Test Report Number	PC-0543	Date	2/25/2015	Rev	Rev Date				
Report Prepared For	FallTech								
Initiated By	Dan Redden	Test Specif	fication	ANSI Z359.14-20 4.2.8.2, 4.2.8.3	12 4.2.1, 4.2.3, 4.2.5, 4.2.6, 4.2.8.1,				
Base Part #	72706SA4	Description	n	6' Web Self-retrac	cting Device				
Proposed Part #	N/A	Built By Whom		Production	BOM No				
Test Request #	PC-0543	Date Recei	ved	2/23/2015	Date Complete 2/24/2015				

Test Summary								
Test Specification	Test (	Criteria	Test Result	Pass/Fail				
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	18.9"	Pass				
ANSI Z359.14-2012	Max Arrest Force	<u>≤</u> 1800 Lbf	1136.6 lbF	Pass				
4.2.1	Avg Arrest Force	Class A ≤ 1350 Lbf Class B ≤ 900 Lbf	806.6 lbF	Pass				
	Retraction Tension	1.25 Lbf - 25 Lbf < 24" Extended	1.8 lbF	Pass				
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	14.0"	Pass				
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	1149.4 lbF	Pass				
4.2.1	Avg Arrest Force	Class A ≤ 1350 Lbf Class B ≤ 900 Lbf	853.7 lbF	Pass				
	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	2.2 lbF	Pass				
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	13.1"	Pass				
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	1234.2 lbF	Pass				
4.2.1	Avg Arrest Force	Class A ≤ 1350 Lbf Class B ≤ 900 Lbf	866.2 lbF	Pass				
	Retraction Tension	1.25 Lbf - 25 Lbf < 24" Extended	2.0 lbF	Pass				
ANSI Z359.14-2012 4.2.3	Dynamic Strength	4' Fall w/ 300 Lb Test Weight; Weight Shall Not Strike the Ground	Did not strike ground	Pass				
	Line Constituent Strength	≥ 1000 Lbf	1040.8 lbF	Pass				
ANSI Z359.14-2012 4.2.3	Dynamic Strength	4' Fall w/ 300 Lb Test Weight; Weight Shall Not Strike the Ground	Did not strike ground	Pass				
5	Line Constituent Strength	≥ 1000 Lbf	1041.5 lbF	Pass				
ANSI Z359.14-2012 4.2.3	Dynamic Strength	4' Fall w/ 300 Lb Test Weight; Weight Shall Not Strike the Ground	Did not strike ground	Pass				
	Line Constituent Strength	≥ 1000 Lbf	1040.1 lbF	Pass				

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC-IAF Communiqué dated January 2009).



Page 2 of 26 FLT-08 Rev. D 10/1/2014



FallTech Test Report									
Test Report Number	PC-0543	Date	2/25/2015	Rev		Rev Date			
Report Prepared For	FallTech								
Initiated By	Dan Redden	Last Spacification		ANSI Z359.14-2012 4.2.1, 4.2.3, 4.2.5, 4.2.6, 4.2.8.1, 4.2.8.2, 4.2.8.3			6, 4.2.8.1,		
Base Part #	72706SA4	Description	า	6' Web Self-retrac	cting Device				
Proposed Part #	N/A	Built By W	hom	Production		BOM	No		
Test Request #	PC-0543	Date Recei	ved	2/23/2015	Date	Complete	2/24/2015		

1	1			1
ANSI Z359.14-2012 4.2.5	Static Strength	≥ 3,000 Lbf for ≥ 60 Seconds	3021.1 lbF	Pass
ANSI Z359.14-2012 4.2.5	Static Strength	≥ 3,000 Lbf for ≥ 60 Seconds	3018.8 lbF	Pass
ANSI Z359.14-2012 4.2.5	Static Strength	≥ 3,000 Lbf for ≥ 60 Seconds	3021.8 lbF	Pass
ANSI Z359.14-2012 4.2.6	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	2.1 lbF	Pass
ANSI Z359.14-2012 4.2.6	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	2.4 lbF	Pass
ANSI Z359.14-2012 4.2.6	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	2.2 lbF	Pass
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	24.2"	Pass
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	989.0 lbF	Pass
4.2.8.1	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	766.9 lbF	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf < 24" Extended	1.8 lbF	Pass
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	19.8"	Pass
ANSI Z359.14-2012	Max Arrest Force	<u>≤</u> 1800 Lbf	1226.7 lbF	Pass
4.2.8.1	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	815.6 lbF	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf < 24" Extended	1.8 lbF	Pass
	Arrest Distance	Class A <u>&lt;</u> 24" Class B <u>&lt;</u> 54"	23.3"	Pass
ANSI Z359.14-2012	Max Arrest Force	<u>≤</u> 1800 Lbf	1218.7 lbF	Pass
4.2.8.1	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	769.1 lbF	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	1.8 lbF	Pass

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC-IAF Communiqué dated January 2009).





FallTech Test Report									
Test Report Number	PC-0543	Date	2/25/2015	Rev		Rev Date			
Report Prepared For	FallTech								
Initiated By	Dan Redden	Last Spacification		ANSI Z359.14-20 4.2.8.2, 4.2.8.3	12 4.2.1, 4.2.3	3, 4.2.5, 4.2.	6, 4.2.8.1,		
Base Part #	72706SA4	Description	n	6' Web Self-retracting Device					
Proposed Part #	N/A	Built By W	hom	Production		BOM	No		
Test Request #	PC-0543	Date Recei	ved	2/23/2015	Date	Complete	2/24/2015		

ANSI Z359.14-2012 4.2.8.2	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	20.4"	Pass
	Max Arrest Force	≤ 1800 Lbf	1312.8 lbF	Pass
	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	844.3 lbF	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf ≤ 24" Extended	1.8 lbF	Pass
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	19.2"	Pass
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	1026.6 lbF	Pass
4.2.8.2	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	783.6 lbF	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf < 24" Extended	1.8 lbF	Pass
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	20.1"	Pass
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	1150.2 lbF	Pass
4.2.8.2	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	874.7 lbF	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf < 24" Extended	1.6 lbF	Pass
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	25.4"	Pass
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	972.1 lbF	Pass
4.2.8.3	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	801.3 lbF	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf < 24" Extended	1.6 lbF	Pass
	Arrest Distance	Class A ≤ 24" Class B ≤ 54"	22.8"	Pass
ANSI Z359.14-2012	Max Arrest Force	≤ 1800 Lbf	1037.8 lbF	Pass
4.2.8.3	Avg Arrest Force	Class A ≤ 1575 Lbf Class B ≤ 1125 Lbf	826.8 lbF	Pass
	Retraction Tension	1.25 Lbf - 25 Lbf < 24" Extended	1.8 lbF	Pass

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC-IAF Communiqué dated January 2009).

Page 4 of 26







		FallTech	I 1621 K	sport		100
Test Report Number	PC-0543	Date	2/25/2015	Rev	Rev Date	
Report Prepared For	FallTech					
Initiated By	Dan Redden	Test Specification		ANSI Z359.14-2012 4.2.1, 4.2.3, 4.2.5, 4.2.6, 4.2.8.1, 4.2.8.2, 4.2.8.3		
Base Part #	72706SA4	Description		6' Web Self-retracting Device		
Proposed Part#	N/A	Built By Whom		Production	вом	No
Test Request#	PC-0543	Date Received		2/23/2015	Date Complete	2/24/201
ANSI Z359.14-2012 4.2.8.3	Arrest Distance		5 A ≤ 24" 5 B ≤ 54"	21.9"		əss
	Max Arrest Force	≤1	800 Lbf	1049.6 lbF	Р	ass
	Avg Arrest Force		≤ 1575 Lbf ≤ 1125 Lbf	829.6 lbF	P	ass
	Retraction Tension	1.25 Lbf - 25 Lbf < 24" Extended		3.8 lbF	P	ass

Conclusion

FallTech P/N 72706SA4 Self-retracting Device meets the requirements of ANSI Z359.14-2012.

Lab Quality Manager Peter Mahbubani	Date	4/20/2015
--	------	-----------

Witnessed by Rolent Foilin Date 4/20/15





### Test Performed for ArcWear.com Louisville, KY 40223 www.ArcWear.com

Personal Climbing Equipment provided by FallTech
1306 S Alameda St
Compton, CA 90221
800-719-4619

#### Model 72906SA4, 6' Mini DuraTech ArcFlash SRD

# OBSERVATION OF WORK PRODUCTS EXPOSED TO AN ELECTRIC ARC

Kinectrics Inc. Report No.: K-418927-1607H09-R00

Item received: July 26, 2016 Test Date: July 26, 2016

Client representative:	Hugh Hoagland	
	ArcWear	

Prepared by: Andrew Haines \_\_\_\_\_

Technologist Kinectrics Inc

Approved by: Stephen Cress, P. Eng \_\_\_\_\_

Department Manager, DAM

Transmission and Distribution Technologies

Kinectrics Inc

Kinectrics Inc. takes reasonable steps to ensure that all work performed shall meet the industry standards as set out in Kinectrics Inc.'s Quality Manual, and that all reports shall be reasonably free of errors, inaccuracies or omissions. KINECTRICS INC. DOES NOT MAKE ANY WARRANTY OR REPRESENTATION WHATSOEVER, EXPRESS OR IMPLIED, WITH RESPECT TO THE MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OF ANY INFORMATION CONTAINED IN THIS REPORT OR THE RESPECTIVE WORKS OR SERVICES SUPPLIED OR PERFORMED BY KINECTRICS INC. Kinectrics Inc. does not accept any liability for any damages, either directly, consequentially or otherwise resulting from the use of this report.

## **Electric Arc Exposure Test Report**

#### **Test Description**

At the time of this test, there was no directly applicable test standard to cover arc testing of self-retracting lanyards. It was decided after discussion between Kinectrics and Arcwear to adopt the general set-up used for ASTM F887-13 to generate the arc. The purpose of the electric arc test was to expose the test items to  $40 \pm 5$  cal/cm² and to evaluate for ignition, melting and dripping following the exposure.

In order to complete testing, the test laboratory used the test fixture described in *ASTM F887* - 13 Standard Specifications for Personal Climbing Equipment, Section 22. Electric Arc Performance. Although the products being evaluated do not strictly fall within the scope of this standard, the apparatus and procedure was adopted to suit the Client's requirements. The test procedure involves installing the finished product onto a secure platform with instrumented calorimeters on each side in order to evaluate the material response characteristics to an arc flash exposure.

- Test Parameters: Arc Gap= 12 inches (30.5 cm), Distance to the arc = 12 inches (30.5 cm)
- Arc Current = 8 kA RMS

The following test data was recorded for each trial:

- Arc exposure electrical conditions: arc trial number, arc current, arc voltage, arc duration, energy dissipated in arc, incident energy
- Review of product by qualified observer (see attached observation form)
- Photographs of garment before and after arc exposure
- Video recording of arc exposure

#### **Results and Observations**

The details of the product and observations are attached on the product evaluation form. These were completed at the time of the test. The subjective evaluation of the product was to document product design or material response concerns such as ignition or melting and dripping. The observations were performed by a qualified observer that has knowledge of behavior of materials in an arc exposure and in depth knowledge of testing specifications and requirements.

#### **Quality Management**

Kinectrics' Quality Management System is registered to ISO 9001:2008 by QMI, a division of SAI Global and North America's leading QMS registrar. Adherence to this standard provides one of the strongest assurances of service quality available. As a minimum, all work at Kinectrics' is performed to meet the requirements of ISO 9001:2008.

Note about this report:

- The test performed does not apply to electrical contact or electrical shock hazard
- The test result is applicable only to the Test Item, other material or color may have a different response
- It is assumed that the product description supplied by the client is accurate and complete

Kinectrics Inc., 800 Kipling Avenue, Toronto, Ontario, Canada

#### K-418927-1607H09-R00

Sample description: 6' Mini DuraTech ArcFlash SRD

Sample identification: Model 72906SA4

Manufacturer FallTech
Material of webbing: Kevlar

Other detail: Nomex Cover

Trial # 16-3684				
Mannequin	A – front exposure	B – back exposure		
Item Serial #	N/A	N/A		
Ei, cal/cm <sup>2</sup>	39.7	38.7		
Afterflame	1	0		
Ignition	N	N		
Melting and dripping	N	N		
Comment	Pass. There was evidence of melting and flowing/sagging of FR Velcro; No evidence of dripping or ignition.	Pass. There was evidence of melting and flowing/sagging of FR Velcro; No evidence of dripping or ignition.		

#### **Conclusions**

The Model 72906SA4 6' Mini DuraTech ArcFlash SRD showed good overall performance in the electric arc and did not exhibit any signs of dripping, or ignition of any system component during testing. Although there is no requirement, it is strongly recommended that these tested items be subjected to an applicable drop test following exposure.