RCT5-LTC-2A-RNA



RCT5, RADIAX® Coaxial Radiating Cable, 50–1 000 MHz, foil, 7/8 in, black non-halogenated, fire retardant polyolefin jacket

Product Classification

Product Type Radiating cable

Product Brand RADIAX®

General Specifications

Polarization Vertical

 Cable Type
 Radiating Mode (RCT) Series

RCT5

Jacket Color Black

Dimensions

Product Series

Diameter Over Jacket, maximum27.686 mm | 1.09 inInner Conductor OD9.449 mm | 0.372 inOuter Conductor OD24.13 mm | 0.95 in

Nominal Size 7/8 in

Recommended Distance from the Wall 101.6 mm | 4 in Recommended Hanger Spacing 1 m | 3.281 ft

Electrical Specifications

Attenuation Test Method IEC 61196-4

Attenuation Tolerance ±5%

Cable Impedance50 ohm ±2 ohm

dc Resistance, Inner Conductor1.435 ohms/km | 0.437 ohms/kftdc Resistance, Outer Conductor3.4 ohms/km | 1.036 ohms/kft

dc Test Voltage 6000 V

Insulation Resistance 100000 Mohms•km

Page 1 of 3



RCT5-LTC-2A-RNA

Jacket Spark Test Voltage (rms) 8000 V

Operating Frequency Band 50 - 1000 MHz
Optimum Operating Frequency Band 70 - 960 MHz

Peak Power 91 kW

Stop Bands 650 – 720 MHz

Velocity 91 %
VSWR Installed, typical, 50–960 MHz 1.3
VSWR on Reel, typical 1.43

Attenuation

Frequency (MHz)	Attenuation (dB/100 m)	Attenuation (dB/100 ft)	Coupling Loss 50%	Coupling Loss 95%
75.0	1.1	0.34	56	62
100.0	1.2	0.37	55	67
150.0	1.5	0.46	62	72
350.0	2.5	0.76	70	80
450.0	2.7	0.82	67	77
800.0	4.2	1.28	62	73
900.0	4.5	1.37	62	72
960.0	4.8	1.46	62	69

Material Specifications

Dielectric Material Foam PE

Jacket Material Non-halogenated, fire retardant polyolefin

Inner Conductor MaterialCopper tubeOuter Conductor MaterialCopper foil

Mechanical Specifications

Minimum Bend Radius, single Bend254 mm | 10 inTensile Strength215 kg | 473.993 lbBending Moment15 N-m | 132.761 in lb

Coupling Loss Test Method IEC 61196-4

Coupling Loss Tolerance ±5 dB

Flat Plate Crush Strength 0.6 kg/mm | 33.598 lb/in Indication of Slot Alignment Yes-bumps face the wall



RCT5-LTC-2A-RNA

Environmental Specifications

Installation temperature $-30 \,^{\circ}\text{C}$ to $+60 \,^{\circ}\text{C}$ (-22 $^{\circ}\text{F}$ to $+140 \,^{\circ}\text{F}$)

Operating Temperature $-30 \,^{\circ}\text{C}$ to $+80 \,^{\circ}\text{C}$ (-22 $^{\circ}\text{F}$ to $+176 \,^{\circ}\text{F}$)

Storage Temperature $-30 \,^{\circ}\text{C} \text{ to } +80 \,^{\circ}\text{C} \, (-22 \,^{\circ}\text{F to } +176 \,^{\circ}\text{F})$

Attenuation, Ambient Temperature $68 \, ^{\circ}\text{F} \mid 20 \, ^{\circ}\text{C}$ Average Power, Ambient Temperature $104 \, ^{\circ}\text{F} \mid 40 \, ^{\circ}\text{C}$ Average Power, Inner Conductor Temperature $212 \, ^{\circ}\text{F} \mid 100 \, ^{\circ}\text{C}$

Fire Retardancy Test Method IEC 60332-1 | IEC 60332-3C-24

Smoke Index Test Method IEC 61034

Toxicity Index Test Method IEC 60754-1 | IEC 60754-2

Packaging and Weights

Cable weight 0.42 kg/m | 0.282 lb/ft

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system
REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant

