Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 09/29/2014 Version: 1.0

Revision date: 09/29/2014

| SECTION 1: Identification of the subs | stance/ | mixture and of the company/u | ndertaking | |
|---|-----------|--|---------------------|---|
| 1.1. Product identifier | | | | |
| Product name | : Reviv | ex Nubuck, Suede & Fabric Water Repel | lent | |
| Product code | : Not a | vailable | | |
| 1.2. Relevant identified uses of the subst | ance or | mixture and uses advised against | | |
| Use of the substance/mixture | : Water | repellent | | |
| 1.3. Details of the supplier of the safety d | ata shee | et | | |
| McNett Corporation 1411 Meador Avenue Bellingham, WA 98229-5845 T 360-392-2732 | | | | |
| 1.4. Emergency telephone number | | | | |
| Emergency number | : CHEN | / TEL: 1-800-255-3924 (24hr); Outside th | ne US: 813-248- | 0585 (collect call) |
| SECTION 2: Hazards identification | | | | |
| 2.1. Classification of the substance or mi | xture | | | |
| GHS-US classification | | | | |
| Not classified. | | | | |
| 2.2. Label elements | | | | |
| GHS-US labelling | | | | |
| No labelling applicable. | | | | |
| 2.3. Other hazards | | | | |
| No additional information available. | | | | |
| 2.4. Unknown acute toxicity (GHS-US) | | | | |
| 5 % of the mixture consists of ingredient(s) of unk | nown ac | ute toxicity. | | |
| SECTION 3: Composition/information | n on in | aredients | | |
| 3.1. Substance | | greaterite | | |
| Not applicable. | | | | |
| 3.2. Mixture | | | | |
| Name | | Product identifier | % | GHS-US classification |
| Fluoroalkyl acrylate copolymer | | (CAS No) Not available | 5 - 10 | Skin Irrit. 2 Eye Irrit. 2B STOT SE 3 |
| * The exact percentage (concentration) of composition ha | as been w | ithheld as a trade secret in accordance with pa | aragraph (i) of §19 | |
| SECTION 4: First aid measures | | | | |
| | | | | |
| 4.1. Description of first aid measures First-aid measures after inhalation | | athing is difficult, remove victim to fresh a ning. Get medical advice/attention if you t | | est in a position comfortable for |
| First-aid measures after skin contact | | ation occurs, flush skin with plenty of wate | | attention if irritation persists |
| First-aid measures after eye contact | : In cas | e of contact, immediately flush eyes with pon persists, get medical attention. | | • |
| First-aid measures after ingestion | | llowed, do NOT induce vomiting unless of ing by mouth to an unconscious person. | | |
| 4.2. Most important symptoms and effect | s, both a | acute and delayed | | |
| Symptoms/injuries after inhalation | : May c | ause respiratory tract irritation. | | |
| Symptoms/injuries after skin contact | • | ause skin irritation. Symptoms may include | redness, drying, | defatting and cracking of the skin. |
| Symptoms/injuries after eye contact | : May c | ause eye irritation. Symptoms may incluction, with possible redness and swelling | de discomfort or | |
| Symptoms/injuries after ingestion | | e harmful if swallowed. May cause stom | | usea or vomiting. |

_

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| | measures | |
|---|---|---|
| i.1. Extinguishing media | | |
| Suitable extinguishing media | : Treat for surrounding materi | al. |
| Jnsuitable extinguishing media | : None known. | |
| | ng from the substance or mixture | |
| Fire hazard | : Products of combustion may | y include, and are not limited to: oxides of carbon. |
| 5.3. Advice for firefighter | | |
| Protection during firefighting | : Keep upwind of fire. Wear fu protection (SCBA). | Ill fire fighting turn-out gear (full Bunker gear) and respiratory |
| SECTION 6: Accidental I | elease measures | |
| 6.1. Personal precautions | s, protective equipment and emergency proce | edures |
| General measures | : Use personal protection reco unnecessary and unprotected | ommended in Section 8. Isolate the hazard area and deny entry to ed personnel. |
| | I for containment and cleaning up | |
| For containment | | with inert material (e.g. sand, vermiculite), then place in a suitable wer or allow to enter waterways. Use appropriate Personal |
| Methods for cleaning up | : Scoop up material and place | in a disposal container. |
| 6.3. Reference to other se | ections | |
| See section 8 for further informa | tion on protective clothing and equipment and se | ection 13 for advice on waste disposal. |
| SECTION 7: Handling an | d storage | |
| 7.1. Precautions for safe | handling | |
| Precautions for safe handling | open container with care. W | eyes. Avoid breathing vapour or mist. Do not swallow. Handle and hen using do not eat, drink or smoke. |
| Hygiene measures | | ing before reuse. Wash hands before eating, drinking, or smoking. |
| | torage, including any incompatibilities | lden Kann andeland tekste einend |
| Storage conditions | : Keep out of the reach of chil | ldren. Keep container tightly closed. |
| | | |
| | | |
| Not available. | | |
| Not available. | ontrols/personal protection | |
| Not available. SECTION 8: Exposure co 8.1. Control parameters | | |
| Not available. SECTION 8: Exposure co 8.1. Control parameters Fluoroalkyl acrylate copolym | er | |
| Not available. SECTION 8: Exposure co 8.1. Control parameters | | Not available. |
| Not available. SECTION 8: Exposure co 8.1. Control parameters Fluoroalkyl acrylate copolym | er | Not available. Not available. |
| Not available. SECTION 8: Exposure co 8.1. Control parameters Fluoroalkyl acrylate copolym USA ACGIH | er ACGIH TWA | |
| Not available. SECTION 8: Exposure co 8.1. Control parameters Fluoroalkyl acrylate copolym USA ACGIH USA OSHA | er ACGIH TWA OSHA PEL (TWA) : Use ventilation adequate to recommended exposure lim | Not available. keep exposures (airborne levels of dust, fume, vapor, etc.) below its. |
| Not available. SECTION 8: Exposure co 8.1. Control parameters Fluoroalkyl acrylate copolym USA ACGIH USA OSHA 8.2. Exposure controls Appropriate engineering controls Hand protection | er ACGIH TWA OSHA PEL (TWA) : Use ventilation adequate to | Not available. keep exposures (airborne levels of dust, fume, vapor, etc.) below its. |
| Not available. SECTION 8: Exposure co 8.1. Control parameters Fluoroalkyl acrylate copolym USA ACGIH USA OSHA 8.2. Exposure controls Appropriate engineering controls Hand protection Eye protection | er ACGIH TWA OSHA PEL (TWA) : Use ventilation adequate to recommended exposure lim : Wear chemically resistant pu : Safety glasses or goggles a | Not available. keep exposures (airborne levels of dust, fume, vapor, etc.) below its. rotective gloves. re recommended when using product. |
| Not available. SECTION 8: Exposure co 8.1. Control parameters Fluoroalkyl acrylate copolym USA ACGIH USA OSHA 8.2. Exposure controls Appropriate engineering controls Hand protection Eye protection Skin and body protection | er ACGIH TWA OSHA PEL (TWA) : Use ventilation adequate to recommended exposure lim : Wear chemically resistant pu : Safety glasses or goggles a : None necessary under norm | Not available. keep exposures (airborne levels of dust, fume, vapor, etc.) below its. rotective gloves. re recommended when using product. nal conditions of use. |
| Not available. SECTION 8: Exposure co 8.1. Control parameters Fluoroalkyl acrylate copolym USA ACGIH USA OSHA 8.2. Exposure controls Appropriate engineering controls Hand protection Eye protection Skin and body protection Respiratory protection | er ACGIH TWA OSHA PEL (TWA) : Use ventilation adequate to recommended exposure lim : Wear chemically resistant pu : Safety glasses or goggles a : None necessary under norm : None necessary under norm | Not available. keep exposures (airborne levels of dust, fume, vapor, etc.) below its. rotective gloves. re recommended when using product. hal conditions of use. |
| Not available. SECTION 8: Exposure co 8.1. Control parameters Fluoroalkyl acrylate copolym USA ACGIH USA OSHA 8.2. Exposure controls Appropriate engineering controls Hand protection Eye protection Skin and body protection | er ACGIH TWA OSHA PEL (TWA) : Use ventilation adequate to recommended exposure lim : Wear chemically resistant pu : Safety glasses or goggles a : None necessary under norm : None necessary under norm : Maintain levels below Comm | Not available. keep exposures (airborne levels of dust, fume, vapor, etc.) below its. rotective gloves. re recommended when using product. nal conditions of use. |

| 9.1. | Information on basic physical and c | hemical properties | |
|----------|-------------------------------------|---------------------|-----|
| Physical | state | : Liquid | |
| Appeara | nce | : No data available | |
| 09/29/20 | 4 | EN (English) | 2/5 |

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| according to the Hazard Communication Standard (CFR2s | 3 1910.1200) HazCom 2012. |
|---|---------------------------|
| Colour | : White |
| Odour | : Mild |
| Odour threshold | : No data available |
| рН | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not flammable |
| Vapour pressure | : 23 hPa (17 mm Hg) |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Log Pow | : No data available |
| Log Kow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |
| 9.2. Other information | |
| No additional information available. | |
| SECTION 10: Stability and reactivity | |
| 10.1. Reactivity | |
| No dangerous reaction known under conditions of | f normal use. |
| 10.2. Chemical stability | |
| Stable under normal storage conditions. | |
| 10.3. Possibility of hazardous reactions | |
| No dangerous reaction known under conditions or | f normal use. |
| 10.4. Conditions to avoid | |
| Heat. | |
| | |
| 10.5. Incompatible materials | |
| None known. | |
| 10.6. Hazardous decomposition products | |
| May include, and are not limited to: oxides of carb | |
| SECTION 11: Toxicological information | on |
| 11.1. Information on toxicological effects | |
| Acute toxicity | : Not classified |
| Revivex Nubuck, Suede & Fabric Water Repe | llent |
| LD50 oral rat | > 2000 mg/kg |

| Revivex Nubuck, Suede & Fabric Water Repellent | |
|--|--------------|
| LD50 oral rat | > 2000 mg/kg |
| LD50 dermal rabbit | > 2000 mg/kg |
| LC50 inhalation rat | > 20 mg/l/4h |

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| Skin corrosion/irritation | : Based on available data, the classification criteria are not met. |
|--|--|
| Serious eye damage/irritation | : Based on available data, the classification criteria are not met. |
| Respiratory or skin sensitisation | : Based on available data, the classification criteria are not met. |
| Germ cell mutagenicity | : Based on available data, the classification criteria are not met. |
| Carcinogenicity | : Based on available data, the classification criteria are not met. |
| Reproductive toxicity | : Based on available data, the classification criteria are not met. |
| Specific target organ toxicity (single exposure) | : Based on available data, the classification criteria are not met. |
| Specific target organ toxicity (repeated exposure) | : Based on available data, the classification criteria are not met. |
| Aspiration hazard | : Based on available data, the classification criteria are not met. |
| Symptoms/injuries after inhalation | : May cause respiratory tract irritation. |
| Symptoms/injuries after skin contact | : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. |
| Symptoms/injuries after eye contact | : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. |
| Symptoms/injuries after ingestion | : May be harmful if swallowed. May cause stomach distress, nausea or vomiting. |
| SECTION 12: Ecological information | |
| 12.1. Toxicity | |
| Ecology - general | : May cause long-term adverse effects in the aquatic environment. |
| | |

| 12.2. Persistence and degradability | |
|--|--|
| Revivex Nubuck, Suede & Fabric Water Repel | lent |
| Persistence and degradability | Not established. |
| 12.3. Bioaccumulative potential | |
| Revivex Nubuck, Suede & Fabric Water Repel | lent |
| Bioaccumulative potential | Not established. |
| 12.4. Mobility in soil | |
| No additional information available. | |
| 12.5. Other adverse effects | |
| Effect on ozone layer : | No additional information available. |
| Effect on the global warming | No known ecological damage caused by this product. |
| SECTION 13: Disposal considerations | |
| 13.1. Waste treatment methods | |
| Waste disposal recommendations | This material must be disposed of in accordance with all local, state, provincial, and federal |

| SECTION 14: Transport information | |
|-----------------------------------|---|
| In accordance with DOT | |
| 14.1. UN number | |
| Not regulated for transport. | |
| 14.2. UN proper shipping name | |
| Not applicable. | |
| 14.3. Additional information | |
| Other information : | No supplementary information available. |
| Special transport precautions : | Do not handle until all safety precautions have been read and understood. |

regulations. The generation of waste should be avoided or minimized wherever possible.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| 15.2. US State regulations | |
|--------------------------------|--|
| Revivex Nubuck, Suede & Fabrie | : Water Repellent |
| State or local regulations | This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. |
| SECTION 16: Other information | ation |
| ndication of changes | : None. |
| Date of issue | : 09/29/2014 |
| Other information | : None. |

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.