

## OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

**HAZARD COMMUNICATION SAFETY DATA SHEET****PRODUCT: PTFE Thread Seal Tape**

Revision Date 3/1/18

**Section 1: Chemical Product and Company Identification****Manufacturer**

AA Thread Seal Tape, Inc.  
1275 Kyle ct.  
Wauconda, IL 60084

**Telephone Number:** 800-537-7139**Product Identifier:** Thread Tape PTFE Tape**Product Description:** PTFE Tape**Product Use:** For use on threaded joints of pipe (not exceeding 4" pipe size) in assemblies handling gasoline, petroleum oils, propane, butane, naphtha, benzene Natural gas and LP-gas in vapor state (temperatures of -65F to 700F, pressure not over 300 psi). A minimum of three full wraps is required for pipe up to 1"**Section 2: Hazard Identification**

## HMIS HAZARD IDENTIFICATION

Health 1                      Flammability 1                      Reactivity 0

**EMERGENCY OVERVIEW:****Physical Hazards:** May become slippery under foot**Acute Health Effects:** No known toxicity below 500F**Chronic Health Effects:** No chronic health effects are expected**Section 3: Information on Ingredients****Contains:** Polytetrafluoroethylene CAS # 9002-84-0  
Polytetrafluoroethylene can emit toxic vapors at temperatures exceeding 700F, See Section 5 for additional information  
Contains 99.5% pure Virgin PTFE**Section 4: First Aid Measures****INHALATION:** Not expected to become a significant inhalation hazard under normal conditions of use.**INGESTION:** If ingested this product is not expected to cause an acute reactions. Give two glasses of water to drink. Consult a physician. Never give anything by mouth to an unconscious person.**EYES:** Not expected to come in contact with eyes. In the unlikely event of eye exposure no effects are expected other than normal irritation produced by foreign body in eye. Flush with water. Lasting irritation see a physician.**SKIN:** Skin contact may in isolated cases cause allergic reaction common with most other materials. Wash well soap and water. If irritation persists see physician.

## Material Safety Data Sheet Continued

**Section 5: Fire Fighting Measures**

<b>Extinguishing Media:</b>	Foam (Aqueous Film Forming Foam), dry chemical, carbon dioxide.
<b>Special Precautions:</b>	This compound will not burn unless its pre-heated. Water fog may be used to cool the containers, however frothing may occur if water is sprayed directly into burning containers. Do not enter fire area without proper protection.
<b>Hazardous Combustion Products:</b>	The thermal decomposition products are highly dependant upon the combustion conditions. Noxious or toxic fumes may be generated, some of which may be toxic or irritating. Polytetrafluoroethylene can emit toxic fumes when heated to temperatures exceeding 700F. The max operating temperature for this compound is around 500F. At these temps PTFE does not undergo any thermal degradation and is not hazardous.
<b>Flash Point:</b>	Not established
<b>Lower Flammable Limit:</b>	Not established
<b>Upper Flammable Limit:</b>	Not established
<b>Autoignition Temperature:</b>	Not established

**Section 6: Accidental Release Measures**

*Spills cannot occur. Dispose of any excess material in safe manner. Incineration is to be avoided*

**Section 7: Handling and Storage**

<b>Handling:</b>	Avoid contact with the skin and eyes. Use good industrial hygiene practices. Keep containers closed. Wash hands after using product and before eating, drinking, smoking, or using toilet facilities. For operation at ambient temps of -65F to 700F and pressure up to 300 psi.
<b>Storage:</b>	Store in a dry place away from moisture, excessive heat and sources of ignition at ambient air temperatures of -65F to 700F and pressure up to 300 psi. Avoid storage near food to prevent food contamination.

**Section 8: Exposure Controls/Personal Protection**

<b>Ventilation Requirements:</b>	In confined areas local and general ventilation should be provided. Ventilation systems must be designated according to approved engineering standards.
<b>Personal Protection:</b>	
<b>Eye:</b>	Wearing of protective glasses is recommended when handling any chemicals.
<b>Gloves:</b>	Only in rare case where allergies are apparent are gloves necessary.
<b>Respiratory</b>	Provide adequate ventilation in workplace.
<b>Other:</b>	Eating and smoking should be prohibited in areas where product is handled. Nothing replaces good personal hygiene. Coveralls or other full body clothing shall be worn and properly laundered after use. Workers should wash hands, face, neck and arms before eating, drinking or smoking.

## Material Safety Data Sheet Continued

**Section 9: Physical and Chemical Properties**

<b>Physical State:</b>	Tape
<b>Odor and Appearance:</b>	Odorless
<b>Lowest Boiling point:</b>	Does not apply
<b>Vapor Pressure:</b>	Not established
<b>Vapor Density</b>	Not established
<b>Water Solubility:</b>	Insoluble
<b>% Organic Volatiles:</b>	0.0% w/w
<b>pH:</b>	N.A.

**Section 10: Stability and Reactivity**

<b>Stability:</b>	Stable under normal conditions.
<b>Reactivity:</b>	Unknown

**Section 11: Toxicological Information**

<b>Exposure limites:</b>	The limits reported in Section 2 of this document refer to other physical forms of the ingredients present in this product. Limits for the formulated product have not been determined.
--------------------------	---

None of the components of this product have been reported as carcinogenic by NTP, OSHA or IARC.

**Section 12: Ecological Information**

<b>General:</b>	No special procedures
-----------------	-----------------------

**Section 13: Disposal Information**

Waste materials must be disposed of in accordance with your municipal, state, provincial and federal regulations. Contact the proper authorities for specific instructions. Avoid incineration.

**Section 14: Transport Information**

<b>DOT Hazard Class:</b>	Not regulated
<b>Proper Shipping Name:</b>	Not regulated
<b>Identification Number:</b>	Not regulated

**Section 15: Regulatory Information**

Listed below are chemical substances subject to supplier notification requirements. The percentages when presented represent average values.

CAS Number	SARA	WHMIS	CA-65
		313	

None

CA-65 - Chemical Substance identified under the California Proposition 65 column are known to the State of California to Cause and/or reproductive toxicity.

TSCA Status:

All ingredients of product comply with the requirements of the US EPA Toxic Substance Control Act.

## Material Safety Data Sheet Continued

**Section 16: Other****Prepared by Management**

*The above information and recommendations are believed accurate and reliable. Because it is not possible to anticipate all conditions of use, additional safety precautions may be required. AA Thread Seal Tape, Inc. makes no warranty, either expressed or implied, including merchantability and fitness.*

**User Responsibility:** Each user should read and understand this information and incorporate it into individual site safety programs in accordance with applicable hazard communication standards and regulations.

