

Impact Sockets, Chisels & Attachments











GP is Everything Impact.

Grey Pneumatic (GP) through our distributors supplies the world's automotive, industrial, assembly, mining, maintenance, construction, and energy industries with heavy duty, high quality impact and specialty sockets. We carry a complete line of Impact Socket sets and individuals from 1/4" drive thru 2-1/2" and #5 spline drive with hex sizes up to 8". We also offer a large selection of star impact drivers, impact hex drivers, triple square drivers, torque limiting extensions plus Impact chisels and accessories.

GP sockets and tools are made in Taiwan using the highest quality chrome-molybdenum alloy steel and state-of-the-art manufacturing processes and equipment. Thorough and exact heat treatment, as well as rigid quality control, ensures the correct balance of strength and durability to deliver outstanding performance at the most competitive cost.

GP Tools are available through Automotive and Industrial warehouse distributors, tool stores, mobile tool truck dealers, tire equipment and supply warehouses and other sources that service these markets.

GP offers Fast and Reliable service to all of our distributors and their customers.



GP Tools carry a Lifetime Warranty.

All GP Impact Sockets feature the GP "High Torque" Drive

Benefits are:

Increased Strength - Transfers the pressure from the thinnest part of the socket wall toward the thicker section, resulting in increased strength.

Increased Torque - Allows up to 20% more torque to be applied than on standard hex impact sockets.

Easier Access to Tight Areas - The shift in pressure allows us to reduce the socket wall thickness, increasing access to tight areas.

Reduced Wear - Our impact sockets grip the fastener across a broader contact area, reducing the chance of rounding off fasteners.



All GP Sockets feature extra-large size markings for quick identification.



GP "High Torque" drive offers many benefits.



1/2" Drive Torque Limiting Impact Sockets



Always follow manufacturer's recommended torque specifications when using these products.

👩 No. 28200 🛛 1/2″ Drive Torque Limiting Socket Set 🏼 🌆



This set contains the most popular items to service the majority of passenger and light trucks. The molded case can be wall mounted for ease of use.

10 piece set contents:

ltem Number	Hex Size	Torque ft./lbs.	Color			
28202	17mm	55	Green			
28206	17mm	80	Red			
28210	19mm-3/4"	65	Yellow			
28214	19mm-3/4"	80	Blue			
28218	19mm-3/4"	100	Gray			
28222	13/16"	100	Brown			
28230	21mm	80	Lt. Brown			
28242	22mm-7/8"	120	White			
28246	22mm-7/8"	140	Turquoise			
28250	24mm-15/16"	140	Lt. Green			
TSINS	Instruction Sheet					
	Molded Storage Case (wall mountable)					

6 1/2" Drive TORK-SOCKETS 🏼 🚣

Each socket is individually packaged in a heavy duty blister pack for ease of display and storage.

282	210
4	EI.
mune Reque 855 R.Su. 19 Au	TORK-SOCK
	-

ltem	Hex	Torquo	Torque	Dimensions (Inches)					
<u>Number Size</u>	Torque To <u>ft./lbs.</u>	Nm	Color	Α	В	C	D	Ε	
28202*	17mm	55	75	Green	1.07	1.06	1.09	.32	8.69
28206*	17mm	80	110	Red	1.07	1.06	1.09	.43	8.69
28210*	19mm-3/4"	65	90	Yellow	1.07	1.14	1.09	.39	8.69
28214*	19mm-3/4"	80	110	Blue	1.07	1.17	1.09	.43	8.69
28218*	19mm-3/4"	100	135	Gray	1.07	1.23	1.09	.48	8.69
28222*	13/16"	100	135	Brown	1.07	1.23	1.09	.48	8.69
28226	21mm	60	80	Black	1.07	1.23	1.09	.32	8.69
28230*	21mm	80	110	Lt. Brown	1.07	1.23	1.09	.43	8.69
28234	21mm	150	200	Charcoal	1.07	1.23	1.78	.60	8.69
28236	21mm	160	217	Lt. Purple	1.07	1.23	1.78	.62	8.69
28238	22mm-7/8"	100	135	Lt. Blue	1.07	1.31	1.20	.48	8.69
28242*	22mm-7/8"	120	160	White	1.07	1.31	1.78	.53	8.69
28246*	22mm-7/8"	140	190	Turquoise	1.07	1.31	1.78	.58	8.69
28250*	24mm-15/16	"140	190	Lt. Green	1.07	1.37	1.78	.58	8.69
28254	1"	140	190	Purple	1.07	1.53	2.10	.58	8.69
28258	1-1/16"	140	190	Tan	1.07	1.66	2.10	.58	8.69
* Included in set number 28200									

* Included in set number 28200



