


Impact Sockets, Chisels & Attachments

EVERYTHING IMPACT®









GP is **EVERYTHING IMPACT**®

Grey Pneumatic (GP) through our distributors supplies the world's automotive, industrial, assembly, mining, maintenance, construction, and energy industries with heavy duty, high quality impact and specialty sockets. We carry a complete line of Impact Socket sets and individuals from 1/4" drive thru 2-1/2" and #5 spline drive with hex sizes up to 8". We also offer a large selection of star impact drivers, impact hex drivers, triple square drivers, torque limiting extensions plus Impact chisels and accessories.

GP sockets and tools are made in Taiwan using the highest quality chrome-molybdenum alloy steel and state-of-the-art manufacturing processes and equipment. Thorough and exact heat treatment, as well as rigid quality control, ensures the correct balance of strength and durability to deliver outstanding performance at the most competitive cost.

GP Tools are available through Automotive and Industrial warehouse distributors, tool stores, mobile tool truck dealers, tire equipment and supply warehouses and other sources that service these markets.

GP offers Fast and Reliable service to all of our distributors and their customers.



GP Tools carry a Lifetime Warranty.

All GP Impact Sockets feature the GP "High Torque" Drive

Benefits are:

Increased Strength - Transfers the pressure from the thinnest part of the socket wall toward the thicker section, resulting in increased strength.

Increased Torque - Allows up to 20% more torque to be applied than on standard hex impact sockets.



GP "High Torque" drive offers many benefits.

Easier Access to Tight Areas - The shift in pressure allows us to reduce the socket wall thickness, increasing access to tight areas.

Reduced Wear - Our impact sockets grip the fastener across a broader contact area, reducing the chance of rounding off fasteners.



All GP Sockets feature extra-large size markings for quick identification.




1/2" Drive Deep Length Impact Sockets





6 1/2" Drive - Deep Length - Fractional Sizes 💴



ANSI Specifications B107.2







Item	Hex		Dimensions (Inches)						
Number	Size	Shape	Α	В	C	D	E		
2010D	5/16"	Ī	.87	.59	2.65	.51	3.27		
2012D	3/8"		.87	.63	2.65	.55	3.27		
2014D	7/16"	I	.87	.71	2.65	.55	3.27		
2016D	1/2"		.87	.79	2.65	.55	3.27		
2018D	9/16"	I	.94	.87	2.65	.95	3.27		
2020D	5/8"	II	.94	.94	2.65	.95	3.27		
2022D	11/16"	II	1.02	1.02	2.65	.95	3.27		
2024D	3/4"	II	1.10	1.10	2.65	.95	3.27		
2026D	13/16"	II	1.18	1.18	2.65	.95	3.27		
2028D	7/8"	II	1.26	1.26	2.92	.95	3.54		
2030D	15/16"	II	1.34	1.34	2.92	.95	3.54		
2032D	1"	II	1.42	1.42	2.92	.95	3.54		
2034D	1-1/16"	II	1.50	1.50	2.92	.95	3.54		
2036D	1-1/8"	Ш	1.50	1.57	2.92	.95	3.54		
2038D	1-3/16"	III	1.50	1.73	2.92	.95	3.54		
2040D	1-1/4"	III	1.50	1.73	2.92	.95	3.54		
*2040HD	1-1/4"	III	1.50	1.85	2.68	1.22	3.35		
2042D	1-5/16"	III	1.50	1.77	2.92	1.35	3.54		
2044D	1-3/8"	III	1.50	1.91	2.92	1.35	3.54		
2046D	1-7/16"	III	1.50	1.99	2.92	1.35	3.54		
2048D	1-1/2"	III	1.50	2.07	2.92	1.45	3.54		
2050D	1-9/16"	III	1.73	2.20	3.03	2.28	3.66		
2052D	1-5/8"	III	1.73	2.30	3.03	2.28	3.66		
2054D	1-11/16"	Ш	1.73	2.40	3.03	2.28	3.66		
2056D	1-3/4"	III	1.73	2.48	3.03	2.28	3.66		
2058D	1-13/16"	III	1.73	2.56	3.03	2.28	3.66		
2060D	1-7/8"	III	1.73	2.66	3.03	2.28	3.66		
2062D	1-15/16"	 	1.73	2.72	3.03	2.28	3.66		
2064D	2"	III	2.05	2.80	3.03	2.28	3.66		
2066D	2-1/16"		2.05	2.85	3.03	2.28	3.66		
2068D	2-1/8"	III	2.05	2.95	3.03	2.28	3.66		
2070D	2-3/16"		2.05	3.01	3.03	2.28	3.66		
2072D	2-1/4"	III	2.05	3.07	3.03	2.28	3.66		
*For Heavy Duty Wheel Service Work									

6 Deep Length - Metric Sizes 📠

Item	Hex		Dimensions (Millimeters)				
Number	Size	Shape	Α	В	Ċ	Ď	Ε
2008MD	8mm		22	15.0	66	14	83
2009MD	9mm	i	22	15.0	66	14	83
2010MD	10mm	ĺ	22	17.0	66	14	83
2011MD	11mm	İ	22	18.0	66	14	83
2012MD	12mm	I	22	19.0	66	14	83
2013MD	13mm	I	24	20.0	66	14	83
2014MD	14mm	I	24	22.0	66	24	83
2015MD	15mm	II	24	24.0	66	24	83
2016MD	16mm	II	26	24.0	66	24	83
2017MD	17mm	II .	26	26.0	66	24	83
2018MD	18mm	II	26	26.0	66	24	83
2019MD	19mm	II	28	28.0	66	24	83
2020MD	20mm	II	30	30.0	66	24	83
2021MD	21mm	II	30	30.0	66	24	83
2022MD	22mm	II	32	32.0	73	24	90
2023MD	23mm	II	32	32.0	73	24	90
2024MD	24mm	II	34	34.0	73	24	90
2025MD	25mm	II	36	36.0	73	24	90
2026MD	26mm	II	36	36.0	73	24	90
2027MD	27mm	II	38	38.0	73	24	90
2028MD	28mm	III	38	40.0	73	24	90
2029MD	29mm	III	38	40.0	73	24	90
2030MD	30mm	III.	38	42.0	73	24	90
2032MD	32mm	<u>III</u>	38	44.0	73	24	90
2033MD	33mm	<u> </u>	38	45.0	73	34	90
2034MD	34mm		38	46.0	73	34	90
2035MD	35mm	III	38	48.5	73	34	90
2036MD	36mm	III	38	48.5	73	34	90