Product Name: Fibreglass Q Pads Product identifier: 100117 Revision Date: 08-18-2016

Replaces:



1. Identification

Product identifier used on the label:

Product Name: Fibreglass Q Pads

Product identifier: 100117

Other means of identification

No data available Synonyms:

Recommended use of the

chemical and restrictions on

Dampens the vibration of metal or plastic substrates.

use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / ITW Evercoat

Importer / Distributor: a division of Illinois Tool Works Inc.

> 6600 Cornell Road Cincinnati, OH 45242

513-489-7600

Emergency phone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:



GHS Classification: Skin Sensitisation Category 1

GHS Signal Word: Warning

GHS Hazard Statements: May cause an allergic skin reaction.

GHS Precautionary Statements:

Safety Precautions: Avoid breathing dust/fume/gas/mist/vapours/spray.

> Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Page 1 of 8

Product Name: Fibreglass Q Pads Product identifier: 100117 Revision Date: 08-18-2016

Replaces:

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise

classified:

No data available

3. Composition/information on ingredients				
Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient		
2-Ethylhexyl acrylate	103-11-7	0.1 - 1		

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Skin Contact:

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: Flush eyes with plenty of water for at least 20 minutes retracting

eyelids often. Tilt the head to prevent chemical from transferring to

the uncontaminated eye. Get immediate medical attention. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel. Wash with soap and water. Remove contaminated clothing and

launder. Get medical attention if irritation develops or persists. Remove to fresh air. If breathing is difficult, have a trained

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial

respiration and have a trained individual administer oxygen. Get

medical attention immediately

Ingestion: Do not induce vomiting and seek medical attention immediately.

Drink two glasses of water or milk to dilute. Provide medical care

provider with this MSDS.

Most important symptoms/effects, acute and delayed:

Most important No data available

symptoms/effects (Acute):

Most important No data available

symptoms/effects (Delayed):

Indication of immediate medical attention and special treatment

No additional first aid information available

needed, if necessary:

Product Name: Fibreglass Q Pads **Product identifier:** 100117 **Revision Date:** 08-18-2016

Replaces:

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water

> spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid. Regular foam Carbon dioxide Dry

chemical Water fog

No data available Unsuitable extinguishing media:

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Fire and/or Explosion Material may be ignited if preheated to temperatures above the

Hazards:

flash point in the presence of a source of ignition. Use process

enclosures to control the level of dust in the air.

Hazardous Combustion

Products:

Toxic fumes., Toxic gases, Carbon dioxide, Carbon monoxide,

Formaldehyde, Hydrocarbons

Special protective equipment and precautions for fire-

fighters:

Do not enter fire area without proper protection including selfcontained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Do not enter fire area without proper protection including self-contained

breathing apparatus and full protective equipment.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up: No special spill clean-up considerations. Collect and discard in regular trash. Sweep up absorbed material and place in a chemical

waste container for disposal.

Product Name: Fibreglass Q Pads Product identifier: 100117 Revision Date: 08-18-2016

Replaces:

7. Handling and storage

Precautions for safe handling: Harmful or irritating material. Avoid contacting and avoid breathing

the material. Use only in a well ventilated area. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Minimize dust generation and accumulation Use spark-proof tools and explosion-proof equipment "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Remove

contaminated clothing and wash before reuse

Conditions for safe storage, including any incompatibilities

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials. Store

in a cool dry place Avoid temperatures in excess of 38°C, or below

10°C

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents Strong acids

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
No data available	No data available	No data available	No data available

Appropriate engineering

controls:

No exposure limits exist for the constituents of this product. Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort. Provide adequate ventilation.

Individual protection measures, such as personal protective equipment:

Eye Protection: Wear chemically resistant safety glasses with side shields when

handling this product. Do not wear contact lenses. The use of safety glasses is not required; however, it is a good industrial

practice.

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through

and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. The use of

safety glasses is not required; however, it is a good industrial

practice.

Respiratory Protection: Respiratory protection may be required to avoid overexposure

when handling this product. General or local exhaust ventilation is

Page 4 of 8

Product Name: Fibreglass Q Pads Product identifier: 100117 Revision Date: 08-18-2016

Replaces:

the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Dust: When suspected TLV is exceeded, use TC-21C-132 Nuisance

Dust Respirator (NIOSH AP)

Other Protective Equipment: The use of safety glasses is not required; however, it is a good

industrial practice. The use of safety glasses is not required;

however, it is a good industrial practice.

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state):SolidColor:Black

Odor: No respiratory protection is ordinarily required under

normal conditions of use.

Odor threshold:

pH:

No data available

No data available

No data available

No data available

Initial Boiling Point and Boiling Range (°C): 243

Flash Point (°C):

Evaporation Rate:

Flammability (solid, gas):

No data available

No data available

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit (%):
Lower Flammable/Explosive Limit (%):
Vapor Pressure:
Vapor Density:
Relative Density:
No data available
No data available
No data available
No data available

Solubility(ies): Insoluble

Partition coefficient: n-octanol/water:No data availableAuto-ignition Temperature (°C):No data availableDecomposition Temperature:No data availableViscosity:No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions. Stable

Possibility of hazardousNo data available

reactions:

Conditions to avoid (e.g., static Temperatures above flash point in combination with sparks, open

discharge, shock, or vibration): flames, or other sources of ignition.

Contamination

Incompatible materials: Strong oxidizing agents Strong acids

Product Name: Fibreglass Q Pads Product identifier: 100117 Revision Date: 08-18-2016

Replaces:

Hazardous decomposition

Toxic fumes. Toxic gases Carbon dioxide, Carbon monoxide

products:

Formaldehyde Hydrocarbons

11. Toxicological information

Information on the likely routes

Inhalation, Skin contact, Ingestion, Eye contact

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the physical, chemical and toxicological characteristics:

No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and

headache. Inhalation of dusts produced during cutting, grinding or sanding of this

product may cause irritation of the respiratory tract.

Inhalation Toxicity: Harmful! Can cause systemic damage (see "Target Organs)

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage. Contact with product at elevated temperatures can result in

thermal burns. May cause sensitization.

Skin Absorption: Minimal hazard in normal industrial use. May cause gastrointestinal discomfort

Substance can be absorbed through the skin in harmful amounts.

Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to permanently

injure eye tissue. Can cause mechanical irritation if dusts are generated.

Ingestion Irritation: Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea.

Ingestion Toxicity: Harmful if swallowed. May cause systemic poisoning.

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive andNo data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity:No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can cause moderate respiratory

irritation, dizziness, weakness, fatigue, nausea and headache. Harmful! Can cause systemic damage upon prolonged and/or repeated exposure (see "Target Organs)

Skin Contact: Upon prolonged or repeated contact, can cause moderate skin irritation, defatting,

and dermatitis. Not likely to cause permanent damage.

Skin Absorption: Upon prolonged or repeated exposure, minimal hazard in normal industrial use.

May cause gastrointestinal discomfort.

Product Name: Fibreglass Q Pads Product identifier: 100117

Revision Date: 08-18-2016 **Replaces:**

Numerical measures of toxicity (such as acute toxicity estimates)

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen	
No data available	N	N	N	

12. Ecological information

Ecotoxicity (aquatic and

This material is not expected to be harmful to the ecology.

terrestrial, where available):

Persistence and degradability: No data available

Bioaccumulative potential: No data

Mobility in soil: No data available
Other adverse effects (such as No data available

hazardous to the ozone layer):

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material may be a hazardous waste.

Safe Handling of Waste: No special procedures – discard with other plant solid waste in

compliance with Local, State, and Federal Regulations

Waste treatment methods

(including packaging):

Dispose of in a landfill. Disposal is not likely to be regulated.

14. Transport information

UN number:
UN proper shipping name:
No data available
Not Regulated
No data available

Product Name: Fibreglass Q Pads Product identifier: 100117 Revision Date: 08-18-2016

Replaces:

Packing group: No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: All components in this product are on the TSCA Inventory.

Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available		N	N	N	N

16. Other information, including date of preparation or last revision.

Revision Date: 08-18-2016

Revision Number: 10

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances