

Model 3601



**Model 3601\* 18 gallon (68 liter) used fluid drain**

Designed as an affordable option for used fluid collection, model 3601 features all-steel construction and a 14 in. (355,6 mm) diameter funnel. Height is adjustable from 45 to 72 in. (1 143 to 1 829 mm) and the unit maneuvers on two 3 in. (76,2 mm) ball-bearing swivel casters and two 6 in. (152,4 mm) fixed-axle wheels.

**Model 3614\* 20 gallon (75 liter) used fluid drain**

Model 3614 features a stable, low-profile tank design and large 18 in. (457,2 mm) offset bowl with metal filter screen. For evacuation, the tank can be pressurized by connecting a standard shopair hose, or by using a simple tire chuck. The height is easily adjustable by loosening and tightening a friction-style lock-ring, and a special telescoping tube design eliminates the need to extend the bowl during evacuation.

Model 3614



**Model 3624 26 gallon (98 liter) plastic pressurized used fluid drain**

Model 3624 has a large 26 gallon (98 liter) reservoir molded from high-strength polyethylene for lighter weight, reduced corrosion, and lower risk of damage to surrounding vehicles. Large recesses for tool and filter storage are molded into the top and drain directly into the reservoir. The large 18 in. (457,2 mm) offset bowl includes a removable metal filter screen and secondary debris screen.

Model 3624



**\* ⚠ WARNING**

California Proposition 65:  
Cancer and reproductive harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**Self-evacuating upright drain technical data**

	<b>3601*</b>	<b>3614*</b>	<b>3624</b>
<b>Model</b>	<b>3601*</b>	<b>3614*</b>	<b>3624</b>
<b>Capacity</b>	18 gal. (68,14 liter)	20 gal. (75,71 liter)	26 gal. (98,42 liter)
<b>Bowl diameter</b>	14 in. (355,6 mm)	18 in. (457,2 mm)	18 in. (457,2 mm)
<b>Bowl configuration</b>	Center mount	Offset	Offset
<b>Reservoir material</b>	Steel	Steel	Polyethylene
<b>Front wheels (qty. 2) – swivel casters</b>	3 in. (76,2 mm)	4 in. (101,6 mm)	4 in. (101,6 mm)
<b>Rear wheels (qty. 2) – fixed-axle</b>	6 in. (152,4 mm)	6 in. (152,4 mm)	40 in. (1 016 mm)
<b>Minimum height</b>	45 in. (1 143 mm)	45 in. (1 143 mm)	53 in. (1 346 mm)
<b>Maximum height</b>	72 in. (1 829 mm)	71 in. (1 803 mm)	79 in. (2 007 mm)
<b>Size</b>	16 x 18 x 45 in. (406 x 457 x 1 143 mm)	18 x 28 x 45 in. (457 x 711 x 1 143 mm)	21 x 24 x 53 in. (533 x 610 x 1 346 mm)

\*⚠ **WARNING** California Proposition 65: Cancer and reproductive harm. [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**Optional accessories**

<b>Model</b>	<b>Name</b>	<b>Description</b>	<b>Compatible models</b>
<b>3610</b>	Funnel extension	Extends bowl diameter to 24 1/2 in. (0,62 meter)	3601, 3614, 3624 613, 3644
<b>278697</b>	Air regulator assembly	Replaces air chuck valve to allow connection of shop air using a standard Milton M-style quick-change fitting	3635, 3639
<b>3602*</b>	Magnetic tool tray	For use with metal drains to hold tools, small parts and fasteners	3601, 3614, 3617, 3618, 3650, 3652, 3675, 3677

\*⚠ **WARNING** California Proposition 65: Cancer and reproductive harm. [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

