

## SINGLE STAGE VACUUM PUMPS

### 1.8 CFM SINGLE STAGE VACUUM PUMP



MODEL	90059-B
NO. OF STAGES	1
FREE AIR DISPLACEMENT	1.8 CFM
ULTIMATE VACUUM	80 Microns
MOTOR	1/4 HP
PUMP SPEED	1720 RPM
ELECTRICAL SPECS	110/120 V, 60 HZ
WEIGHT	13.6 lbs
DIMENSIONS	12 x 6 x 10"


### 3 CFM SINGLE STAGE VACUUM PUMP



MODEL	90062-B
NO. OF STAGES	1
FREE AIR DISPLACEMENT	3 CFM
ULTIMATE VACUUM	80 Microns
MOTOR	1/4 HP
PUMP SPEED	1720 RPM
ELECTRICAL SPECS	110/120 V, 60 HZ
WEIGHT	14 lbs
DIMENSIONS	12 x 6 x 10.5"

### 6 CFM SINGLE STAGE VACUUM PUMP



MODEL	90066-B	90066-B-SF <i>Spark Free</i>
		
NO. OF STAGES	1	1
FREE AIR DISPLACEMENT	6 CFM	6 CFM
ULTIMATE VACUUM	80 Microns	80 Microns
MOTOR	1/3 HP	1/3 HP
PUMP SPEED	1720 RPM	1720 RPM
ELECTRICAL SPECS	110/120 V, 60 HZ	110/120 V, 60 HZ
WEIGHT	20.5 lbs	20.5 lbs
DIMENSIONS	15 x 6.5 x 11"	15 x 6.5 x 11"

### 91200 AIR OPERATED LIGHT DUTY VACUUM PUMP



Requires 4.5 CFM/90 PSI shop air. No moving parts, no oil required, 1.3 CFM air displacement venturi type pump will pull up to 29 inches of vacuum (Hg.) at sea level. Includes 1/4" flare (R12) connection and 1/2" ACME (R134a) connection.

\* PLEASE NOTE: The micron readings on all vacuum pumps represent optimal laboratory conditions. Field conditions may vary from these readings.

