

AIR OPERATED OIL PUMPS



Piston Pump: A-Series




(1712)

Pump Not Suitable for Water Based Fluids

Air Ratio

The *Air Ratio* describes the amount of work an Air Operated oil pump is able to do. To figure the output PSI, you multiply the first number of the ratio by the air pressure being fed into the pump. For example, if the air pressure going into a 3:1 pump is 100 PSI, then the output pressure will be 300psi.

Air Ratio	Max. Delivery Distance
1:1	25 ft
3:1	50 ft
5:1	150 ft



Model (Air Ratio)	1737 (1:1)	1712 (3:1)	1730A (5:1)
Max. Delivery	10.5 GPM	5.8 GPM	10 GPM
Max. Fluid Viscosity	80/90 SAE	80/90 SAE	240 SAE
Max. Fluid PSI	145 PSI	435 PSI	725 PSI
Max. Air PSI	145 PSI	145 PSI	145 PSI
Air Consumption	12.36 CFM @ 100 PSI	17.02 CFM @ 100 PSI	29.06 CFM @ 100 PSI
Air Inlet Size	1/4" NPT	1/4" NPT	1/4" NPT
Fluid Inlet Size	1" NPT	3/4" NPT	1" NPT
Fluid Outlet Size	3/4" NPT with 1/2" NPT Adapter	3/4" NPT with 1/2" NPT Adapter	3/4" NPT with 1/2" NPT Adapter

Height Dimensions	1737 (1:1)	1712 (3:1)	1730A (5:1)

**Use a 5:1 ratio pump to lift fluid more than 20 feet.



All Zeeline Air Operated Pumps feature our *Diamond Selection* 5-year limited warranty.

Quality products backed by premium customer service.

Air Operated Oil Pump Packages						
Included Parts	1737	1712	1713	1714	1716	1730A
PVC Extension	-	-	3/4" X 24" (15210) Fits 16-gal drum	3/4" X 28" (15212) Fits 55-gal drum	3/4" X 36" (15214) Fits 275-gal tote	-
Bung Adapter	28595	28585	28585	28585	28585	28595
Foot Valve	200-171	770-433	770-433	770-433	770-433	200-171
Misc.	-	-	16gal Drum Cover 680-823	-	-	-

Above Packages also include:

- 4' Air Hose (2004)
- 4' Oil Hose (2204)
- Air Regulator (1559A-ASSY)
- Pressure Relief Valve (28623)

Available Accessories:

1/2" Oil Hoses

- 1/2" I.D. Fiber Braid
- Max. Pressure 1,125-lbs.
- Min. Burst Pressure 4,500-lbs.
- Pressure fittings 1/2" NPT (M) both ends.



Part #	Length
2204	4'
2205	5'
2210	10'
2215	15'
2220	20'
2225	25'
2250	50'

Oil Reels

- All steel construction
- Dual arm support
- Durable powder coated finish
- Max. Pressure 2500 PSI
- Inlet Thread 1/2" NPT (F)
- Outlet Thread 1/2" NPT (M)
- See Pg. 86 for more details
- Compatible with ALL Zeeline oil pumps

Part #	Length
1475R	32'
1444R	49'



PVC Pickup Tubes

Part #	Container	Dimensions	Compatible Pump
15219	16 gallon	1" x 24"	1737, 1730A
15221	55 gallon	1" x 28"	1737, 1730A
15222	275 gallon	1" x 36"	1737, 1730A

91

- Wall Mount Bracket with 2" bung hole



92

- Suction Kit



Part No.	UPC No.
1502	0 1595431502 5
1503	0 1595431503 2
1504	0 1595431531 5
1505	0 1595431505 6
1507	0 1595431527 8
1508	0 1595431508 7
1509	0 1595431510 0
1512	0 1595431512 4
1514	0 1595431514 8
1515	0 1595431515 5
1517	0 1595431530 8
1519	0 1595431519 3
1520	0 1595431520 9
1522	0 1595431539 1
1523	0 1595441523 7
1524	0 1595441524 4
1525	0 1595431533 9
1527	0 1595441527 5
1529	0 1595441529 9
1533	0 1595441532 9
1534	0 1595441534 3
1537	0 1595401537 6
1538	0 1595401538 3
1539	0 1595401543 7
1541	0 1595402541 2
1542	0 1595402542 9
1543	0 1595402543 6
1544	0 1595441544 2
1545	0 1595441545 9
1547	0 1595441547 3
1554	0 1595441554 1
1560	0 1595441560 2
1561	0 1595441561 9
1562	0 1595431562 9

Part No.	UPC No.
1563	0 1595431563 3
1564	0 1595441564 3
1565	0 1595441565 7
1567	0 1595431567 4
1572	0 1595441572 5
1574	0 1595441574 9
1575	0 1595441575 6
1576	0 1595441576 3
1577	0 1595441577 0
1578	0 1595441578 7
1580	0 1595441580 0
1584	0 1595441584 8
1587	0 1595441587 9
1588	0 1595441588 6
1590	0 1595431590 2
1712	0 1595441712 5
1713	0 1595441713 2
1714	0 1595441714 9
1716	0 1595441721 7
1722	0 1595441752 1
1737	0 1595441734 8
1745	0 1595441745 3
1785	0 1595441785 9
1795	0 1595441795 8
1802	0 1595451802 0
1804	0 1595451804 4
1806	0 1595451806 8
1810	0 1595451810 5
1812	0 1595451812 9
1816	0 1595451816 7
1820	0 1595451820 4
1825	0 1595451825 9
1850	0 1595451850 1
2134	0 1595452134 1

Part No.	UPC No.
2136	0 1595452136 5
2154	0 1595452154 9
2156	0 1595452156 3
2158	0 1595452158 7
2178	0 1595452178 5
2205	0 1595452205 8
2210	0 1595452210 2
2215	0 1595452215 7
2220	0 1595452220 1
2225	0 1595452225 6
2250	0 1595452250 8
2300	0 1595452300 0
2320	0 1595452320 8
2325	0 1595452325 3
2330	0 1595452330 7
2340	0 1595452340 6
2350	0 1595452350 5
3024	0 1595453024 7
3713	0 1595442981 4
5001	0 1595445001 6
5002	0 1595445002 3
5003	0 1595445003 0
5072	0 1595442982 1
5265	0 1595445265 2
5702	0 1595442983 8
5792	0 1595442984 5
6104	0 1595446104 3
6105	0 1595446105 0
6112	0 1595446112 8
6116	0 1595446116 6
6120	0 1595446120 3
6124	0 1595446124 1
6167	0 1595446167 8
6168	0 1595446168 2