

HAND PUMPS



Siphon, Lift, and Rotary Style

Hand equipment includes 2" NPT bung adapter. DEF plastic drums and totes have 2" buttress threads.



- 369**
- Polyethylene Construction
 - See Pg. 81 for more ordering options



- 365**
- Nylon Construction



- 387**
- Stainless Steel Construction



- 10193**
- Stainless Steel Construction



BEST SELLER
(10211)

- 10211**
- Polypropylene Construction



BEST SELLER
(375)

- 375**
- Polypropylene Construction



- 373**
- Includes 6' hose

DEF

2.5" x 5 Buttress Threads

One opening is slightly angled and one is straight to maximize footprint on cap to connect Fill and Dispense couplers.



- 5792**
- 6" Composite two hole IBC center cap (optimized for filling and dispensing)



- 11219**
- Stainless Steel Construction



- 11219MM**
- (11219) with (5072) coupler



- 151**
- Buttress Thread Adapter
 - Nylon
 - Converts 2" NPT to 2" buttress threads

Model	Container	Output	Seals
369	15-55 Gallon	Siphons 7 gal per min	N/A
365	15-55 Gallon	1 gal per 8 lifts	PTFE
387	15-55 Gallon	1 gal per 8 lifts	PTFE
373	15-55 Gallon	1 pint per stroke	Acetal
375	15-55 Gallon	1 gal per 10 strokes	FKM
10193	15-55 Gallon	1 gal per 13 strokes	PTFE
10211	15-55 Gallon	1 gal per 16 revolutions	FKM
11219	15-55 Gallon	1 gal per 24 revolutions	PTFE
11219MM	15-55 Gallon	1 gal per 24 revolutions	PTFE

HAND PUMPS

Compatible with, but not limited to



Stainless Steel & High Flow Premium Stainless Steel Chemical Pumps



387

- Stainless Steel construction (316 alloy)
- Dispenses approximately 1-gal per 8 lifts
- Fits 15-55 gallon drum
- PTFE packing and seals
- Polypropylene bung adapter
- Brown Box (12)

Model	GAL	Delivers
386	5	10 oz Per Lift
387	15 - 55	20 oz Per Lift



10110

- Stainless Steel construction (316 alloy)
- Dispenses approximately 1-gal per 16 lifts
- Fits 15-55 gallon drum
- PTFE packing and seals
- Brown Box (20)



10193

- Stainless Steel construction
- Dispenses approximately 1-gal per 13 strokes
- Fits 15-55 gallon drum
- PTFE seal
- Brown Box (12)



11219

- Stainless Steel construction
- Dispenses approximately 1-gal per 24 revolutions
- 3-piece stainless steel pickup tube designed to fit 15, 30, and 55 gallon containers
- Stainless steel spring
- PTFE vanes and shaft seal
- Stainless Steel bung adapter
- Water deflector (**WD950**)
- 3/4" hose barb outlet
- Aluminum handle
- Brown Box (4)

High Flow Gear Driven Rotary Style

Important: Not intended for gasoline or benzyl.

CHEMICAL



1009

- Gear driven for fast and easy transfer of light oils, diesel, alcohol, antifreeze, and windshield washer fluids
- Dispenses 1-gal per 4 revolutions (can empty a 55 gallon drum in approximately 2 minutes; 25 GPM)
- Includes a 54" polypropylene hose (**1009H**)
- Aluminum alloy construction with steel vanes and NBR seals
- 3 piece steel suction tube designed to fit 15-55 gallon drums
- 1 1/4" x 16 straight threaded spout
- Includes a 2" NPT bung adapter
- Retail Box (2)



Retail Packaging



10250

- Same as (**1009**) but features PPS construction, PTFE packing, and a FKM seal for upgraded chemical resistance
- Includes a 3 piece stainless steel pickup tube designed to fit 15-55 gallon drums
- Optional hose (**1009H**)
- Spout is not threaded
- Retail Box (2)



1009H

- 54" polypropylene hose

Part No.	UPC No.
10	0 1595410010 2
17	0 1595410017 1
20	0 1595400020 4
22	0 1595410022 5
23	0 1595410023 2
24	0 1595410024 9
25	0 1595410025 6
26	0 1595440026 4
27	0 1595410027 0
28	0 1595410028 7
29	0 1595410029 4
31	0 1595410031 7
32	0 1595410032 4
33	0 1595410033 1
35	0 1595410035 5
36	0 1595450036 0
43	0 1595430043 4
44	0 1595410044 7
45	0 1595430045 8
48	0 1595410048 5
52	0 1595410052 2
55	0 1595410055 3
57	0 1595430057 1
63	0 1595430063 2
64	0 1595430064 9
65	0 1595410065 2
67	0 1595430067 0
68	0 1595430068 7
80	0 1595410080 5
81	0 1595430081 6
86	0 1595430086 1
88	0 1595450088 9
89	0 1595430089 2
91	0 1595440091 2

Part No.	UPC No.
92	0 1595440092 9
93	0 1595430093 9
94	0 1595430094 6
95	0 1595430095 3
96	0 1595440096 7
97	0 1595430097 7
98	0 1595440090 5
100	0 1595432010 4
101	0 1595410101 7
103	0 1595410103 1
105	0 1595430105 9
120	0 1595430120 2
135	0 1595430135 6
137	0 1595430137 0
145	0 1595430145 5
147	0 1595430147 9
148	0 1595430148 6
149	0 1595410149 9
150	0 1595430150 9
151	0 1595430151 6
155	0 1595400155 3
159	0 1595410150 5
160	0 1595400160 7
167	0 1595430167 7
169	0 1595430169 1
170	0 1595400170 6
175	0 1595430175 2
180	0 1595410180 2
186	0 1595410186 4
202	0 1595400202 4
227	0 1595430228 5
234	0 1595430234 6
236	0 1595430236 0
237	0 1595430237 7

Part No.	UPC No.
240	0 1595400240 6
306	0 1595430306 0
309	0 1595430309 1
310	0 1595430310 7
312	0 1595430312 1
316	0 1595430316 9
318	0 1595430318 3
321	0 1595400321 2
327	0 1595400327 4
328	0 1595400328 1
331	0 1595400331 1
333	0 1595400333 5
336	0 1595400336 6
338	0 1595400338 0
343	0 1595400343 4
353	0 1595400354 0
360	0 1595400360 1
363	0 1595400363 2
365	0 1595400365 6
366	0 1595400366 3
369	0 1595400369 4
373	0 1595400373 1
374	0 1595400374 8
375	0 1595400380 9
376	0 1595400376 2
377	0 1595400377 9
381	0 1595400381 6
382	0 1595400382 3
387	0 1595400387 8
410	0 1595410410 0
413	0 1595410413 1
414	0 1595410414 8
415	0 1595410415 5
419	0 1595410419 3