

HAND PUMPS



Siphon, Lift, and Rotary Style

Hand equipment includes 2" NPT bung adapter. DEF plastic drums and totes have 2" buttress threads.



- 369**
- Polyethylene Construction
 - See Pg. 81 for more ordering options



- 365**
- Nylon Construction



- 387**
- Stainless Steel Construction



- 10193**
- Stainless Steel Construction



BEST SELLER
(10211)

- 10211**
- Polypropylene Construction



BEST SELLER
(375)

- 375**
- Polypropylene Construction



- 373**
- Includes 6' hose

DEF

2.5" x 5 Buttress Threads

One opening is slightly angled and one is straight to maximize footprint on cap to connect Fill and Dispense couplers.



- 5792**
- 6" Composite two hole IBC center cap (optimized for filling and dispensing)



- 11219**
- Stainless Steel Construction



- 11219MM**
- (11219) with (5072) coupler



- 151**
- Buttress Thread Adapter
 - Nylon
 - Converts 2" NPT to 2" buttress threads

Model	Container	Output	Seals
369	15-55 Gallon	Siphons 7 gal per min	N/A
365	15-55 Gallon	1 gal per 8 lifts	PTFE
387	15-55 Gallon	1 gal per 8 lifts	PTFE
373	15-55 Gallon	1 pint per stroke	Acetal
375	15-55 Gallon	1 gal per 10 strokes	FKM
10193	15-55 Gallon	1 gal per 13 strokes	PTFE
10211	15-55 Gallon	1 gal per 16 revolutions	FKM
11219	15-55 Gallon	1 gal per 24 revolutions	PTFE
11219MM	15-55 Gallon	1 gal per 24 revolutions	PTFE

HAND PUMPS

Compatible
with, but not
limited to

ALCOHOL

ANTI-FREEZE

WATER-BASED FLUIDS

WIND-SHIELD WASHER FLUID

Lift and Siphon Style

Lift Style



360, 363, & 365:

- Dispenses approximately 1-gal per 8 lifts
- Designed to fit 15-55 gallon containers

Model	Bung Adapter	Construction	Seal	Rod
360	Yes	Polypropylene	FKM	Nickel Plated Steel
363	Yes	Nylon	FKM	Nickel Plated Steel
365	Yes	Nylon	PTFE	Stainless Steel



10044

- Dispenses approximately 1-gal per 16 lifts

10050

- Dispenses approximately 1-gal per 8 lifts


Features for (10044) & (10050):

- Designed to fit 15-55 gallon containers
- Includes 5 gallon pail adapter

Recommended For:

- Water-based fluids
- Light oils
- Mild acids
- Soaps
- Detergents
- Waxes
- Deodorants
- Etc.

Siphon Style



369

- Siphons 7-gal per minute
- Designed to fit: 15-55 gallon containers
- 1" inlet/outlet
- Spare discharge hose available (10112)
- Individually boxed

Construction:

- Body- Polyethylene
- Suction Tube- Polypropylene

Must be ordered in multiples of 2

369AR

- Same as (369) but bulk packaged

Must be ordered in multiples of 24




10020

- Siphons 5-gal per minute
- Designed to fit: 15-55 gallon containers
- Spare discharge hose available (10113)

Construction:

- Body- Polyethylene
- Suction Tube- Polypropylene

Must be ordered in multiples of 24



10010

- Siphons 2-gal per minute
- Designed to fit: 1, 2 1/2, & 5 gallon containers

Construction:

- Body- Polyethylene
- Suction Tube- Polypropylene

Must be ordered in multiples of 120

Siphon pumps are ideal for transferring or dispensing harsh chemicals. Their complete polypropylene/polyethylene construction makes them compatible with a wide range of industrial fluids. Please consult our Chemical Resistance Chart on Pg. 98 for specific compatibility concerns.

CHEMICAL

Part No.	UPC No.
10	0 1595410010 2
17	0 1595410017 1
20	0 1595400020 4
22	0 1595410022 5
23	0 1595410023 2
24	0 1595410024 9
25	0 1595410025 6
26	0 1595440026 4
27	0 1595410027 0
28	0 1595410028 7
29	0 1595410029 4
31	0 1595410031 7
32	0 1595410032 4
33	0 1595410033 1
35	0 1595410035 5
36	0 1595450036 0
43	0 1595430043 4
44	0 1595410044 7
45	0 1595430045 8
48	0 1595410048 5
52	0 1595410052 2
55	0 1595410055 3
57	0 1595430057 1
63	0 1595430063 2
64	0 1595430064 9
65	0 1595410065 2
67	0 1595430067 0
68	0 1595430068 7
80	0 1595410080 5
81	0 1595430081 6
86	0 1595430086 1
88	0 1595450088 9
89	0 1595430089 2
91	0 1595440091 2

Part No.	UPC No.
92	0 1595440092 9
93	0 1595430093 9
94	0 1595430094 6
95	0 1595430095 3
96	0 1595440096 7
97	0 1595430097 7
98	0 1595440090 5
100	0 1595432010 4
101	0 1595410101 7
103	0 1595410103 1
105	0 1595430105 9
120	0 1595430120 2
135	0 1595430135 6
137	0 1595430137 0
145	0 1595430145 5
147	0 1595430147 9
148	0 1595430148 6
149	0 1595410149 9
150	0 1595430150 9
151	0 1595430151 6
155	0 1595400155 3
159	0 1595410150 5
160	0 1595400160 7
167	0 1595430167 7
169	0 1595430169 1
170	0 1595400170 6
175	0 1595430175 2
180	0 1595410180 2
186	0 1595410186 4
202	0 1595400202 4
227	0 1595430228 5
234	0 1595430234 6
236	0 1595430236 0
237	0 1595430237 7

Part No.	UPC No.
240	0 1595400240 6
306	0 1595430306 0
309	0 1595430309 1
310	0 1595430310 7
312	0 1595430312 1
316	0 1595430316 9
318	0 1595430318 3
321	0 1595400321 2
327	0 1595400327 4
328	0 1595400328 1
331	0 1595400331 1
333	0 1595400333 5
336	0 1595400336 6
338	0 1595400338 0
343	0 1595400343 4
353	0 1595400354 0
360	0 1595400360 1
363	0 1595400363 2
365	0 1595400365 6
366	0 1595400366 3
369	0 1595400369 4
373	0 1595400373 1
374	0 1595400374 8
375	0 1595400380 9
376	0 1595400376 2
377	0 1595400377 9
381	0 1595400381 6
382	0 1595400382 3
387	0 1595400387 8
410	0 1595410410 0
413	0 1595410413 1
414	0 1595410414 8
415	0 1595410415 5
419	0 1595410419 3