

# AIR LINE CHUCKS

TRU-FLATE® Amflo®

• Tru-Flate • Amflo

## Air Line Chucks with Shut-Off *not for Inflator Gauge use*

**17-361** Ball Foot Chuck with 1/4" Hose Barb. Carded. 10/master.

**17-362** Straight Lock-On Chuck. 10/box.

**17-369** Ball Foot Chuck. 1/4" MNPT. Carded. 10/master.

## "Grip Tite" Chuck

Works like a "quick coupler." Snaps onto any standard tire valve and stays put until released.

**17-373** Carded. 10/master. **119** 10/box.

## Straight-On Chuck

Smaller design for use on those hard-to-reach tire valves.

**126** 10/box.

## Dual Foot Chuck

Dual foot extension for valves on tractors, trucks or buses.

**17-383** Carded. 10/master.

**17-382** 10/box.

## Straight-On Dual Foot Chuck

For hard-to-reach inner duals.

**17-385** Carded. 10/master. **108** 1/box.

**121** 12" length. 1/box.

## Dual Foot Safety Lock-On Chuck

**118D** Carded. 1/master.

## Locking Straight-On Dual Foot Chuck

Comes with threaded deep well lock nut which locks on valve when tilted.

**17-395** Carded. 10/master.

**17-396** 10/box.

**17-398** 12" length (14" overall). 5/box.

## Large Bore Clip-On Air Chuck

Snaps on the large bore valve when sleeve is moved forward and releases when sleeve is pulled back. 1/4" NPT.

**17-392** 1/bag.

## Large Bore Chuck

Grips bore valve when tilted on threads.

**17-394** 1/box.

## Air Line Chuck Service Parts *(not shown)*

**859W** Chuck Washer. For Straight-On and Dual Foot Chucks. 10/box.



17-361



17-362



17-369



17-383



126



17-382  
17-383

17-385  
17-395  
17-396  
108



121  
17-398



118D



17-394

17-392

# MERCHANDISERS / DISPLAYS

TRU-FLATE® Amflö®

Tru-Flate® packaging combines colorful, eye-catching graphics and essential "how-to-use" information for added value to customers.


Tru-Flate displays are versatile, with interchangeable headers, moveable hooks and pre-printed back-up cards.

**96-630** Includes 96-630-02 and 96-630-03.

Purchase both panels for the widest, most complete range of couplers, plugs, chucks, fittings and gauges or order a single panel for key products.

## Couplers & Plugs

**96-630-02**




Most popular sizes of Tru-Flate, Lincoln, I/M, and Aro couplers and plugs.

| Part # | Qty. | Description                      |
|--------|------|----------------------------------|
| 13-101 | 2    | COUPLER/NIPPLE SET, 1/4" T-F     |
| 13-125 | 2    | COUPLER, 1/4" T-F, 1/4" MNPT     |
| 13-135 | 2    | COUPLER, 1/4" T-F, 1/4" FNPT     |
| 12-125 | 2    | NIPPLE, 1/4" T-F, 1/4" MNPT      |
| 12-135 | 2    | NIPPLE, 1/4" T-F, 1/4" FNPT      |
| 13-201 | 2    | COUPLER/NIPPLE SET, 1/4" I/M     |
| 13-225 | 2    | COUPLER, 1/4" I/M, 1/4" MNPT     |
| 13-235 | 2    | COUPLER, 1/4" I/M, 1/4" FNPT     |
| 12-225 | 2    | NIPPLE, 1/4" I/M, 1/4" MNPT      |
| 12-235 | 2    | NIPPLE, 1/4" I/M, 1/4" FNPT      |
| 13-301 | 2    | COUPLER/NIPPLE SET, 1/4" ARO     |
| 13-325 | 2    | COUPLER, 1/4" ARO, 1/4" MNPT     |
| 13-335 | 2    | COUPLER, 1/4" ARO, 1/4" FNPT     |
| 12-325 | 2    | NIPPLE, 1/4" ARO, 1/4" MNPT      |
| 12-335 | 2    | NIPPLE, 1/4" ARO, 1/4" FNPT      |
| 13-401 | 2    | COUPLER/NIPPLE SET, 1/4" LINCOLN |
| 13-425 | 2    | COUPLER, 1/4" LINCOLN, 1/4" MNPT |
| 13-435 | 2    | COUPLER, 1/4" LINCOLN, 1/4" FNPT |
| 12-425 | 2    | NIPPLE, 1/4" LINCOLN, 1/4" MNPT  |
| 12-435 | 2    | NIPPLE, 1/4" LINCOLN, 1/4" FNPT  |
| 13-611 | 2    | COUPLER, 3/8" T-F, 1/4" FNPT     |
| 13-613 | 2    | COUPLER, 3/8" T-F, 3/8" FNPT     |
| 12-603 | 2    | NIPPLE, 3/8" T-F, 1/4" MNPT      |
| 12-605 | 2    | NIPPLE, 3/8" T-F, 3/8" MNPT      |
| 12-705 | 2    | NIPPLE, 1/2" T-F, 1/2" MNPT      |
| 13-713 | 2    | COUPLER, 3/8" T-F, 1/2" FNPT     |
| 13-755 | 2    | PUSH COUPLER, 1/4" I/M, 1/4"     |
| 13-537 | 2    | COUPLER, 3/8" I/M, 3/8" FNPT     |
| 12-527 | 2    | NIPPLE, 3/8" I/M, 3/8" MNPT      |
| 13-515 | 1    | COMBO COUPLER, 1/4" FNPT         |
| 96-901 | 1    | COUPLER TEST BAR                 |

## Blowguns, Chucks & Fittings

**96-630-03**



Most popular air hose fittings, chucks, and blowguns.


| Part #    | Qty. | Description                         |
|-----------|------|-------------------------------------|
| 21-123    | 2    | FITTING, BARB, 1/4" ID x 1/4" MNPT  |
| 21-133    | 2    | FITTING, BARB, 5/16" ID x 1/4" MNPT |
| 21-143    | 2    | FITTING, BARB, 3/8" ID x 1/4" MNPT  |
| 21-147    | 2    | FITTING, BARB, 3/8" ID x 3/8" MNPT  |
| 17-850    | 2    | GAUGE, INFLATOR-DELUXE              |
| 21-323    | 2    | FITTING, HOSE-SWIVEL, FEMALE        |
| 21-423    | 2    | HOSE SPLICER, 1/4" ID               |
| 21-467    | 2    | HOSE SPLICER, 3/8" ID               |
| 21-505    | 2    | COUPLING, 1/4" MNPT x 1/4" MNPT     |
| 21-515    | 2    | COUPLING, 1/4" FNPT x 1/4" FNPT     |
| 21-535    | 2    | BUSHING, 1/4" FNPT x 3/8" MNPT      |
| 21-603    | 2    | AIRLINE SWIVEL, 1/4" MNPT x 3/8"    |
| 21-605    | 2    | AIR SWIVEL, 1/4" MNPT x 1/4" FNPT   |
| 17-351    | 2    | CHUCK, DIRECT AIRLINE               |
| 17-353    | 2    | CHUCK, DIRECT AIRLINE W/CLIP        |
| 17-383    | 2    | CHUCK, DIRECT AIRLINE, DUAL FOOT    |
| 41-125    | 2    | AIRLINE MANIFOLD, 3-IN-ONE, 1/4"    |
| 17-373    | 2    | CHUCK, GRIP-TITE                    |
| 17-355    | 2    | CHUCK, SNAP-ON W/CLIP               |
| 41-101    | 2    | IN-LINE TOOL OILER                  |
| 4-25E-RET | 2    | HOSE W/FTGS, 25"-FAST STORE         |
| 18-203    | 2    | BLOWGUN, STANDARD-LEVER             |
| 18-233    | 2    | BLOWGUN, SAFETY-LEVER               |
| 18-207    | 2    | BLOWGUN, STANDARD-RUBBER TIP        |
| 18-603    | 2    | BLOWGUN, ADJUSTABLE I/M             |

# MERCHANDISERS / DISPLAYS

TRU-FLATE® Amflo®

## Air Accessory Display

96-640



A one panel display that includes many of the top selling SKUs in the Tru-Flate® line, including 25' and 50' Amflo® PVC hoses.

| Part #    | Qty. | Description                             |
|-----------|------|---|
| 13-225    | 6    | COUPLER, 1/4" I/M, 1/4" MNPT            |
| 12-225    | 6    | PLUG, 1/4" I/M, 1/4" MNPT               |
| 13-201    | 6    | COUPLER/PLUG SET, 1/4" I/M              |
| 13-235    | 6    | COUPLER, 1/4" I/M, 1/4" FNPT            |
| 12-235    | 6    | PLUG, 1/4" I/M, 1/4" FNPT               |
| 13-125    | 4    | COUPLER, 1/4" T-F, 1/4" MNPT            |
| 12-125    | 4    | PLUG, 1/4" T-F, 1/4" MNPT               |
| 18-207    | 2    | BLOWGUN, STANDARD-RUBBER TIP            |
| 41-300    | 2    | HOSE REPAIR KIT                         |
| 17-509    | 5    | GAUGE, TIRE-STANDARD, 10-50 PSI         |
| 13-135    | 4    | COUPLER, 1/4" T-F, 1/4" FNPT            |
| 12-135    | 4    | PLUG, 1/4" T-F, 1/4" FNPT               |
| 21-505    | 2    | COUPLING, 1/4" MNPT X 1/4" MNPT         |
| 21-515    | 2    | COUPLING, 1/4" FNPT X 1/4" FNPT         |
| 21-535    | 2    | BUSHING, 1/4" FNPT X 3/8" MNPT          |
| 24-343    | 1    | FILTER, MINI                            |
| 4-25E-RET | 1    | FAST STOR HOSE W/FITTINGS, 25', 1/4"    |
| 21-123    | 2    | FITTING, BARB, 1/4" ID X 1/4" MNPT      |
| 21-143    | 2    | FITTING, BARB, 3/8" ID X 1/4" MNPT      |
| 17-351    | 2    | CHUCK, BALL FOOT, DIRECT AIRLINE        |
| 21-467    | 2    | HOSE SPLICER, 3/8" ID                   |
| 21-557    | 2    | DRAIN COCK, 1/4"                        |
| 21-707    | 2    | SAFETY VALVE, 1/4", 125PSI              |
| 24-444    | 1    | REGULATOR, MINI                         |
| 576-25A   | 3    | PVC HOSE 3/8"x25'w-1/4"FITTINGS, ORANGE |
| 576-50A   | 3    | PVC HOSE 3/8"x50'w-1/4"FITTINGS, ORANGE |

## Air Accessories

96-610-03



Covers all four common pneumatic coupler and plug designs, popular brass fittings and air line chucks, blowguns and coiled air hose.

| Part #    | Qty. | Description                                 |
|-----------|------|---|
| 13-101    | 3    | COUPLER/PLUG SET, 1/4" T-F                  |
| 12-125    | 3    | PLUG, 1/4" T-F, 1/4" MNPT                   |
| 13-135    | 3    | COUPLER, 1/4" T-F, 1/4" FNPT                |
| 12-325    | 3    | PLUG, 1/4" ARO, 1/4" MNPT                   |
| 13-335    | 2    | COUPLER, 1/4" ARO, 1/4" FNPT                |
| 13-201    | 3    | COUPLER/PLUG SET, 1/4" I/M                  |
| 12-225    | 3    | PLUG, 1/4" I/M, 1/4" MNPT                   |
| 13-235    | 3    | COUPLER, 1/4" I/M, 1/4" FNPT                |
| 12-425    | 3    | PLUG, 1/4" LINC, 1/4" MNPT                  |
| 13-435    | 2    | COUPLER, 1/4" LINC, 1/4" FNPT               |
| 17-351    | 2    | CHUCK, BALL FOOT, DIRECT AIRLINE            |
| 21-123    | 2    | FITTING, BARB, 1/4" ID X 1/4" MNPT          |
| 21-143    | 2    | FITTING, BARB, 3/8" ID X 1/4" MNPT          |
| 21-423    | 2    | HOSE SPLICER, 1/4" ID                       |
| 4-25E-RET | 1    | FAST STOR HOSE W/ FITTINGS, 25', 1/4"       |
| 18-233    | 2    | BLOWGUN, SAFETY, LEVER TYPE                 |
| 18-203    | 1    | BLOWGUN, STANDARD-LEVER TYPE                |
| 18-601    | 2    | TRU-FLATE DESIGN ADJUSTABLE BLOWGUN         |
| 18-603    | 2    | INDUSTRIAL/MILTON DESIGN ADJUSTABLE BLOWGUN |
| 41-101    | 1    | AIR TOOL OILER                              |
| 41-300    | 2    | AIR HOSE REPAIR KIT                         |
| 17-383    | 3    | DIRECT AIR LINE CHUCK                       |
| 96-901    | 1    | COUPLER TEST BAR                            |

(Product only)

Can be purchased as part of a two-sided rack with popular tire repair products—part number 96-610.