Printing date 03/14/2018 Reviewed on 06/20/2017

1 Identification

· Product identifier

· Trade name: 39304 39308 Rust Seal

· Article number: 39304, 39308

- · Application of the substance / the mixture Coating
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEM Products Inc.

1685 Overview Drive

Rock Hill, SC 29730 803 207 8225

· Information department:

cust\_care@semproducts.com: SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730: phone 1-800-831-1122, M - TH 7am - 4pm EDT

· Emergency telephone number: CHEMTREC 1-800-424-9300

#### 2 Hazard(s) identification

- · Classification of the substance or mixture According to GHS, the product is not classified.
- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture: consisting of the following components.

Weight percentages

· Dangerous components:

57-55-6 Methyl glycol

1.5-5%

(Contd. on page 2)



Printing date 03/14/2018 Reviewed on 06/20/2017

Trade name: 39304 39308 Rust Seal

| 107-21-1 | ethanediol | (Contd. of page 1) | 1.5-5% |

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

57-55-6	Methyl glycol	30 mg/m³
107-21-1	ethanediol	30 ppm
64-18-6 formic acid		<i>3 ppm</i>
126-86-3	2,4,7,9-tetramethyldec-5-yne-4,7-diol	30 mg/m³
9003-11-6	Polyoxypropylene-polyoxyethylene Block Copolymer	6.9 mg/m <sup>-</sup>
<i>PAC-2:</i>		
57-55-6	Methyl glycol	1,300 mg/m <sup>-</sup>
107-21-1	ethanediol	150 ppm
64-18-6	formic acid	25 ppm
0.100	2,4,7,9-tetramethyldec-5-yne-4,7-diol	$330 \text{ mg/m}^3$
	2,4,7,9-tetrametnytaec-5-yne-4,7-atot	2200,

TICA



Printing date 03/14/2018 Reviewed on 06/20/2017

Trade name: 39304 39308 Rust Seal

		(Contd. of page 2)
· <i>PAC-3</i> :		
57-55-6	Methyl glycol	7,900 mg/m³
107-21-1	ethanediol	900 ррт
	formic acid	250 ppm
126-86-3	2,4,7,9-tetramethyldec-5-yne-4,7-diol	$2,000 \text{ mg/m}^3$
9003-11-6	Polyoxypropylene-polyoxyethylene Block Copolymer	460 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

No special measures required.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components	with limi	t values tha	t reauire	monitoring	at the workplace:
Components	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				to the money

#### 57-55-6 Methyl glycol

WEEL Long-term value: 10 mg/m<sup>3</sup>

#### 107-21-1 ethanediol

TLV Short-term value: 10\*\* mg/m³, 50\* ppm

Long-term value: 25\* ppm

\*vapor fraction: \*\*inh. fraction, aerosol only

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

SEM

Printing date 03/14/2018 Reviewed on 06/20/2017

Trade name: 39304 39308 Rust Seal

(Contd. of page 3)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

hemical properties	
Liquid	
1	
Undetermined	
100 C	
110 °C	
Not determined.	
Product is not selfigniting.	
Product does not present an explosion hazard.	
Not determined.	
Not determined.	
23 hPa	
$1.06217 \text{ g/cm}^3$	
Not determined.	
Not determined.	
Not determined.	
Not miscible or difficult to mix.	
e <b>r</b> ): Not determined.	
Not determined.	
Not determined.	
2.7 %	
35.2 %	
2.68 %	
45.5 g/l / 0.38 lb/gl	
0	
	According to product specification Characteristic Not determined.  Not determined.  Undetermined.  100 °C  110 °C  Not applicable.  Not determined.  Product is not selfigniting.  Product does not present an explosion hazard.  Not determined.  Not determined.  Not determined.  1.06217 g/cm³  Not determined.  2.7 %  35.2 %  2.68 %

(Contd. on page 5)

SEM

Printing date 03/14/2018 Reviewed on 06/20/2017

Trade name: 39304 39308 Rust Seal

(Contd. of page 4)

· Other information

No further relevant information available.

#### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

USA

\*

SEM

Printing date 03/14/2018 Reviewed on 06/20/2017

Trade name: 39304 39308 Rust Seal

(Contd. of page 5)

· Results of PBT and vPvB assessment

- **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

Acrylic Resin 107-21-1 ethanediol

64-18-6 formic acid

· TSCA (Toxic Substances Control Act):

57-55-6 Methyl glycol

(Contd. on page 7)

Printing date 03/14/2018 Reviewed on 06/20/2017

Trade name: 39304 39308 Rust Seal

	(Contd. of page 6)		
107-21-1	ethanediol		
64-18-6	formic acid		
149-91-7	3,4,5-trihydroxybenzoic acid		
	2,4,7,9-tetramethyldec-5-yne-4,7-diol		
11138-66-2	Xanthan gum		
9003-11-6	Polyoxypropylene-polyoxyethylene Block Copolymer		
7732-18-5	water		
· Proposition	Proposition 65		

#### Proposition 65

ı	· Chemicals known to cause cancer:		
	107-21-1	ethanediol	
I	9003-11-6	Polyoxypropylene-polyoxyethylene Block Copolymer	

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

107-21-1 ethanediol

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

107-21-1 ethanediol

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Rita Joiner (rjoiner@semproducts.com)
- · Date of preparation / last revision 03/14/2018 / 7
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 8)

SEM

Printing date 03/14/2018 Reviewed on 06/20/2017

Trade name: 39304 39308 Rust Seal

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

\* Data compared to the previous version altered.

(Contd. of page 7)

ISA -