§ 1910.1201

Does a list of the hazardous chemicals exist in each work area or at a central location?

Are methods the employer will use to inform employees of the hazards of non-routine tasks outlined?

Are employees informed of the hazards associated with chemicals contained in unlabeled pipes in their work areas?

On multi-employer worksites, has the employer provided other employers with information about labeling systems and precautionary measures where the other employers have employees exposed to the initial employer's chemicals?

Is the written program made available to employees and their designated representatives?

If your program adequately addresses the means of communicating information to employees in your workplace, and provides answers to the basic questions outlined above, it will be found to be in compliance with the rule.

5. Checklist for Compliance

The following checklist will help to ensure you are in compliance with the rule:

Obtained a copy of the rule.

Read and understood the requirements.

Assigned responsibility for tasks.
Prepared an inventory of chemicals.
Ensured containers are labeled.
Obtained MSDS for each chemical.
Prepared written program.
Made MSDSs available to workers.
Conducted training of workers.
Established procedures to maintain curren
program.
Established procedures to evaluate effective
ness

6. Further Assistance

If you have a question regarding compliance with the HCS, you should contact your local OSHA Area Office for assistance. In addition, each OSHA Regional Office has a Hazard Communication Coordinator who can answer your questions. Free consultation services are also available to assist employers, and information regarding these services can be obtained through the Area and Regional offices as well.

The telephone number for the OSHA office closest to you should be listed in your local telephone directory. If you are not able to obtain this information, you may contact OSHA's Office of Information and Consumer Affairs at (202) 219–8151 for further assistance in identifying the appropriate contacts.

[59 FR 6170, Feb. 9, 1994, as amended at 59 FR 17479, Apr. 13, 1994; 59 FR 65948, Dec. 22, 1994; 61 FR 9245, Mar. 7, 1996]

§ 1910.1201 Retention of DOT markings, placards and labels.

- (a) Any employer who receives a package of hazardous material which is required to be marked, labeled or placarded in accordance with the U. S. Department of Transportation's Hazardous Materials Regulations (49 CFR Parts 171 through 180) shall retain those markings, labels and placards on the package until the packaging is sufficiently cleaned of residue and purged of vapors to remove any potential hazards.
- (b) Any employer who receives a freight container, rail freight car, motor vehicle, or transport vehicle that is required to be marked or placarded in accordance with the Hazardous Materials Regulations shall retain those markings and placards on the freight container, rail freight car, motor vehicle or transport vehicle until the hazardous materials which require the marking or placarding are sufficiently removed to prevent any potential hazards.
- (c) Markings, placards and labels shall be maintained in a manner that ensures that they are readily visible.
- (d) For non-bulk packages which will not be reshipped, the provisions of this section are met if a label or other acceptable marking is affixed in accordance with the Hazard Communication Standard (29 CFR 1910.1200).
- (e) For the purposes of this section, the term "hazardous material" and any other terms not defined in this section have the same definition as in the Hazardous Materials Regulations (49 CFR Parts 171 through 180).

[59 FR 36700, July 19, 1994]

§ 1910.1450 Occupational exposure to hazardous chemicals in laboratories.

- (a) Scope and application. (1) This section shall apply to all employers engaged in the laboratory use of hazardous chemicals as defined below.
- (2) Where this section applies, it shall supersede, for laboratories, the requirements of all other OSHA health standards in 29 CFR part 1910, subpart Z, except as follows:

- (i) For any OSHA health standard, only the requirement to limit employee exposure to the specific permissible exposure limit shall apply for laboratories, unless that particular standard states otherwise or unless the conditions of paragraph (a)(2)(iii) of this section apply.
- (ii) Prohibition of eye and skin contact where specified by any OSHA health standard shall be observed.
- (iii) Where the action level (or in the absence of an action level, the permissible exposure limit) is routinely exceeded for an OSHA regulated substance with exposure monitoring and medical surveillance requirements, paragraphs (d) and (g)(1)(ii) of this section shall apply.
 - (3) This section shall not apply to:
- (i) Uses of hazardous chemicals which do not meet the definition of laboratory use, and in such cases, the employer shall comply with the relevant standard in 29 CFR part 1910, subpart Z, even if such use occurs in a laboratory.
- (ii) Laboratory uses of hazardous chemicals which provide no potential for employee exposure. Examples of such conditions might include:
- (A) Procedures using chemically-impregnated test media such as Dip-and-Read tests where a reagent strip is dipped into the specimen to be tested and the results are interpreted by comparing the color reaction to a color chart supplied by the manufacturer of the test strip; and
- (B) Commercially prepared kits such as those used in performing pregnancy tests in which all of the reagents needed to conduct the test are contained in the kit.

(b) Definitions—

Action level means a concentration designated in 29 CFR part 1910 for a specific substance, calculated as an eight (8)-hour time-weighted average, which initiates certain required activities such as exposure monitoring and medical surveillance.

Assistant Secretary means the Assistant Secretary of Labor for Occupational Safety and Health, U.S. Department of Labor, or designee.

Carcinogen (see select carcinogen).

Chemical Hygiene Officer means an employee who is designated by the employer, and who is qualified by training

or experience, to provide technical guidance in the development and implementation of the provisions of the Chemical Hygiene Plan. This definition is not intended to place limitations on the position description or job classification that the designated indvidual shall hold within the employer's organizational structure.

Chemical Hygiene Plan means a written program developed and implemented by the employer which sets forth procedures, equipment, personal protective equipment and work practices that (i) are capable of protecting employees from the health hazards presented by hazardous chemicals used in that particular workplace and (ii) meets the requirements of paragraph (e) of this section.

Combustible liquid means any liquid having a flashpoint at or above 100 °F (37.8 °C), but below 200 °F (93.3 °C), except any mixture having components with flashpoints of 200 °F (93.3 °C), or higher, the total volume of which make up 99 percent or more of the total volume of the mixture.

Compressed gas means:

- (i) A gas or mixture of gases having, in a container, an absolute pressure exceeding 40 psi at 70 °F (21.1 °C); or
- (ii) A gas or mixture of gases having, in a container, an absolute pressure exceeding 104 psi at 130 °F (54.4 °C) regardless of the pressure at 70 °F (21.1 °C); or
- (iii) A liquid having a vapor pressure exceeding 40 psi at 100 $^{\circ}$ F (37.8 $^{\circ}$ C) as determined by ASTM D-323-72.

Designated area means an area which may be used for work with "select carcinogens," reproductive toxins or substances which have a high degree of acute toxicity. A designated area may be the entire laboratory, an area of a laboratory or a device such as a laboratory hood.

Emergency means any occurrence such as, but not limited to, equipment failure, rupture of containers or failure of control equipment which results in an uncontrolled release of a hazardous chemical into the workplace.

Employee means an individual employed in a laboratory workplace who may be exposed to hazardous chemicals in the course of his or her assignments.

Explosive means a chemical that causes a sudden, almost instantaneous

§ 1910.1450

release of pressure, gas, and heat when subjected to sudden shock, pressure, or high temperature.

Flammable means a chemical that falls into one of the following categories:

- (i) Aerosol, flammable means an aerosol that, when tested by the method described in 16 CFR 1500.45, yields a flame protection exceeding 18 inches at full valve opening, or a flashback (a flame extending back to the valve) at any degree of valve opening;
 - (ii) Gas, flammable means:
- (A) A gas that, at ambient temperature and pressure, forms a flammable mixture with air at a concentration of 13 percent by volume or less; or
- (B) A gas that, at ambient temperature and pressure, forms a range of flammable mixtures with air wider than 12 percent by volume, regardless of the lower limit.
- (iii) Liquid, flammable means any liquid having a flashpoint below 100 °F (37.8 °C), except any mixture having components with flashpoints of 100 °F (37.8 °C) or higher, the total of which make up 99 percent or more of the total volume of the mixture.
- (iv) Solid, flammable means a solid, other than a blasting agent or explosive as defined in §1910.109(a), that is liable to cause fire through friction, absorption of moisture, spontaneous chemical change, or retained heat from manufacturing or processing, or which can be ignited readily and when ignited burns so vigorously and persistently as to create a serious hazard. A chemical shall be considered to be a flammable solid if, when tested by the method described in 16 CFR 1500.44, it ignites and burns with a self-sustained flame at a rate greater than one-tenth of an inch per second along its major axis.

Flashpoint means the minimum temperature at which a liquid gives off a vapor in sufficient concentration to ignite when tested as follows:

(i) Tagliabue Closed Tester (See American National Standard Method of Test for Flash Point by Tag Closed Tester, Z11.24-1979 (ASTM D 56-79))-for liquids with a viscosity of less than 45 Saybolt Universal Seconds (SUS) at 100 °F (37.8 °C), that do not contain suspended solids and do not have a tend-

ency to form a surface film under test; or

- (ii) Pensky-Martens Closed Tester (see American National Standard Method of Test for Flash Point by Pensky-Martens Closed Tester, Z11.7-1979 (ASTM D 93-79))-for liquids with a viscosity equal to or greater than 45 SUS at 100 °F (37.8 °C), or that contain suspended solids, or that have a tendency to form a surface film under test; or
- (iii) Setaflash Closed Tester (see American National Standard Method of Test for Flash Point by Setaflash Closed Tester (ASTM D 3278–78)).

Organic peroxides, which undergo autoaccelerating thermal decomposition, are excluded from any of the flashpoint determination methods specified above.

Hazardous chemical means a chemical for which there is statistically significant evidence based on at least one study conducted in accordance with established scientific principles that acute or chronic health effects may occur in exposed employees. The term health hazard includes chemicals which are carcinogens, toxic or highly toxic agents, reproductive toxins, irritants, corrosives, sensitizers, hepatotoxins, nephrotoxins. neurotoxins, which act on the hematopoietic systems, and agents which damage the lungs, skin, eyes, or mucous membranes.

Appendices A and B of the Hazard Communication Standard (29 CFR 1910.1200) provide further guidance in defining the scope of health hazards and determining whether or not a chemical is to be considered hazardous for purposes of this standard.

Laboratory means a facility where the "laboratory use of hazardous chemicals" occurs. It is a workplace where relatively small quantities of hazardous chemicals are used on a non-production basis.

Laboratory scale means work with substances in which the containers used for reactions, transfers, and other handling of substances are designed to be easily and safely manipulated by one person. "Laboratory scale" excludes those workplaces whose function is to produce commercial quantities of materials.

Laboratory-type hood means a device located in a laboratory, enclosure on five sides with a moveable sash or fixed partial enclosed on the remaining side; constructed and maintained to draw air from the laboratory and to prevent or minimize the escape of air contaminants into the laboratory; and allows chemical manipulations to be conducted in the enclosure without insertion of any portion of the employee's body other than hands and arms.

Walk-in hoods with adjustable sashes meet the above definition provided that the sashes are adjusted during use so that the airflow and the exhaust of air contaminants are not compromised and employees do not work inside the enclosure during the release of airborne hazardous chemicals.

Laboratory use of hazardous chemicals means handling or use of such chemicals in which all of the following conditions are met:

- (i) Chemical manipulations are carried out on a ''laboratory scale;''
- (ii) Multiple chemical procedures or chemicals are used;
- (iii) The procedures involved are not part of a production process, nor in any way simulate a production process; and
- (iv) "Protective laboratory practices and equipment" are available and in common use to minimize the potential for employee exposure to hazardous chemicals.

Medical consultation means a consultation which takes place between an employee and a licensed physician for the purpose of determining what medical examinations or procedures, if any, are appropriate in cases where a significant exposure to a hazardous chemical may have taken place.

Organic peroxide means an organic compound that contains the bivalent -O-O-structure and which may be considered to be a structural derivative of hydrogen peroxide where one or both of the hydrogen atoms has been replaced by an organic radical.

Oxidizer means a chemical other than a blasting agent or explosive as defined in §1910.109(a), that initiates or promotes combustion in other materials, thereby causing fire either of itself or through the release of oxygen or other gases.

Physical hazard means a chemical for which there is scientifically valid evidence that it is a combustible liquid, a compressed gas, explosive, flammable, an organic peroxide, an oxidizer, pyrophoric, unstable (reactive) or water-reactive.

Protective laboratory practices and equipment means those laboratory procedures, practices and equipment accepted by laboratory health and safety experts as effective, or that the employer can show to be effective, in minimizing the potential for employee exposure to hazardous chemicals.

Reproductive toxins means chemicals which affect the reproductive capabilities including chromosomal damage (mutations) and effects on fetuses (teratogenesis)

Select carcinogen means any substance which meets one of the following criteria:

- (i) It is regulated by OSHA as a carcinogen; or
- (ii) It is listed under the category, "known to be carcinogens," in the Annual Report on Carcinogens published by the National Toxicology Program (NTP) (latest edition); or
- (iii) It is listed under Group 1 ("carcinogenic to humans") by the International Agency for Research on Cancer Monographs (IARC) (latest editions); or
- (iv) It is listed in either Group 2A or 2B by IARC or under the category, "reasonably anticipated to be carcinogens" by NTP, and causes statistically significant tumor incidence in experimental animals in accordance with any of the following criteria:
- (A) After inhalation exposure of 6-7 hours per day, 5 days per week, for a significant portion of a lifetime to dosages of less than 10 mg/m³;
- (B) After repeated skin application of less than 300 (mg/kg of body weight) per week; or

(C) After oral dosages of less than 50 mg/kg of body weight per day.

Unstable (reactive) means a chemical which is the pure state, or as produced or transported, will vigorously polymerize, decompose, condense, or will become self-reactive under conditions of shocks, pressure or temperature.

Water-reactive means a chemical that reacts with water to release a gas that

§ 1910.1450

is either flammable or presents a health hazard.

- (c) Permissible exposure limits. For laboratory uses of OSHA regulated substances, the employer shall assure that laboratory employees' exposures to such substances do not exceed the permissible exposure limits specified in 29 CFR part 1910, subpart Z.
- (d) Employee exposure determination—
 (1) Initial monitoring. The employer shall measure the employee's exposure to any substance regulated by a standard which requires monitoring if there is reason to believe that exposure levels for that substance routinely exceed the action level (or in the absence of an action level, the PEL).
- (2) Periodic monitoring. If the initial monitoring prescribed by paragraph (d)(1) of this section discloses employee exposure over the action level (or in the absence of an action level, the PEL), the employer shall immediately comply with the exposure monitoring provisions of the relevant standard.
- (3) *Termination of monitoring.* Monitoring may be terminated in accordance with the relevant standard.
- (4) Employee notification of monitoring results. The employer shall, within 15 working days after the receipt of any monitoring results, notify the employee of these results in writing either individually or by posting results in an appropriate location that is accessible to employees.
- (e) Chemical hygiene plan—General. (Appendix A of this section is non-mandatory but provides guidance to assist employers in the development of the Chemical Hygiene Plan.)
- (1) Where hazardous chemicals as defined by this standard are used in the workplace, the employer shall develop and carry out the provisions of a written Chemical Hygiene Plan which is:
- (i) Capable of protecting employees from health hazards associated with hazardous chemicals in that laboratory and
- (ii) Capable of keeping exposures below the limits specified in paragraph (c) of this section.
- (2) The Chemical Hygiene Plan shall be readily available to employees, employee representatives and, upon request, to the Assistant Secretary.

- (3) The Chemical Hygiene Plan shall include each of the following elements and shall indicate specific measures that the employer will take to ensure laboratory employee protection:
- (i) Standard operating procedures relevant to safety and health considerations to be followed when laboratory work involves the use of hazardous chemicals:
- (ii) Criteria that the employer will use to determine and implement control measures to reduce employee exposure to hazardous chemicals including engineering controls, the use of personal protective equipment and hygiene practices; particular attention shall be given to the selection of control measures for chemicals that are known to be extremely hazardous;
- (iii) A requirement that fume hoods and other protective equipment are functioning properly and specific measures that shall be taken to ensure proper and adequate performance of such equipment;
- (iv) Provisions for employee information and training as prescribed in paragraph (f) of this section;
- (v) The circumstances under which a particular laboratory operation, procedure or activity shall require prior approval from the employer or the employer's designee before implementation:
- (vi) Provisions for medical consultation and medical examinations in accordance with paragraph (g) of this section:
- (vii) Designation of personnel responsible for implementation of the Chemical Hygiene Plan including the assignment of a Chemical Hygiene Officer and, if appropriate, establishment of a Chemical Hygiene Committee; and
- (viii) Provisions for additional employee protection for work with particularly hazardous substances. These include "select carcinogens," reproductive toxins and substances which have a high degree of acute toxicity. Specific consideration shall be given to the following provisions which shall be included where appropriate:
- (A) Establishment of a designated area:
- (B) Use of containment devices such as fume hoods or glove boxes;

- (C) Procedures for safe removal of contaminated waste; and
 - (D) Decontamination procedures.
- (4) The employer shall review and evaluate the effectiveness of the Chemical Hygiene Plan at least annually and update it as necessary.
- (f) Employee information and training. (1) The employer shall provide employees with information and training to ensure that they are apprised of the hazards of chemicals present in their work area.
- (2) Such information shall be provided at the time of an employee's initial assignment to a work area where hazardous chemicals are present and prior to assignments involving new exposure situations. The frequency of refresher information and training shall be determined by the employer.
- (3) *Information*. Employees shall be informed of:
- (i) The contents of this standard and its appendices which shall be made available to employees;
- (ii) The location and availability of the employer's Chemical Hygiene Plan;
- (iii) The permissible exposure limits for OSHA regulated substances or recommended exposure limits for other hazardous chemicals where there is no applicable OSHA standard;
- (iv) Signs and symptoms associated with exposures to hazardous chemicals used in the laboratory; and
- (v) The location and availability of known reference material on the hazards, safe handling, storage and disposal of hazardous chemicals found in the laboratory including, but not limited to, Material Safety Data Sheets received from the chemical supplier.
- (4) *Training*. (i) Employee training shall include:
- (A) Methods and observations that may be used to detect the presence or release of a hazardous chemical (such as monitoring conducted by the employer, continuous monitoring devices, visual appearance or odor of hazardous chemicals when being released, etc.);
- (B) The physical and health hazards of chemicals in the work area; and
- (C) The measures employees can take to protect themselves from these hazards, including specific procedures the employer has implemented to protect employees from exposure to hazardous

- chemicals, such as appropriate work practices, emergency procedures, and personal protective equipment to be used.
- (ii) The employee shall be trained on the applicable details of the employer's written Chemical Hygiene Plan.
- (g) Medical consultation and medical examinations. (1) The employer shall provide all employees who work with hazardous chemicals an opportunity to receive medical attention, including any follow-up examinations which the examining physician determines to be necessary, under the following circumstances:
- (i) Whenever an employee develops signs or symptoms associated with a hazardous chemical to which the employee may have been exposed in the laboratory, the employee shall be provided an opportunity to receive an appropriate medical examination.
- (ii) Where exposure monitoring reveals an exposure level routinely above the action level (or in the absence of an action level, the PEL) for an OSHA regulated substance for which there are exposure monitoring and medical surveillance requirements, medical surveillance shall be established for the affected employee as prescribed by the particular standard.
- (iii) Whenever an event takes place in the work area such as a spill, leak, explosion or other occurrence resulting in the likelihood of a hazardous exposure, the affected employee shall be provided an opportunity for a medical consultation. Such consultation shall be for the purpose of determining the need for a medical examination.
- (2) All medical examinations and consultations shall be performed by or under the direct supervision of a licensed physician and shall be provided without cost to the employee, without loss of pay and at a reasonable time and place.
- (3) *Information provided to the physician*. The employer shall provide the following information to the physician:
- (i) The identity of the hazardous chemical(s) to which the employee may have been exposed;
- (ii) A description of the conditions under which the exposure occurred including quantitative exposure data, if available; and

§ 1910.1450

(iii) A description of the signs and symptoms of exposure that the em-

ployee is experiencing, if any.

- (4) Physician's written opinion. (i) For examination or consultation required under this standard, the employer shall obtain a written opinion from the examining physician which shall include the following:
- (A) Any recommendation for further medical follow-up;
- (B) The results of the medical examination and any associated tests;
- (C) Any medical condition which may be revealed in the course of the examination which may place the employee at increased risk as a result of exposure to a hazardous chemical found in the workplace; and
- (D) A statement that the employee has been informed by the physician of the results of the consultation or medical examination and any medical condition that may require further examination or treatment.
- (ii) The written opinion shall not reveal specific findings of diagnoses unrelated to occupational exposure.
- (h) Hazard identification. (1) With respect to labels and material safety data sheets:
- (i) Employers shall ensure that labels on incoming containers of hazardous chemicals are not removed or defaced.
- (ii) Employers shall maintain any material safety data sheets that are received with incoming shipments of hazardous chemicals, and ensure that they are readily accessible to laboratory employees.
- (2) The following provisions shall apply to chemical substances developed in the laboratory:
- (i) If the composition of the chemical substance which is produced exclusively for the laboratory's use is known, the employer shall determine if it is a hazardous chemical as defined in paragraph (b) of this section. If the chemical is determined to be hazardous, the employer shall provide appropriate training as required under paragraph (f) of this section.
- (ii) If the chemical produced is a byproduct whose composition is not known, the employer shall assume that the substance is hazardous and shall implement paragraph (e) of this section.

- (iii) If the chemical substance is produced for another user outside of the laboratory, the employer shall comply with the Hazard Communication Standard (29 CFR 1910.1200) including the requirements for preparation of material safety data sheets and labeling
- (i) Use of respirators. Where the use of respirators is necessary to maintain exposure below permissible exposure limits, the employer shall provide, at no cost to the employee, the proper respiratory equipment. Respirators shall be selected and used in accordance with the requirements of 29 CFR 1910.134.
- (j) Recordkeeping. (1) The employer shall establish and maintain for each employee an accurate record of any measurements taken to monitor employee exposures and any medical consultation and examinations including tests or written opinions required by this standard.
- (2) The employer shall assure that such records are kept, transferred, and made available in accordance with 29 CFR 1910.20.
 - (k) [Reserved]
- (l) Appendices. The information contained in the appendices is not intended, by itself, to create any additional obligations not otherwise imposed or to detract from any existing obligation.

APPENDIX A TO \$1910.1450—NATIONAL RE-SEARCH COUNCIL RECOMMENDATIONS CON-CERNING CHEMICAL HYGIENE IN LABORA-TORIES (NON-MANDATORY)

TABLE OF CONTENTS

Foreword

Corresponding Sections of the Standard and This Appendix

A. General Principles

- 1. Minimize all Chemical Exposures
- Avoid Underestimation of Risk
 Provide Adequate Ventilation
- 4. Institute a Chemical Hygiene Program
- 5. Observe the PELs and TLVs

B. Responsibilities

- 1. Chief Executive Officer
- 2. Supervisor of Administrative Unit
- 3. Chemical Hygiene Officer4. Laboratory Supervisor
- 5. Project Director
- 6. Laboratory Worker

C. The Laboratory Facility

- 1. Design
- 2. Maintenance
- 3. Usage
- 4. Ventilation
- D. Components of the Chemical Hygiene Plan
- 1. Basic Rules and Procedures
- 2. Chemical Procurement, Distribution, and Storage
- 3. Environmental Monitoring
- 4. Housekeeping, Maintenance and Inspections
- 5. Medical Program
- 6. Personal Protective Apparel and Equipment
 - 7. Records
 - 8. Signs and Labels
 - 9. Spills and Accidents
 - 10. Training and Information
 - 11. Waste Disposal

E. General Procedures for Working With Chemicals

- 1. General Rules for all Laboratory Work with Chemicals
- 2. Allergens and Embryotoxins
- 3. Chemicals of Moderate Chronic or High Acute Toxicity
- 4. Chemicals of High Chronic Toxicity
- 5. Animal Work with Chemicals of High Chronic Toxicity

F. Safety Recommendations

G. Material Safety Data Sheets

Foreword

As guidance for each employer's development of an appropriate laboratory Chemical Hygiene Plan, the following non-mandatory recommendations are provided. They were extracted from "Prudent Practices for Handling Hazardous Chemicals in Laboratories" (referred to below as "Prudent Practices"), which was published in 1981 by the National Research Council and is available from the National Academy Press, 2101 Constitution Ave., NW., Washington DC 20418.

"Prudent Practices" is cited because of its wide distribution and acceptance and because of its preparation by members of the laboratory community through the sponsorship of the National Research Council. However, none of the recommendations given here will modify any requirements of the laboratory standard. This Appendix merely presents pertinent recommendations from "Prudent Practices", organized into a form convenient for quick reference during operation of a laboratory facility and during development and application of a Chemical Hygiene Plan. Users of this appendix should consult "Prudent Practices" for a more extended presentation and justification for each recommendation.

"Prudent Practices" deals with both safety and chemical hazards while the laboratory standard is concerned primarily with chemical hazards. Therefore, only those recommendations directed primarily toward control of toxic exposures are cited in this appendix, with the term "chemical hygiene" being substituted for the word "safety". However, since conditions producing or threatening physical injury often pose toxic risks as well, page references concerning major categories of safety hazards in the laboratory are given in section F.

The recommendations from "Prudent Practices" have been paraphrased, combined, or otherwise reorganized, and headings have been added. However, their sense has not been changed.

Corresponding Sections of the Standard and this Appendix

The following table is given for the convenience of those who are developing a Chemical Hygiene Plan which will satisfy the requirements of paragraph (e) of the standard. It indicates those sections of this appendix which are most pertinent to each of the sections of paragraph (e) and related paragraphs.

Paragraph and topic in laboratory standard	Relevant appendix section
(e)(3)(i) Standard operating procedures for handling toxic chemicals.	C, D, E
(e)(3)(ii) Criteria to be used for implementa-	D
tion of measures to reduce exposures.	
(e)(3)(iii) Fume hood performance	C4b
(e)(3)(iv) Employee information and training	D10, D9
(including emergency procedures).	
(e)(3)(v) Requirements for prior approval of laboratory activities.	E2b, E4b
(e)(3)(vi) Medical consultation and medical ex- aminations.	D5, E4f
(e)(3)(vii) Chemical hygiene responsibilities (e)(3)(viii) Special precautions for work with particularly hazardous substances.	B E2, E3, E4
particularly riazardous substances.	

In this appendix, those recommendations directed primarily at administrators and supervisors are given in sections A-D. Those recommendations of primary concern to employees who are actually handling laboratory chemicals are given in section E. (Reference to page numbers in "Prudent Practices" are given in parentheses.)

A. General Principles for Work with Laboratory Chemicals

In addition to the more detailed recommendations listed below in sections B-E, "Prudent Practices" expresses certain general principles, including the following:

1. It is prudent to minimize all chemical exposures. Because few laboratory chemicals are without hazards, general precautions for handling all laboratory chemicals should be adopted, rather than specific guidelines for particular chemicals (2, 10). Skin contact

§ 1910.1450

with chemicals should be avoided as a cardinal rule (198).

- 2. Avoid underestimation of risk. Even for substances of no known significant hazard, exposure should be minimized; for work with substances which present special hazards, special precautions should be taken (10, 37, 38). One should assume that any mixture will be more toxic than its most toxic component (30, 103) and that all substances of unknown toxicity are toxic (3, 34).
- 3. Provide adequate ventilation. The best way to prevent exposure to airborne substances is to prevent their escape into the working atmosphere by use of hoods and other ventilation devices (32, 198).
- 4. Institute a chemical hygiene program. A mandatory chemical hygiene program designed to minimize exposures is needed; it should be a regular, continuing effort, not merely a standby or short-term activity (6, 11). Its recommendations should be followed in academic teaching laboratories as well as by full-time laboratory workers (13).

 5. Observe the PELs, TLVs. The Permissible
- 5. Observe the PELs, TLVs. The Permissible Exposure Limits of OSHA and the Threshold Limit Values of the American Conference of Governmental Industrial Hygienists should not be exceeded (13).

B. Chemical Hygiene Responsibilities

Responsibility for chemical hygiene rests at all levels (6, 11, 21) including the:

- 1. Chief executive officer, who has ultimate responsibility for chemical hygiene within the institution and must, with other administrators, provide continuing support for institutional chemical hygiene (7, 11).
- 2. Supervisor of the department or other administrative unit, who is responsible for chemical hygiene in that unit (7).
- 3. Chemical hygiene officer(s), whose appointment is essential (7) and who must:
- (a) Work with administrators and other employees to develop and implement appropriate chemical hygiene policies and practices (7);
- (b) Monitor procurement, use, and disposal of chemicals used in the lab (8);
- (c) See that appropriate audits are maintained (8);
- (d) Help project directors develop precautions and adequate facilities (10);
- (e) Know the current legal requirements concerning regulated substances (50); and
- (f) Seek ways to improve the chemical hygiene program (8, 11).
- 4. Laboratory supervisor, who has overall responsibility for chemical hygiene in the laboratory (21) including responsibility to:
- (a) Ensure that workers know and follow the chemical hygiene rules, that protective equipment is available and in working order, and that appropriate training has been provided (21, 22):
- (b) Provide regular, formal chemical hygiene and housekeeping inspections includ-

ing routine inspections of emergency equipment (21, 171);

- (c) Know the current legal requirements concerning regulated substances (50, 231);
- (d) Determine the required levels of protective apparel and equipment (156, 160, 162); and (e) Ensure that facilities and training for use of any material being ordered are adequate (215).
- 5. Project director or director of other specific operation, who has primary responsibility for chemical hygiene procedures for that operation (7).
- 6. Laboratory worker, who is responsible for:
 (a) Planning and conducting each operation in accordance with the institutional chemical hygiene procedures (7, 21, 22, 230);
- (b) Developing good personal chemical hygiene habits (22).

C. The Laboratory Facility

- 1. Design. The laboratory facility should have:
- (a) An appropriate general ventilation system (see C4 below) with air intakes and exhausts located so as to avoid intake of contaminated air (194);
- (b) Adequate, well-ventilated stockrooms/storerooms (218, 219):
 - (c) Laboratory hoods and sinks (12, 162);
- (d) Other safety equipment including eyewash fountains and drench showers (162, 169); and
- (e) Arrangements for waste disposal (12, 240).
- 2. Maintenance. Chemical-hygiene-related equipment (hoods, incinerator, etc.) should undergo continuing appraisal and be modified if inadequate (11, 12).
- 3. Usage. The work conducted (10) and its scale (12) must be appropriate to the physicial facilities available and, especially, to the quality of ventilation (13).
- 4. Ventilation—(a) General laboratory ventilation. This system should: Provide a source of air for breathing and for input to local ventilation devices (199); it should not be relied on for protection from toxic substances released into the laboratory (198); ensure that laboratory air is continually replaced, preventing increase of air concentrations of toxic substances during the working day (194); direct air flow into the laboratory from non-laboratory areas and out to the exterior of the building (194).

 (b) Hoods. A laboratory hood with 2.5 linear
- (b) Hoods. A laboratory hood with 2.5 linear feet of hood space per person should be provided for every 2 workers if they spend most of their time working with chemicals (199); each hood should have a continuous monitoring device to allow convenient confirmation of adequate hood performance before use (200, 209). If this is not possible, work with substances of unknown toxicity should be avoided (13) or other types of local ventilation devices should be provided (199). See

pp. 201-206 for a discussion of hood design, construction, and evaluation.

- (c) Other local ventilation devices. Ventilated storage cabinets, canopy hoods, snorkels, etc. should be provided as needed (199). Each canopy hood and snorkel should have a separate exhaust duct (207).
- (d) Special ventilation areas. Exhaust air from glove boxes and isolation rooms should be passed through scrubbers or other treatment before release into the regular exhaust system (208). Cold rooms and warm rooms should have provisions for rapid escape and for escape in the event of electrical failure (209).
- (e) *Modifications*. Any alteration of the ventilation system should be made only if thorough testing indicates that worker protection from airborne toxic substances will continue to be adequate (12, 193, 204).
- (f) Performance. Rate: 4-12 room air changes/hour is normally adequate general ventilation if local exhaust systems such as hoods are used as the primary method of control (194).
- (g) Quality. General air flow should not be turbulent and should be relatively uniform throughout the laboratory, with no high velocity or static areas (194, 195); airflow into and within the hood should not be excessively turbulent (200); hood face velocity should be adequate (typically 60–100 lfm) (200, 204).
- (h) Evaluation. Quality and quantity of ventilation should be evaluated on installation (202), regularly monitored (at least every 3 months) (6, 12, 14, 195), and reevaluated whenever a change in local ventilation devices is made (12, 195, 207). See pp. 195–198 for methods of evaluation and for calculation of estimated airborne contaminant concentrations.

D. Components of the Chemical Hygiene Plan

 Basic Rules and Procedures (Recommendations for these are given in section E, below)

$\hbox{$2$. Chemical Procurement, Distribution, and } \\ Storage$

- (a) *Procurement.* Before a substance is received, information on proper handling, storage, and disposal should be known to those who will be involved (215, 216). No container should be accepted without an adequate identifying label (216). Preferably, all substances should be received in a central location (216).
- (b) Stockrooms/storerooms. Toxic substances should be segregated in a well-identified area with local exhaust ventilation (221). Chemicals which are highly toxic (227) or other chemicals whose containers have been opened should be in unbreakable secondary containers (219). Stored chemicals should be examined periodically (at least annually) for

replacement, deterioration, and container integrity (218-19).

Stockrooms/storerooms should not be used as preparation or repackaging areas, should be open during normal working hours, and should be controlled by one person (219).

(c) Distribution. When chemicals are hand carried, the container should be placed in an outside container or bucket. Freight-only elevators should be used if possible (223).

(d) Laboratory storage. Amounts permitted should be as small as practical. Storage on bench tops and in hoods is inadvisable. Exposure to heat or direct sunlight should be avoided. Periodic inventories should be conducted, with unneeded items being discarded or returned to the storeroom/stockroom (225-6, 229).

3. Environmental Monitoring

Regular instrumental monitoring of airborne concentrations is not usually justified or practical in laboratories but may be appropriate when testing or redesigning hoods or other ventilation devices (12) or when a highly toxic substance is stored or used regularly (e.g., 3 times/week) (13).

4. Housekeeping, Maintenance, and Inspections

- (a) Cleaning. Floors should be cleaned regularly (24).
- (b) Inspections. Formal housekeeping and chemical hygiene inspections should be held at least quarterly (6, 21) for units which have frequent pesonnel changes and semiannually for others; informal inspections should be continual (21).
- (c) Maintenance. Eye wash fountains should be inspected at intervals of not less than 3 months (6). Respirators for routine use should be inspected periodically by the laboratory supervisor (169). Safety showers should be tested routinely (169). Other safety equipment should be inspected regularly. (e.g., every 3-6 months) (6, 24, 171). Procedures to prevent restarting of out-of-service equipment should be established (25).

(d) Passageways. Stairways and hallways should not be used as storage areas (24). Access to exits, emergency equipment, and utility controls should never be blocked (24).

5. Medical Program

- (a) Compliance with regulations. Regular medical surveillance should be established to the extent required by regulations (12).
- (b) Routine surveillance. Anyone whose work involves regular and frequent handling of toxicologically significant quantities of a chemical should consult a qualified physician to determine on an individual basis whether a regular schedule of medical surveillance is desirable (11, 50).
- (c) First aid. Personnel trained in first aid should be available during working hours

§ 1910.1450

and an emergency room with medical personnel should be nearby (173). See pp. 176–178 for description of some emergency first aid procedures.

6. Protective Apparel and Equipment

These should include for each laboratory:
(a) Protective apparel compatible with the required degree of protection for substances being handled (158–161);

(b) An easily accessible drench-type safety shower (162, 169);

(c) An eyewash fountain (162);

(d) A fire extinguisher (162-164);

- (e) Respiratory protection (164-9), fire alarm and telephone for emergency use (162) should be available nearby; and
- (f) Other items designated by the laboratory supervisor (156, 160).

7. Records

- (a) Accident records should be written and retained (174).
- (b) Chemical Hygiene Plan records should document that the facilities and precautions were compatible with current knowledge and regulations (7).
- (c) Inventory and usage records for highrisk substances should be kept as specified in sections E3e below.
- (d) Medical records should be retained by the institution in accordance with the requirements of state and federal regulations (12).

8. Signs and Labels

Prominent signs and labels of the following types should be posted:

- (a) Emergency telephone numbers of emergency personnel/facilities, supervisors, and laboratory workers (28);
- (b) Identity labels, showing contents of containers (including waste receptacles) and associated hazards (27, 48);
- (c) Location signs for safety showers, eyewash stations, other safety and first aid equipment, exits (27) and areas where food and beverage consumption and storage are permitted (24); and
- (d) Warnings at areas or equipment where special or unusual hazards exist (27).

9. Spills and Accidents

- (a) A written emergency plan should be established and communicated to all personnel; it should include procedures for ventilation failure (200), evacuation, medical care, reporting, and drills (172).

 (b) There should be an alarm system to
- (b) There should be an alarm system to alert people in all parts of the facility including isolation areas such as cold rooms (172).
- (c) A spill control policy should be developed and should include consideration of prevention, containment, cleanup, and reporting (175).

(d) All accidents or near accidents should be carefully analyzed with the results distributed to all who might benefit (8, 28).

10. Information and Training Program

- (a) Aim: To assure that all individuals at risk are adequately informed about the work in the laboratory, its risks, and what to do if an accident occurs (5, 15).
- (b) Emergency and Personal Protection Training: Every laboratory worker should know the location and proper use of available protective apparel and equipment (154, 169).

Some of the full-time personnel of the laboratory should be trained in the proper use of emergency equipment and procedures (6).

Such training as well as first aid instruction should be available to (154) and encouraged for (176) everyone who might need it.

- (c) Receiving and stockroom/storeroom personnel should know about hazards, handling equipment, protective apparel, and relevant regulations (217).
- (d) Frequency of Training: The training and education program should be a regular, continuing activity—not simply an annual presentation (15).
- (e) Literature/Consultation: Literature and consulting advice concerning chemical hygiene should be readily available to laboratory personnel, who should be encouraged to use these information resources (14).

11. Waste Disposal Program

- (a) Aim: To assure that minimal harm to people, other organisms, and the environment will result from the disposal of waste laboratory chemicals (5).
- (b) Content (14, 232, 233, 240): The waste disposal program should specify how waste is to be collected, segregated, stored, and transported and include consideration of what materials can be incinerated. Transport from the institution must be in accordance with DOT regulations (244).
- (c) Discarding Chemical Stocks: Unlabeled containers of chemicals and solutions should undergo prompt disposal; if partially used, they should not be opened (24, 27).

Before a worker's employment in the laboratory ends, chemicals for which that person was responsible should be discarded or returned to storage (226).

- (d) Frequency of Disposal: Waste should be removed from laboratories to a central waste storage area at least once per week and from the central waste storage area at regular intervals (14).
- (e) Method of Disposal: Incineration in an environmentally acceptable manner is the most practical disposal method for combustible laboratory waste (14, 238, 241).

Indiscriminate disposal by pouring waste chemicals down the drain (14, 231, 242) or adding them to mixed refuse for landfill burial is unacceptable (14).

Hoods should not be used as a means of disposal for volatile chemicals (40, 200).

Disposal by recycling (233, 243) or chemical decontamination (40, 230) should be used when possible.

E. Basic Rules and Procedures for Working with Chemicals

The Chemical Hygiene Plan should require that laboratory workers know and follow its rules and procedures. In addition to the procedures of the sub programs mentioned above, these should include the rules listed below.

1. General Rules

The following should be used for essentially all laboratory work with chemicals:

(a) Accidents and spills—Eye Contact: Promptly flush eyes with water for a prolonged period (15 minutes) and seek medical attention (33, 172).

Ingestion: Encourage the victim to drink large amounts of water (178).

Skin Contact: Promptly flush the affected area with water (33, 172, 178) and remove any contaminated clothing (172, 178). If symptoms persist after washing, seek medical attention (33).

Clean-up. Promptly clean up spills, using appropriate protective apparel and equipment and proper disposal (24 33). See pp. 233-237 for specific clean-up recommendations.

(b) Avoidance of 'routine' exposure: Develop and encourage safe habits (23); avoid unnecessary exposure to chemicals by any route (23);

Do not smell or taste chemicals (32). Vent apparatus which may discharge toxic chemicals (vacuum pumps, distillation columns, etc.) into local exhaust devices (199).

Inspect gloves (157) and test glove boxes (208) before use.

Do not allow release of toxic substances in cold rooms and warm rooms, since these have contained recirculated atmospheres (200)

- (c) *Choice of chemicals:* Use only those chemicals for which the quality of the available ventilation system is appropriate (13).
- (d) Eating, smoking, etc.: Avoid eating, drinking, smoking, gum chewing, or application of cosmetics in areas where laboratory chemicals are present (22, 24, 32, 40); wash hands before conducting these activities (23, 24).

Avoid storage, handling or consumption of food or beverages in storage areas, refrigerators, glassware or utensils which are also used for laboratory operations (23, 24, 226).

(e) Equipment and glassware: Handle and store laboratory glassware with care to

avoid damage; do not use damaged glassware (25). Use extra care with Dewar flasks and other evacuated glass apparatus; shield or wrap them to contain chemicals and fragments should implosion occur (25). Use equipment only for its designed purpose (23, 26)

- (f) *Exiting:* Wash areas of exposed skin well before leaving the laboratory (23).
- (g) *Horseplay:* Avoid practical jokes or other behavior which might confuse, startle or distract another worker (23).
- (h) Mouth suction: Do not use mouth suction for pipeting or starting a siphon (23, 32).
- (i) *Personal apparel:* Confine long hair and loose clothing (23, 158). Wear shoes at all times in the laboratory but do not wear sandals, perforated shoes, or sneakers (158).
- (j) Personal housekeeping: Keep the work area clean and uncluttered, with chemicals and equipment being properly labeled and stored; clean up the work area on completion of an operation or at the end of each day (24).
- (k) *Personal protection:* Assure that appropriate eye protection (154–156) is worn by all persons, including visitors, where chemicals are stored or handled (22, 23, 33, 154).

Wear appropriate gloves when the potential for contact with toxic materials exists (157); inspect the gloves before each use, wash them before removal, and replace them periodically (157). (A table of resistance to chemicals of common glove materials is given p. 159).

Use appropriate (164–168) respiratory equipment when air contaminant concentrations are not sufficiently restricted by engineering controls (164–5), inspecting the respirator before use (169).

Use any other protective and emergency apparel and equipment as appropriate (22, 157-162).

Avoid use of contact lenses in the laboratory unless necessary; if they are used, inform supervisor so special precautions can be taken (155).

Remove laboratory coats immediately on significant contamination (161).

- (1) Planning: Seek information and advice about hazards (7), plan appropriate protective procedures, and plan positioning of equipment before beginning any new operation (22, 23).
- (m) Unattended operations: Leave lights on, place an appropriate sign on the door, and provide for containment of toxic substances in the event of failure of a utility service (such as cooling water) to an unattended operation (27, 128).
- (n) *Use of hood:* Use the hood for operations which might result in release of toxic chemical vapors or dust (198-9).

As a rule of thumb, use a hood or other local ventilation device when working with any appreciably volatile substance with a TLV of less than 50 ppm (13).

§ 1910.1450

Confirm adequate hood performance before use; keep hood closed at all times except when adjustments within the hood are being made (200); keep materials stored in hoods to a minimum and do not allow them to block vents or air flow (200).

Leave the hood "on" when it is not in active use if toxic substances are stored in it or if it is uncertain whether adequate general laboratory ventilation will be maintained when it is "off" (200).

- (o) *Vigilance:* Be alert to unsafe conditions and see that they are corrected when detected (22).
- (p) Waste disposal: Assure that the plan for each laboratory operation includes plans and training for waste disposal (230).

Deposit chemical waste in appropriately labeled receptacles and follow all other waste disposal procedures of the Chemical Hygiene Plan (22, 24).

Do not discharge to the sewer concentrated acids or bases (231); highly toxic, malodorous, or lachrymatory substances (231); or any substances which might interfere with the biological activity of waste water treatment plants, create fire or explosion hazards, cause structural damage or obstruct flow (242).

(q) Working alone: Avoid working alone in a building; do not work alone in a laboratory if the procedures being conducted are hazardous (28).

2. Working with Allergens and Embryotoxins

- (a) Allergens (examples: diazomethane, isocyanates, bichromates): Wear suitable gloves to prevent hand contact with allergens or substances of unknown allergenic activity (35).
- (b) *Embryotoxins* (34–5) (examples: organomercurials, lead compounds, formamide): If you are a woman of childbearing age, handle these substances only in a hood whose satisfactory performance has been confirmed, using appropriate protective apparel (especially gloves) to prevent skin contact.

Review each use of these materials with the research supervisor and review continuing uses annually or whenever a procedural change is made.

Store these substances, properly labeled, in an adequately ventilated area in an unbreakable secondary container.

Notify supervisors of all incidents of exposure or spills; consult a qualified physician when appropriate.

3. Work with Chemicals of Moderate Chronic or High Acute Toxicity

EXAMPLES: diisopropylflurophosphate (41), hydrofluoric acid (43), hydrogen cyanide (45).

Supplemental rules to be followed in addition to those mentioned above (Procedure B of "Prudent Practices", pp. 39-41):

- (a) *Aim:* To minimize exposure to these toxic substances by any route using all reasonable precautions (39).
- (b) Applicability: These precautions are appropriate for substances with moderate chronic or high acute toxicity used in significant quantities (39).
- (c) *Location:* Use and store these substances only in areas of restricted access with special warning signs (40, 229).

Always use a hood (previously evaluated to confirm adequate performance with a face velocity of at least 60 linear feet per minute) (40) or other containment device for procedures which may result in the generation of aerosols or vapors containing the substance (39); trap released vapors to prevent their discharge with the hood exhaust (40).

- (d) Personal protection: Always avoid skin contact by use of gloves and long sleeves (and other protective apparel as appropriate) (39). Always wash hands and arms immediately after working with these materials (40).
- (e) *Records*: Maintain records of the amounts of these materials on hand, amounts used, and the names of the workers involved (40, 229).
- (f) *Prevention of spills and accidents:* Be prepared for accidents and spills (41).

Assure that at least 2 people are present at all times if a compound in use is highly toxic or of unknown toxicity (39).

Store breakable containers of these substances in chemically resistant trays; also work and mount apparatus above such trays or cover work and storage surfaces with removable, absorbent, plastic backed paper (40)

If a major spill occurs outside the hood, evacuate the area; assure that cleanup personnel wear suitable protective apparel and equipment (41).

(g) Waste: Thoroughly decontaminate or incinerate contaminated clothing or shoes (41). If possible, chemically decontaminate by chemical conversion (40).

Store contaminated waste in closed, suitably labeled, impervious containers (for liquids, in glass or plastic bottles half-filled with vermiculite) (40).

4. Work with Chemicals of High Chronic Toxicity

(Examples: dimethylmercury and nickel carbonyl (48), benzo-a-pyrene (51), N-nitrosodiethylamine (54), other human carcinogens or substances with high carcinogenic potency in animals (38).)

Further supplemental rules to be followed, in addition to all these mentioned above, for work with substances of known high chronic toxicity (in quantities above a few milligrams to a few grams, depending on the substance) (47). (Procedure A of "Prudent Practices" pp. 47–50).

- (a) Access: Conduct all transfers and work with these substances in a "controlled area": a restricted access hood, glove box, or portion of a lab, designated for use of highly toxic substances, for which all people with access are aware of the substances being used and necessary precautions (48).
- (b) *Approvals:* Prepare a plan for use and disposal of these materials and obtain the approval of the laboratory supervisor (48).
- (c) Non-contamination/Decontamination: Protect vacuum pumps against contamination by scrubbers or HEPA filters and vent them into the hood (49). Decontaminate vacuum pumps or other contaminated equipment, including glassware, in the hood before removing them from the controlled area (49, 50).

Decontaminate the controlled area before normal work is resumed there (50).

- (d) Exiting: On leaving a controlled area, remove any protective apparel (placing it in an appropriate, labeled container) and thoroughly wash hands, forearms, face, and neck (49).
- (e) *Housekeeping:* Use a wet mop or a vacuum cleaner equipped with a HEPA filter instead of dry sweeping if the toxic substance was a dry powder (50).
- (f) Medical surveillance: If using toxicologically significant quantities of such a substance on a regular basis (e.g., 3 times per week), consult a qualified physician concerning desirability of regular medical surveillance (50).
- (g) Records: Keep accurate records of the amounts of these substances stored (229) and used, the dates of use, and names of users (48)
- (h) Signs and labels: Assure that the controlled area is conspicuously marked with warning and restricted access signs (49) and that all containers of these substances are appropriately labeled with identity and warning labels (48).
- (i) *Spills:* Assure that contingency plans, equipment, and materials to minimize exposures of people and property in case of accident are available (233-4).
- (j) Storage: Store containers of these chemicals only in a ventilated, limited access (48, 227, 229) area in appropriately labeled, unbreakable, chemically resistant, secondary containers (48, 229).
- (k) Glove boxes: For a negative pressure glove box, ventilation rate must be at least 2 volume changes/hour and pressure at least 0.5 inches of water (48). For a positive pressure glove box, thoroughly check for leaks before each use (49). In either case, trap the exit gases or filter them through a HEPA filter and then release them into the hood (49).
- (l) Waste: Use chemical decontamination whenever possible; ensure that containers of contaminated waste (including washings from contaminated flasks) are transferred from the controlled area in a secondary con-

tainer under the supervision of authorized personnel (49, 50, 233).

5. Animal Work with Chemicals of High Chronic Toxicity

- (a) *Access:* For large scale studies, special facilities with restricted access are preferable (56).
- (b) Administration of the toxic substance: When possible, administer the substance by injection or gavage instead of in the diet. If administration is in the diet, use a caging system under negative pressure or under laminar air flow directed toward HEPA filters (56).
- (c) Aerosol suppression: Devise procedures which minimize formation and dispersal of contaminated aerosols, including those from food, urine, and feces (e.g., use HEPA filtered vacuum equipment for cleaning, moisten contaminated bedding before removal from the cage, mix diets in closed containers in a hood) (55, 56).
- (d) Personal protection: When working in the animal room, wear plastic or rubber gloves, fully buttoned laboratory coat or jumpsuit and, if needed because of incomplete suppression of aerosols, other apparel and equipment (shoe and head coverings, respirator) (56).
- (e) Waste disposal: Dispose of contaminated animal tissues and excreta by incineration if the available incinerator can convert the contaminant to non-toxic products (238); otherwise, package the waste appropriately for burial in an EPA-approved site (239).

F. Safety Recommendations

The above recommendations from "Prudent Practices" do not include those which are directed primarily toward prevention of physical injury rather than toxic exposure. However, failure of precautions against injury will often have the secondary effect of causing toxic exposures. Therefore, we list below page references for recommendations concerning some of the major categories of safety hazards which also have implications for chemical hygiene:

- 1. Corrosive agents: (35-6)
- 2. Electrically powered laboratory apparatus: (179-92)
- 3. Fires, explosions: (26, 57-74, 162-4, 174-5, 219-20, 226-7)
- 4. Low temperature procedures: (26, 88)
- 5. Pressurized and vacuum operations (including use of compressed gas cylinders): (27, 75–101)

G. Material Safety Data Sheets

Material safety data sheets are presented in "Prudent Practices" for the chemicals listed below. (Asterisks denote that comprehensive material safety data sheets are provided).

*Acetyl peroxide (105)

§ 1910.1450

- *Acrolein (106)
- *Acrylonilrile (107)
- Ammonia (anhydrous) (91)
- *Aniline (109)
- *Benzene (110)
- *Benzo[a]pyrene (112)
- *Bis(chloromethyl) ether (113)
- Boron trichloride (91)
- Boron trifluoride (92)
- Bromine (114)
- *Tert-butyl hydroperoxide (148)
- *Carbon disulfide (116)
- Carbon monoxide (92)
- *Carbon tetrachloride (118)
- *Chlorine (119)
- Chlorine trifluoride (94)
- *Chloroform (121)
- Chloromethane (93)
- *Diethyl ether (122)
- Diisopropyl fluorophosphate (41)
- *Dimethylformamide (123)
- *Dimethyl sulfate (125)
- *Dioxane (126)
- *Ethylene dibromide (128)
- *Fluorine (95)
- *Formaldehyde (130)
- *Hydrazine and salts (132)
- Hydrofluoric acid (43)
- Hydrogen bromide (98)
- Hydrogen chloride (98) *Hydrogen cyanide (133)
- *Hydrogen sulfide (135)
- Mercury and compounds (52)
- *Methanol (137)
- *Morpholine (138)
- *Nickel carbonyl (99)
- *Nitrobenzene (139) Nitrogen dioxide (100)
- N-nitrosodiethylamine (54)
- *Peracetic acid (141)
- *Phenol (142)
- *Phosgene (143)
- *Pvridine (144)
- *Sodium azide (145)
- *Sodium cyanide (147)
- Sulfur dioxide (101)
- *Trichloroethylene (149)
- *Vinyl chloriďe (150)

APPENDIX B TO §1910.1450—REFERENCES (NON-MANDATORY)

The following references are provided to assist the employer in the development of a Chemical Hygiene Plan. The materials listed below are offered as non-mandatory guidance. References listed here do not imply specific endorsement of a book, opinion, technique, policy or a specific solution for a safety or health problem. Other references not listed here may better meet the needs of a specific laboratory. (a) Materials for the development of the Chemical Hygiene Plan:

- 1. American Chemical Society, Safety in Academic Chemistry Laboratories, 4th edition, 1985.
- 2. Fawcett, H.H. and W. S. Wood, Safety and Accident Prevention in Chemical Oper-

ations, 2nd edition, Wiley-Interscience, New York, 1982.

- 3. Flury, Patricia A., Environmental Health and Safety in the Hospital Laboratory, Charles C. Thomas Publisher, Springfield IL, 1978.
- 4. Green, Michael E. and Turk, Amos, Safety in Working with Chemicals, Macmillan Publishing Co., NY, 1978.
- 5. Kaufman, James A., Laboratory Safety Guidelines, Dow Chemical Co., Box 1713, Midland, MI 48640, 1977.
- 6. National Institutes of Health, NIH Guidelines for the Laboratory use of Chemical Carcinogens, NIH Pub. No. 81-2385, GPO, Washington, DC 20402, 1981.
- 7. National Research Council, Prudent Practices for Disposal of Chemicals from Laboratories, National Academy Washington, DC, 1983.
- 8. National Research Council, Prudent Practices for Handling Hazardous Chemicals in Laboratories, National Academy Press, Washington, DC, 1981.
- 9. Renfrew, Malcolm, Ed., Safety in the Chemical Laboratory, Vol. IV, *J. Chem. Ed.*, American Chemical Society, Easlon, PA,
- 10. Steere, Norman V., Ed., Safety in the Chemical Laboratory, J. Chem. Ed. American Chemical Society, Easlon, PA, 18042, Vol. I, 1967, Vol. II, 1971, Vol. III 1974.
- 11. Steere, Norman V., Handbook of Laboratory Safety, the Chemical Rubber Company Cleveland, OH, 1971.
- 12. Young, Jay A., Ed., Improving Safety in the Chemical Laboratory, John Wiley & Sons, Inc. New York, 1987.
 - (b) Hazardous Substances Information:
- 1. American Conference of Governmental Industrial Hygienists, Threshold Limit Values for Chemical Substances and Physical Agents in the Workroom Environment with Intended Changes, 6500 Glenway Avenue, Bldg. D-7 Cincinnati, OH 45211-4438 (latest edition).
- 2. Annual Report on Carcinogens, National Toxicology Program U.S. Department of Health and Human Services, Public Health Service, U.S. Government Printing Office, Washington, DC, (latest edition).
- 3. Best Company, Best Safety Directory, Vols. I and II, Oldwick, N.J., 1981. 4. Bretherick, L., Handbook of Reactive
- Hazards. Chemical 2nd edition. Butterworths, London, 1979.
- 5. Bretherick, L., Hazards in the Chemical Laboratory, 3rd edition, Royal Society of
- Chemistry, London, 1986.
 6. Code of Federal Regulations, 29 CFR part 1910 subpart Z. U.S. Govt. Printing Office, Washington, DC 20402 (latest edition).
- 7. IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, World Health Organization Publications Center, 49 Sheridan Avenue, Albany, New York 12210 (latest editions).

- 8. NIOSH/OSHA Pocket Guide to Chemical Hazards. NIOSH Pub. No. 85-114, U.S. Government Printing Office, Washington, DC, 1985 (or latest edition).
- 9. Occupational Health Guidelines, NIOSH/ OSHA NÎOSH Pub. No. 81-123 U.S. Govern-
- ment Printing Office, Washington, DC, 1981.

 10. Patty, F.A., Industrial Hygiene and Toxicology, John Wiley & Sons, Inc., New York, NY (Five Volumes).
- 11. Registry of Toxic Effects of Chemical Substances, U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Revised Annually, for sale from Superintendent of Documents U.S. Govt. Printing Office, Washington, DC 20402.
- 12. The Merck Index: An Encyclopedia of Chemicals and Drugs. Merck and Company Inc. Rahway, N.J., 1976 (or latest edition).
- 13. Sax, N.I. Dangerous Properties of Industrial Materials, 5th edition, Van Nostrand Reinhold, NY., 1979.
- 14. Sittig, Marshall, Handbook of Toxic and Hazardous Chemicals, Noyes Publications, Park Ridge, NJ, 1981.
 - (c) Information on Ventilation:
- 1. American Conference of Governmental Industrial Hygienists Industrial Ventilation (latest edition), 6500 Glenway Avenue, Bldg. D-7, Cincinnati, Ohio 45211-4438.
- 2. American National Standards Institute, Inc. American National Standards Fun-

- damentals Governing the Design and Operation of Local Exhaust Systems ANSI Z 9.2-1979 American National Standards Institute, N.Y. 1979.
- 3. Imad, A.P. and Watson, C.L. Ventilation Index: An Easy Way to Decide about Hazardous Liquids, Professional Safety pp 15-18, April 1980.
- 4. National Fire Protection Association, Fire Protection for Laboratories Using Chemicals NFPA-45, 1982.
- Safety Standard for Laboratories in Health Related Institutions, NFPA, 56c, 1980.

Fire Protection Guide on Hazardous Materials, 7th edition, 1978.

National Fire Protection Association, Batterymarch Park, Quincy, MA 02269.

- 5. Scientific Apparatus Makers Association (SAMA), Standard for Laboratory Fume Hoods, SAMA LF7-1980, 1101 16th Street, NW., Washington, DC 20036.
- (d) Information on Availability of Referenced Material:
- 1. American National Standards Institute (ANSI), 1430 Broadway, New York, NY 10018.
- 2. American Society for Testing and Materials (ASTM), 1916 Race Street, Philadelphia, PA 19103.
- [55 FR 3327, Jan. 31, 1990; 55 FR 7967, Mar. 6, 1990; 55 FR 12111, Mar. 30, 1990; 57 FR 29204, July 1, 1992; 61 FR 5508, Feb. 13, 1996; 71 FR 16674, Apr. 3, 2006]

Subject Index for 29 CFR Part 1910—Occupational Safety and Health Standards

EDITORIAL NOTE: This listing is provided for information purposes only. It is compiled and kept up-to-date by the Department of Labor. This index is updated as of July 1, 2006.

Subject term	Section No.	Subject term	Section No
A-Frame Derricks: (see also Derricks)	.181	Effective Dates	.149(a)
AIDS (see Bloodborne pathogens)	.1030	Standards Sources	.150
Aboveground storage tanks, flammable	.106(b)(2)	2-Acetylaminofluorene	.1003
and combustible liquid.		Area requirements	.1003(c)
Spacing	.106(b)(2)(ii)	Closed system operation	.1003(c)(2)
Venting	.106(b)(2) (iv), (v),	Isolated systems	.1003(c)(1)
· • · · · · · · · · · · · · · · · · · ·	(vi)	Maintenance and decon-	.1003(c)(5)
Spill control	.106(b)(2) (viii)	tamination activities.	
Abrasive Blasting: (see also Ventila-	.94	Open-vessel system oper-	.1003(c)(3)
tion).		ations.	
Air Compressors, Breathing Air	.94(a)(6)	Transfer from a closed oper-	.1003(c)(4)
Air Supply, Breathing	.94(a)(6)	ation.	.1003(0)(4)
Blast Cleaning Enclosures	.94(a)(3)	Medical surveillance	1000(~)
			.1003(g)
Cleaning Nozzles	.244(b)	Examinations	.1003(g)(1)
Dust Hazards	.94(a)(2)	Records	.1003(g)(2)
Abrasive Wheel Machinery:		Regulated area requirements	.1003(d)
Blotters	.215(c)(6)	Contamination control	.1003(d)(4)
Definitions	.211(b)	Emergencies	.1003(d)(2)
Effective Dates	.220	Hygiene facilities and prac-	.1003(d)(3)
Excluded Machinery	.215(a)(5)	tices.	
Flanges	.215(a)(3), (c)	Reports	.1003(f)
Guard Design	.215(a)(2)	Incidents	.1003(f)(2)
Specifications	.215(b)(12)	Operations	.1003(f)(1)
Guard Exposure Angles	.215(b)(2)	Signs, information, and training	.1003(e)
Band Type	.215(b)(11)	Container contents identifica-	.1003(e)(2)
Bench and Floor Stands	.215(b)(3)	tion.	.1000(0)(2)
Cup Wheels	.215(b)(1)	Lettering	.1003(e)(3)
Cylindrical Grinders	.215(b)(4)	Prohibited statements	.1003(e)(3)
Dimensions	.215(b)(10)		
Material Requirements	.215(b)(10)	Signs	.1003(e)(1)
		Training and indoctrination	.1003(e)(5)
Snagging Machines	.215(b)(7)	Acetylene	.102
Surface Grinding	.215(b)(5)	Cylinders	.102(a), (c)
Swing Frame	.215(b)(6)	Generators	.102(c)
Guarding	.215(a)(1), (b)	Pipe Systems	.102(b)
Mounting	.215(d)	Acetylene Generators	.253(f)
Arbor Size	.215(d)(2)	Approval	.253(f)(1)
Blotters	.215(d)(5)	Location	.253(f)(3)
Bushings	.215(d)(4)	Maintenance	.253(f)(7)
Inspections	.215(d)(1)	Marking	.253(f)(1)
Multiple Wheel	.215(d)(6)	Operation	.253(f)(7)
Ring Test	.215(d)(1)	Portable	.253(f)(5)
Surface Conditions	.215(d)(3)	Pressure Limits	.253(f)(2)
Standards Sources	.221	Rating	.253(f)(2)
Work Rests	.215(a)(4)	Stationary	.253(f)(4)
Abrasive Wheel Machinery, Portable:	(. , , , , , , , , , , , , , , , ,	Houses and Rooms	.253(f)(6)
Definitions	.241(b)	Acid Carboys	.262(nn)
Guarding	.243(c)	Acrylonitrile	.1045
Cup Wheels	.243(c)(2)	Emergency situations	
		Employee information and training	.1045(i)
General Requirements	.243(c)(1)		.1045(o)
Other Type Grinders	.243(c)(4)	Exposure monitoring	.1045(e)
Vertical Grinders	.243(c)(3)	Housekeeping	.1045(k)
Inspection	.243(c)(5)	Hygiene facilities and practices	.1045(m)
Mounting	.243(c)(5)	Medical surveillance	.1045(n)
Abrasive Wheels: (see Abrasive Wheel		Methods of compliance	.1045(g)
Machinery)		Notification of regulated areas and	.1045(d)
Access:		emergencies.	
Bulk Oxygen Systems	.104(b)(2)(ii)	Observation and monitoring	.1045(r)
Cranes	.179(c)(2)	Permissible exposure limit	.1045(c)
Exposure and medical records	.1020	Protective clothing and equipment	.1045(j)
Industrial Plants	.106(e)(9)(ii)	Recordkeeping	.1045(g)
Powered Platforms	.66	Regulated areas	.1045(q)
Processing Plants	.106(h)(8)(ii)	Respiratory protection	.1045(l) .1045(h)
Spraying Operations, Vents			
Sprinkler valve	.107(d)(10)	Signs and labels	.1045(p)
Politikiel Asive	.107(f)(2)	Waste disposal	.1045(I)
Accident Prevention Signs and Tags:	.145	Adjustments:	

	T		T
Subject term	Section No.	Subject term	Section No.
Derricks	.181(f)(2), (3)	Anhydrous Ammonia:	
AEC Licensees	.96(p)	Containers:	
Agricultural Operations	.267	Appurtenances	.111(b)(6)
Air Compressors, Abrasive Blasting	.94(a)(6),	Charging	.111(b)(11)
7th Compressors, 7torasive Blasting	.134(d)(2)(ii)	DOT	.111(e)
Air Contaminants	.1000, .1001	Farm Vehicles	.111(g), (h)
Effective Dates	.98, .1000	Location	.111(b)(5)
Exposure Limits	.1000, .1001	Motor Vehicle	.111(f)
Permissible exposure limits	.1000	Markings	.111(b)(3)
Standards Sources	.99	Non-Refrigerated	.111(b)(2), (c)
Air Controlling Equipment, Power	.217(b)(10)	Refrigerated	.111(d)
Presses.	.217 (6)(10)	Markings	.111(b)(4)
Air Lift Hammers, Forging	218(0)(1)	Safety Relief Devices	.111(b)(9), (c)(3),
Air Quality	.218(e)(1) .134(d)	Galety Relief Devices	(d)(4), (f)(5)
Air Receivers:	.134(u)	Electrical Systems	.111(b)(16)
Application	.169(a)(1)	Fittings	.111(b)(10)
Compressed Air	.169	Handling	.111
	.109	Hoses	.111(b)(8)
Equipment: Drains	160/b)/2)		
	.169(b)(2)	Liquid Level Gaging Devices	.111(b)(14)
Installation	.169(b)(1)	Liquid Transfer	.111(b)(12), (f)(6)
Pressure Gages	.169(b)(3)	Piping	.111(b)(7)
Traps	.169(b)(2)	Standards Sources	.115
Valves	.169(b)(3)	Storage	.111
Standards Sources	.169(a)(2), .170	Tank Car Unloading	.111(b)(13)
Air Supply	.94(a)(6), .134(d)	Tubing	.111(b)(7)
Airborne Radioactive Materials Expo-	.96(c)	Appliances:	
sure Limits.		Electric	.306(d)(1)
Airhoses	.243(b)(2)	Liquefied Petroleum Gases	.110(b)(20), (g)(11)
Aisles:		Arbor Grinding Wheels	.215(d)(2)
Working Surfaces	.22(b)	Arc Welding	.254
Alarms: (see also Fire Alarms, Sprin-		Environmental Conditions	.254(b)(2)
klers, Warning Devices)		Equipment:	
Employee alarm systems	.165	Design	.254(b)(4)
Mills and Calenders	.216(g)	Disconnecting Means	.305(j)(3)
Rubber and Plastics	.216(g)	Grounding	.254(c)(2)
4-Aminodiphenyl	.1003	Installation	.254(c)
Area requirements	.1003(c)	Maintenance	.254(d)(9)
Closed system operation	.1003(c)(2)	Operation	.254(d)
Isolated systems		Personnel Protection	` '
Maintenance and decon-	.1003(c)(1)	Protection from Rays	.252(b)
	.1003(c)(5)		.252(b)(2)(iii)
tamination activities.	4000(-)(0)	Supply Connections	.254(c)(3), (d)(3)
Open-vessel system oper-	.1003(c)(3)	Health Protection	.252(c)
ations.	4000()(4)	Ventilation	.252(b)(4)(ii), (c)
Transfer from a closed oper-	.1003(c)(4)	Voltage	.254(b)(3)
ation.		Arsenic, Inorganic	.1018
Medical surveillance	.1003(g)	Asbestos:	
Examinations	.1003(g)(1)	Airborne Concentration	.1001(c)
Records	.1003(g)(2)	Caution Signs and Labels	.1001(g)
Regulated area requirements	.1003(d)	Change Rooms	.1001(d)(4)
Contamination control	.1003(d)(4)	Compliance	.1001(f)
Emergencies	.1003(d)(2)	Definitions	.1001(a)
Hygiene facilities and prac-	.1003(d)(3)	Exposure, Permissible	.1001(c)
tices.		Fibers Exposure, Permissible	.1001(b)
Reports	.1003(f)	Hazard Communication	.1001(j)
Incidents	.1003(f)(2)	Housekeeping	.1001(k)
Operations	.1003(f)(1)	Hygiene Facilities and Practices	.1001(i)
Signs, information, and training	.1003(e)	Medical Surveillance	.1001(I)
Container contents identifica-	.1003(e)(2)	Measurements	.1001(i)
tion.	(-)(-)	Medical Examinations	.1001(i)
Lettering	.1003(e)(3)	Monitoring	.1001(j)
Prohibited statements	.1003(e)(4)	Personal Protective Equipment	.1001(u)
			.1001(m)
Signs	.1003(e)(1)	Recordkeeping Regulated Areas	
Training and indoctrination Ammonia, Anhydrous: (see also Anhy-	.1003(e)(5)		.1001(e)
	.111	Respiratory protection	.1001(g)
drous Ammonia).	400(1)	Special Clothing	.1001(d)(3)
Ammonium Nitrate	.109(i)	Waste Disposal	.1001(h)(2)
Bulk Storage	.109(i)(4)	Atmospheric Contaminants: (see Air	
Containers	.109(i)(3)	Contaminants)	
Contaminants	.109(i)(5)	Atmospheric Tanks	.106(b)(1)(iii)
		Attendants:	
Electrical Installations	.109(i)(6)		
Fire Protection	.109(i)(6) .109(i)(7)	Liquified Hydrogen Systems	.103(c)(4)(ii)
Fire Protection			.103(c)(4)(ii) .110(b)(14)
Fire Protection	.109(i)(7) .109(i)(5) .109(i)(4)	Liquified Hydrogen Systems	

The 1710, maox		27 51 8 5111 7 7 11 7	1 07 24	
Subject term	Section No.	Subject term	Section No.	
Automobile Undercoatings	.107(k)	Emergencies	.1003(d)(2)	
Baffle Plates:	407/5)/4)	Hygiene facilities and prac-	.1003(d)(3)	
Spray Booths Bakery Equipment	.107(b)(4) .263(k)	tices. Reports	.1003(f)	
Air Conditioning	.268(i)(14)	Incidents	.1003(f)(2)	
Bag Chutes and Lifts	.263(d)(2)	Operations	.1003(f)(1)	
Biscuit Equipment	.263(k)	Signs, information, and training	.1003(e)	
Blenders	.263(d)(3)	Container contents identifica-	.1003(e)(2)	
Bolting Reels	.263(d)(5)	tion.		
Conveyors	.263(d)(7), (i)(7)	Lettering	.1003(e)(3)	
Cracker Equipment	.263(k)	Prohibited statements	.1003(e)(4)	
Dividers Dough Brakes	.263(f)	Signs	.1003(e)(1)	
Dumpbins	.263(h) .263(d)(3)	Training and indoctrination Beryllium	.1003(e)(5) .1000, Table Z–2	
Flour Elevators	.263(d)(4)	Bins, Bulk Storage of Explosives	.109(g)(4)	
Flour Handling Equipment	.263(d)	Biological Hazards Signs and Tags	.145(e)(4), (f)(8)	
Machine Guarding	.263(c)	Blades Exposure	.212(a)(5)	
Miscellaneous Equipment	.263(i)	Blankets, Rubber Insulating	.137	
Mixers	.263(e)	Blasting Agents (see also Explosives	.109(g), (k) (1), (2),	
Moulders	.263(g)	and Blasting Agents).	.119	
Ovens	.263(I)	Bulk Delivery	.109(g)(3), (h)(4)	
Pulverizers Scales, Flour	.263(k)(2)	Bulk Storage Bins	.109(g)(4)	
Sifters	.263(d)(9) .263(d)(8)	Effective Dates Mixing, Fixed Location	.114 109(a)(2) (b)(3)	
Slicers	.263(j)	Mixing Vehicles	.109(g)(2), (h)(3) .109(g)(3), (h)(4)	
Storage Bins	.263(d)(6)	Slurries	.109(h)	
Wrappers	.263(j)	Standards Sources	.115	
Ballast, Cranes	.180(i)(2)	Storage	.109(g)(5)	
Band Saws and Resaws	.213(i)	Transportation	.109(g)(6)	
Barking Devices:		Use	.109(g)(7)	
Hydraulic	.261(e)(14)	Water Gels	.109(h)	
Pulp Wood and Chips	.261(c), (e)(8)	Bleaching:	004(%)	
Sawmills Barrels:	.265(d)(4)	Pulp and Paper Mills Textiles	.261(h)	
Guarding	.212(a)(4)	Bloodborne pathogens	.262(p) .1030	
Basket Derricks: (see Derricks)	.181	Effective dates	.1030(i)	
Bathing Facilities:		Engineering and work-practice	.1030(d)(2)	
Labor Camps	.142(f)	controls.	. , , ,	
Battery Changing and Charging	.178(g), .305(j)(7)	Housekeeping	.1030(d)(4)	
Bearings	.219(j), (p)(3)	Laboratories and production facili-	.1030(e)	
Belts:	044(0(4) (0)	ties, HIV and HBV research.	1000()(0)(")	
Definitions	.211(f)(1)–(3)	Personal protective equipment	.1030(c)(2)(ii),	
Manlifts Power Transmission Apparatus	.68(c)(1) .219(e)(1), (o)(3),	Recordkeeping	(d)(2)(i), (3) .1030(f)(6), (h)	
rower mansinission Apparatus	(p)(6)	Training	.1030(i)(b), (ii)	
Bench and Floor Stands Guarding	.215(b)(3)	Vaccinations, HBV	.1030(c)(c), (g)(2)	
Benzene	.1028	Warning labels and signs	.1030(g)(1)	
Communication of benzene haz-	.1028(j)	Blotters	.215(c)(1)(v), (c)(6),	
ards to employees.			(d)(5)	
Exposure monitoring and meas-	.1028(e)	Board Drop Hammers	.218(e)(2)	
urement.	4000(*)	Boatswain's Chair Scaffolds	.28(j)	
Medical surveillance	.1028(i)	Employee Protection	.28(j)(4)	
Methods of compliance Observation of monitoring	.1028(f) .1028(l)	Fiber Ropes Life Belts	.28(j)(2) .28(j)(4)	
Permissible exposure limit	.1028(c)	Roof Irons, Hooks	.28(j)(4)	
Protective clothing and equipment	.1028(h)	Seat Slings	.28(j)(3)	
Recordkeeping	.1028(k)	Size	.28(j)(1)	
Regulated areas		Tackle	.28(j)(5)	
Respiratory protection	.1028(g)	Boom Guards:	.,,,	
Benzidine	.1003	Cranes	.180(j)(2)	
Area requirements	.1003(c)	Derricks	.181(j)(5)(ii)	
Closed system operation	.1003(c)(2)	Booms, Derricks	.181(i)(6)	
Isolated systems	.1003(c)(1)	Boring Machines	.213(I)	
Maintenance and decon- tamination activities.	.1003(c)(5)	Brakes: Bandsaws	.213(j)(1)	
Open-vessel system oper-	.1003(c)(3)	Bridges	.179(f)(4), (6)	
ations.	.1000(0)(0)	Control	.179(f)(4), (6)	
Transfer from a closed oper-	.1003(c)(4)	Cranes	.179(f)	
ation.		Friction, Power Presses	.217(b)(2)	
Medical surveillance	.1003(g)	Hoists	.179(f)(1)	
Examinations	.1003(g)(1)	Holding	.179(f)(2)	
			- (/ (/	
Records	.1003(g)(2)	Industrial Trucks	.178(g), (h), (m)(5)	
Records Regulated area requirements Contamination control	.1003(g)(2) .1003(d)			

Subject term	Section No.	Subject term	Section No.
· · · · · · · · · · · · · · · · · · ·		1,3 Butadiene:.	203001110.
Trolleys			1051(a)
Brazing: (see also Welding) Definitions		Permissible Exposure Limits Exposure Monitoring	.1051(c)
Standards Sources			.1051(d)
Breast Derricks: (see also Derricks)		Regulated Areas Methods of Compliance	.1051(e) .1051(f)
Bricklayers' Square Scaffolds		Exposure Goal Program	.1051(j)
Bridge Bumpers, Cranes		Respiratory Protection	.1051(g)
Bridge Plates: (see also Dockboards)		Protective Clothing and Equipment	.1051(ii)
Buffing: (see Grinding, Polishing and		Emergency Situations	
Buffing)		Medical Screening and Surveil-	.1051(j) .1051(k)
Building Maintenance Powered Plat- forms.	.66	lance. Communication of BD Hazards to	.1051(I)
Buildings, Sawmills	.265(c)	Employees.	
Bulk Delivery:		Recordkeeping	.1051(m)
Blasting Agents		Cabinets, Flammable and Combustible	.106(d)(3)
Explosives		Liquid storage.	
Bulk Oxygen Systems		Size	.106(d)(3)(i)
Accessibility		Fire resistance	.106(d)(3)(ii)
Cleaning		Cabs:	
Clear Zone		Cranes	.179(c), (o)(2);
Containers			180(i)(3)
Gaseous		Derricks	.181(j)(6)
Liquid		Cadmium	.252(c)(9)
Dikes		Airborne Concentration	.1027(c)
Distances from Hazards		Compliance	.1027(f)
Combustible Liquids		Confined Spaces	.252(c)(9)(ii)
Combustible Materials		Emergency Situations	.1027(h)
Combustible Structures		Exposure, Permissible	.1027(c)
Congested Areas		Hazard Communication	.1027(m)
Fire Resistant Structures		Housekeeping	.1027(k)
Flammable Gases		Hygiene Areas and Practices	.1027(j)
Flammable Liquids	.104(b)(3)(v), (vi)	Indoors	.252(c)(9)(i)
Openings		Medical Surveillance	.1027(I)
Slow-Burning Materials	.104(b)(3)(xi)	Monitoring	.1027(d)
Electrical Wiring	.104(b)(8)(ix)	Personal Protective Equipment	.1027(i)
Firewalls	.104(b)(3)(viii)	Clothing	.1027(i)
Fittings	.104(b)(5)	Recordkeeping	.1027(n)
Inspection	.104(b)(10)(i)	Regulated Areas	.1027(e)
Installation	.104(b)(8)(iv)	Respiratory protection	.1027(g)
Joints		Warning Labels	.252(c)(1)(v),
Leakage		Calcium Carbide:	() () ()
Liquid Oxygen Vaporizers		Indoors	.253(g)(2)
Grounding		Packaging	.253(g)(1)
Location	.104(b)(2)	Storage	.253(g)(2), (3)
Maintenance		Calenders	.262(ee)
Marking		Rubber and Plastics Industry:	(**)
Operating Instructions		Alarms	.216(g)
Piping		Location Protection	.216(d)(2)
Placarding		Safety Controls	.216(c)
Safety Relief Devices		Stopping Limits	.216(f)(1), (3)
All Containers		Switches, Trip and Emer-	.216(e)
ASME Containers		gency.	10(0)
DOT Containers		Textiles	.262(ee)
Security		Canisters, Gas Mask: (see Gas Mask	.202(00)
Storage Containers		Canisters, Respirators)	
Testing		Cantilever Gantry Cranes: (see Gantry	
S .	(/ (/ (/	Cranes)	
Tubing			28(k)
Vaporizers		Carpenters' Bracket Scaffolds	.28(k)
Ventilation		Bracket Attachment	.28(k)(2)
Venting		Bracket Dimensions	.28(k)(1)
Bulk Plants, Flammable and Combus-	.106(f)	Employee Protection	.28(k)(3)
tible Liquids.	400(0)(0)	Guardrails	.28(k)(5)
Buildings		Platform Size	.28(k)(4)
Drainage		Caustics	.262(00)
Electrical Equipment	1717	Emergency Showers	.261(g)(18)(i)
Fire Protection		Pipeline Identification	.261(h)(3)(vi)
Ignition Sources		Caution Signs and Labels	.145(c)(2), (d)(4)
Liquid Storage		Asbestos	.1001(g)
Loading		Fluorides	.252(c)(1)(iv)
Waste Disposal		Ionizing Radiation	.96(e), (g), (h)
	10C(f)(1)	Welding	.252(c)(1)(iv)
Wharves	.106(f)(4)		.202(0)(.)()
Wharves		Ceiling Workers' Scaffolds: (see also	.28(0)
Wharves			.28(0)

		Out in a thomas		
Subject term	Section No.	Subject term	Section No.	
Change Rooms:		Powder Coatings	.107(I)(4)(i)	
Asbestos	.1001(d)(4)	Powered Platforms	.66(e)(7)	
Drying Facilities	.141(f)	Respirators	.134(f)(3)	
Separate Facilities	.141(e)	Solvents	.107(g)(5)	
Charge InitiationChemical Plants: (see also Refineries,	.109(e)(4) .106(i)	Spray BoothsSpraying Operations	.107(b)(9) .107(g)(2)	
Chemical Plants and Distilleries).	.100(1)	Cleaning Compounds	.107(g)(2) .252(c)(11)	
Chemicals, hazard communication	.1200	Degreasing	.252(c)(11)(ii)	
Chemicals, hazardous; occupational	.1200	Manufacturer's Instructions	.252(c)(11)(i)	
exposure in laboratories:		Cleaning Solvents:	.202(0)(1.1)(1)	
Chemical Hygiene Plan	.1450(e)	Spraying	.107(g)(5)	
Exposure determination, moni-	.1450(d)	Clear Zones:	(6)()	
toring.		Bulk Oxygen Systems	.104(b)(10)	
Hazard identification	.1450(h)	Industrial Plants	.106(e)(9)(iv)	
Hygiene recommendations	.1450, App. A	Liquefied Hydrogen Systems	.103(c)(5)(ii)	
Medical consultations and exami-	.1450(g)	Processing Plants	.106(h)(8)(iv)	
nations.		Clearances:		
Permissible exposure limits	.1450(c)	Cranes	.179(b)(6), .180(j)(
Recordkeeping	.1450(j)	Derricks	.181(j)(5)	
Respirator use	.1450(i)	Fixed Ladders	.27(c)	
Training	.1450(f)	Back	.27(c)(4)	
Chemicals, highly hazardous; process	.119	Climbing Side	.27(c)(1)	
safety management.	440 4 4	Grab Bars	.27(c)(5)	
Chemicals, toxic and reactive,	.119, App. A	Hatch Covers Step-Across Distance	.27(c)(7)	
threshold list.	110 0 0	With Cages or Baskets	.27(c)(6) .27(c)(3)	
Compliance guidelines	.119, App. A .119(h)	Without Cages or Wells	.27(c)(3)	
Contractor, employer responsibil- ities.	.119(11)	Manlifts	.68(b)(11)	
Emergency planning and response	.119(h)	Spraying Discharges	.107(d)(8)	
Hot work (welding) permits	.119(n)	Stairs	.24(i)	
Trade secrets	.119(p)	Clothing, Protective: (see also Per-	.252(b)(3), .132	
Training	.119(g)	sonal Protective Equipment).	.202(5)(6),62	
Chicago Boom Derricks: (see also Der-	.181	Asbestos	.1001(d)(3)	
ricks).		Body	.156(e)(3)	
Chicken Ladders: (see also Crawling	.28(t)	Electrical	.137	
Boards).	- ()	Eye	.133, .156(e)(5)	
bis-Chloromethyl ether	.1003	Face	.133,.156(e)(5)	
Area requirements	.1003(c)	Fire brigade	.156	
Closed system operation	.1003(c)(2)	Footwear	.136,.156(e)(2)	
Isolated systems	.1003(c)(l)	Goggles	.133	
Maintenance and decon-	.1003(c)(5)	Hand	.156(e)(4)	
tamination activities.		Head	.135, .156(e)(5)	
Open-vessel system oper-	.1003(c)(3)	Helmets	.135	
ations.		Leg	.156(e)(3)	
Transfer from a closed oper-	.1003(c)(4)	Rubber	.137	
ation.		Storage	.107(g)(4)	
Medical surveillance	.1003(g)	Welders	.252(b)(3)	
Examinations	.1003(g)(1)	Clutches	.217(b)(3), (7)	
Records	.1003(g)(2)	Definition	.180(a)(19)	
Regulated area requirements	.1003(d)	Power Transmission Apparatus	.219(k)	
Contamination control	.1003(d)(4)	Coatings, Spray:	107(m)	
Emergencies Hygiene facilities and prac-	.1003(d)(2)	Dual Component Organic Peroxide	.107(m)	
, ,	.1003(d)(3)		.107(m) .107(l)	
tices. Reports	.1003(f)	Powder Undercoatings	.107(l) .107(k)	
Incidents		Collars	.219(i)	
Operations	.1003(f)(2)	Coke oven emissions	.1029	
Signs, information, and training	.1003(f)(1) .1003(e)	Employee information and training	.1029 .1029(k)	
Container contents identifica-	.1003(e)(2)	Exposure monitoring and meas-	.1029(e)	
tion.		urement.		
Lettering	.1003(e)(3)	Hygiene facilities and practices		
Prohibited statements	.1003(e)(4)	Medical surveillance	.1029(j)	
Signs	.1003(e)(1)	Methods of compliance	.1029(f)	
Training and indoctrination	.1003(e)(5)	Observation of monitoring	.1029(n)	
Chute Openings	.23(a)(2)	Permissible exposure limit	.1029(c)	
Circular Resaws	.213(e)	Protective clothing and equipment	.1029(h)	
Circular Saws	.213(f)	Precautionary signs and labels		
Arbors	.213(s)(4)	Recordkeeping	.1029(m)	
Portable	.243(a)(1)	Regulated areas	.1029(d)	
Clean Air, Spray Finishing	.94(c)(7)	Respiratory protection	.1029(g)	
	.04(0)(1)			
Cleaning:		Color Codes:		
Cleaning: Air Receivers	.169	Air Contaminants	.134(g)(6)	
Cleaning:	.169 .104(b)(8)(i)		.134(g)(6) .144(a)(1)(ii), .145((d)(2)	

Subject term	Section No.	Subject term	Section No.
Effective Dates	.149	Processing plants	.106(h)(4)
Gas Mask Canisters	.134(g)(6)	Gaseous Hydrogen Systems	.103(b)(1)(i)
Physical Hazards, Colors	.144(a), .145(d)(2)	Guarding	.212(a)(4)
RespiratorsStandards Sources	.134(g)(6) .150	Liquified Hydrogen Systems Liquefied Petroleum Gases	.103(c)(1)(i) .110
Stop	.144(a)(1)(iii)	Spraying	.107(e)(3), (5)
ombustible Dusts, Trucks Used	.178(c)(2)(vi)	Welding, Gas	.253(a), (b)
ombustible Liquids: (see Flammable	.106	Containers, Liquefied Petroleum Gases	.110
and Combustible Liquids).		Accessories	.110(b)(7); (c)(6);
Effective Dates	.114		(d)(3), (8); (e)(5)
Standards Sources	.115	Awaiting Use or Resale	.110(f)
Combustible Materials:		Capacity	.110(d)(6), (h)(5)
Welding	.252(a)(2)	Charging Plants	.110(d)(13)
Communicable Diseases Reporting:	4.40(1)	Construction	.110(b)(3)
Labor Camps	.142(I)	Cylinder Systems	.110(c)
Communications, Powered Platforms	.66(e)(11)(vi)	Accessories	.110(c)(6)
Compressed Air, Cleaning	.242(b)	IndoorMarkings	.110(c)(5)
Compressed Air Equipment: (see also Compressed Gas Equipment)		Outdoor	.110(c)(2) .110(c)(4)
Air Receivers	.169	Valves	.110(c)(4)
Compressed Gas Cylinders: (see also	.253(a)(2)	Filling Densities	.110(b)(12)
Compressed Gases).	.200(a)(2)	Fire Protection	.110(d)(14)
Approval	.252(b)(1)	Fittings	.110(b)(8); (e)(6);
Inspection	.101(a)		(h)(7), (9)
Manifolding	.253(c)	Hoses	.110(b)(9)
Markings	.253(b)(1)	Industrial Plants	.110(d)(12)
Operating Procedures	.253(b)(5)	Installation	.110(e)(4), (h)(6)
Oxygen Manifolds	.253(c)(2), (3)	Lighting	.110(d)(16)
Public Protection	.101(c), .252(a)(8)	Location	.110(b)(6), (f)(5)
Safety Relief Valves	.101(c)	Markings	.110(b)(5), (c)(2)
Standards Sources	.170	Non-DOT Containers	.110(d)
Storage	.253(b)(2)–(4)	Accessories	.110(d)(3)
Compressed Gas Equipment: (see		Capacity	.110(d)(6)
Compressed Gas Cylinders)	404	Installation	.110(d)(7)
Compressed Gases: (see also Com-	.101	Pipes	.110(d)(3)
pressed Gas Cylinders).	444	Pressure, Design	.110(d)(2)
Effective Dates	.114	Reinstallation Safety Relief Devices	.110(d)(5)
HandlingSafety Relief Devices	.101(b) .101(c)	Valves	.110(d)(4) .110(d)(3)
Standards Sources	.115	Original Testing	.110(b)(4)
Storage	.101(b)	Piping	.110(b)(8), (d)(3),
Conductors: (see also Electric Wiring)	.101(b)	i iping	(e)(6), (h)(10),
Cranes	.179(g)(1)(iv), (6)		(h)(9)
General Wiring	.305(f)	Pressure Design	.110(d)(2), (e)(3)
Confined Spaces, Hazardous work	.120(b)(4)(ii)(l),	Safety Relief Devices	.110(b)(10), (c)(7),
	(c)(3)	,	(d)(4), (e)(7),
Electrical safety-related work prac-	.333(c)(5)		(h)(4)
tices.	() ()	Tubing	.110(b)(8), (e)(6)
Confined Spaces:		Valves	.110(b)(7), (c)(6),
Atmospheric testing flow charts	.146, App. B		(d)(3), (e)(5),
Attendant duties	.146(i)		(h)(9)
Authorized entrant duties	.146(h)	Vaporizers	.110(b)(11), (d)(17)
Entry supervisor duties	.146(j)		(e)(8)
Flow chart, decisions	.146, App. A	Welding	.110(b)(4)
Instruction of employees relating	.21(b)(6)	Controllers:	
to.		Cranes	.179(g)(3)
Permit samples	.146, App. D	Conveyors:	000(1)(7) (1)(7)
Program examples	.146, App. C	Bakeries	.263(d)(7), (i)(7)
Rescue and emergency services	.146(k)	Electrostatic Spraying	.107(h)(7)
Sewer system entry	.146, App. E	Forging Machines	.218(j)(3)
Training	.146(g)	Sawmills	.265(c)(18)
Welding and Cutting	.353(b), .352(g)	Spray Booths Corrosion Protection:	.107(b)(7)
Containers: (see also Tank Storage, Portable)		Piping, Valves and Fittings	.106(c)(5)
Ammonium Nitrate	.109(i)(3)	Storage Tanks	.106(b)(1)(vi)
Bulk Oxygen Systems	.109(1)(3) .104(b)(4), (6)	Underground Tanks	.106(b)(1)(vi)
Gaseous	.104(b)(4), (6)	Cotton Dust	.1043
Liquid	.104(b)(4)(ii)	Counterbalances	.217(b)(9)
Flammable and Combustible Liq-	.104(b)(4)(ll)	Counterweights:	, (5)(5)
uids.		Cranes	.180(i)(2)
Design	.106(d)(2)	Covers, Openings:	
Bulk plants, storage	.106(d)(Z)	Working Surfaces	.22(e);23(a)(1),
	.106(e)(2)(ii)	g canacco	(3)(i), (5), (6),
Industrial plants, storage	. 100(0)(2)(11)		

Subject term	Section No.	Subject term	Section No
Cranes:		Signs and labels	.1044(o)
Crawler	.180	Dead-Man Controls	.243(a)(2)
Definitions	.179(a)	Decorators' Scaffolds: (see also Plas-	.28(o)
Effective Dates	.179(b)(2),	terers' Scaffolds).	
	.180(b)(2), .182	Degreasing:	050()(44)(**)
Electric	.306(b)	Cleaning Compounds	.252(c)(11)(ii)
Gantry Locomotive	.179 .180	Derricks: Adjustments	.181(f)(3)
Overhead	.179	Cabs	.181(j)(6)
Pulp and Paper Mills	.261(c)(8)	Electric Power Lines	.181(j)(5)
Standards Sources	.183	Fire Extinguishers	.181(j)(3)
Truck	.180	Guards	.181(j)(1)
Crawler Cranes: (see also Crawler, Lo-	.180	Hooks	.181(j)(2)
comotive and Truck Cranes).		Inspections	.181(d) and (g)
Crawler, Locomotive and Truck Cranes	.180	Load Handling	.181(i)
Cabs	.180(i)(3)	Load Ratings	.181(c)
Electric Power Lines	.180(j)	Maintenance	.181(f)
Fire Extinguishers	.180(i)(5)	Operations Refueling	.181(h) .181(j)(4)
Inspections	.180(d)	Repairs	.181(f)(4)
Frequent	.180(d)(3)	Rope Inspections	.181(g)
Idle (Irregular)Initial	.180(d)(5)	Standards Sources	.183
Periodic	.180(d)(1)	Testing	.181(e)
Records	.180(d)(4) .180(d)(6)	3,3'-Dichlorobenzidine (and its salts)	.1003
Ropes	.180(d)(d)	Area requirements	.1003(c)
Load Handling	.180(h)	Closed system operation	.1003(c)(2)
Load Ratings	.180(c)	Isolated systems	.1003(c)(1)
Maintenance	.180(f)	Maintenance and decon-	.1003(c)(5)
Refueling	.180(i)(4)	tamination activities.	4000(*)(0)
Rope Inspection	.180(g)	Open-vessel system oper-	.1003(c)(3)
Standards Sources	.183	ations. Transfer from a closed oper-	1003(a)(4)
Swinging Locomotives	.180(i)(6)	ation.	.1003(c)(4)
Testing	.180(e)	Medical surveillance	.1003(g)
Crawling Boards	.28(t)	Examinations	.1003(g)(1)
Crosscut Table Saws	.213(d)	Records	.1003(g)(2)
Cup Wheels	.243(c)(2)	Regulated area requirements	.1003(d)
Flaring-Cup, Type 11	.241(b)(8)	Contamination control	.1003(d)(4)
Straight-Cup, Type 6	.241(b)(9)	Emergencies	.1003(d)(2)
Straight, Type 1 Curing Apparatus: (see Drying, Curing	.241(b)(10)	Hygiene facilities and prac-	.1003(d)(3)
and Fusion Apparatus)		tices.	
Cutting: (see also Welding)	.252	Reports	.1003(f)
Containers	.252(a)(3)	Incidents	.1003(f)(2)
Definitions	.251	Operations	.1003(f)(1)
Ventilation	.252(c)	Signs, information, and training	.1003(e)
Cutting-Off Machines	.215(b)(5)	Container contents identifica- tion.	.1003(e)(2)
Cutoff Couplings	.219(k)(1)	Lettering	.1003(e)(3)
Cutoff Saws, Swing	.213(g)	Prohibited statements	.1003(e)(3)
Cylinders, Welding Gas	.253(b)	Signs	.1003(e)(1)
Manifolding	.253(c)	Training and Indoctrination	.1003(e)(5)
Operating Procedures	.253(b)(5)	Dies	.217(d)
Storage	.253(b)(2)–(4)	Changing	.218(h)(5)
Cylindrical Grinders	.215(b)(4)	Fastening	.217(d)(7)
Danger:	4.4.4(=)(4)(;;)	Guide Post Hazards	.217(d)(4)
Color Codes	.144(a)(1)(ii)	Handling	.217(d)(3), (8)
Signs	.145(c)(1), (d)(2)	Requirements	.217(d)(1)
Tag Dates, Effective: (see Effective Dates)	.145(f)(5)	Scrap:	047(4)(0)
DBCP (1,2–Dibromo 3–	.1044	Ejecting	.217(d)(2)
Chloropropane).		Handling Selling	.217(d)(3) .217(d)(9)
Emergency situations	.1044(i)	Stroke	.217(d)(9) .217(d)(6)
Employee information and training	.1044(n)	Tonnage	.217(d)(6)
Exposure monitoring	.1044(f)	Unitized Tooling	.217(d)(5)
Housekeeping	.1044(k)	Weight	.217(d)(6)
Hygiene facilities and practices	.1044(l)	Diesel Powered Trucks	.178(b)(1)–(3)
Medical surveillance	.1044(m)	Dikes:	
Methods of compliance	.1044(g)	Bulk Oxygen Systems	.104(b)(2)(v)
Notification of use	.1044(d)	Storage Tanks	.106(b)(2)(vii),
Observation of monitoring	.1044(q)	4-Dimethylaminoazobenzene	.1003
Permissible exposure limit	.1044(c)	Area Requirements	.1003(c)
Protective clothing and equipment	.1044(j)	Closed System Operation	.1003(c)(2)
Recordkeeping	.1044(p)	Isolated Systems	.1003(c)(1)
Regulated areas Respirators	.1044(e)	Maintenance and decontamination activities.	.1003(c)(5)

Subject term	Section No.	Subject term	Section No.
Open-vessel System Oper- ations.	.1003(c)(3)	Industrial PlantsLabor Camps	.106(e)(3)(iii)
Transfer from a closed oper-	.1003(c)(4)	Materials Handling	.142(a) .176(d)
ation.	.1003(0)(4)	Processing Plants	.106(h)(3)(ii)
Medical surveillance	1003(a)	Service Stations	.106(f)(3)(ii)
Examinations	.1003(g) .1003(g)(1)	Sprinkler Systems	.159(c)(7)
Records	.1003(g)(1)	Storage Tanks	.106(b)(2)(vii)(c)
		Drains:	.100(0)(2)(41)(0)
Regulated Area Requirements Contamination Control	.1003(d) 1003(d)(4)	Air Receivers	.169(b)(2)
Emergencies	.1003(d)(4) .1003(d)(2)	Dressing Rooms, Personnel	.141(e)
Hygiene facilities and prac-	.1003(d)(2)	Drips, Condensed Gas	.110(d)(11)
tices.	.1003(u)(3)	Drives—Belt, Rope and Chain	.219(e), (g), (o)(3)
Reports	.1003(f)	Belt Tighteners	.219(e)(6)
Incidents	.1003(f)(2)	Cone-Pulley Belts	.219(e)(5)
Operations	.1003(f)(1)	Horizontal Belts and Ropes	.219(e)(1)(i)
Signs, Information, and Training	.1003(i)(1)	Inclined Belts	.219(e)(3)
Container Contents Identifica-	.1003(e)(2)	Overhead Horizontal Belts	.219(e)(2)
tion.	.1003(e)(2)	Vertical Belts	.219(e)(3), (4)
	4000(*)(0)		
Lettering	.1003(e)(3)	Drums	.212(a)(4)
Prohibited Statements	.1003(e)(4)	Dry Chemical Extinguishing Systems,	.161
Signs	.1003(e)(1)	Fixed.	161(0)
Training and Indoctrination	.1003(e)(5)	Scope and Application	.161(a)
ining Facilities: (see also		Specific Requirements	.161(b)
Lunchrooms)	4.40(1)	Drying:	407(-1)(40)
Labor Camps	.142(i)	Spraying Operations	.107(d)(12)
ip Tanks:	.123126	Drying, Curing, and Fusion Apparatus	.107(j)
Application	.123(a)	Adjacent System	.107(j)(3)
Bottom Drains	.125(c)	Alternate Use:	
Construction	.124(a), .125(a)	Permitted	.107(j)(4)
Conveyors	.125(d), .126(g)(2)	Prohibited	.107(j)(2)
Covers	.125(f)(3)	Conformance	.107(j)(1)
Electrical Ignition Sources	.125(e)(1)	Powder Coatings	.107(I)(3)
Electrostatic Apparatus	.126(g)	Spraying Rooms	.107(j)(2)
Fire Extinguishers	.125(f)(2)(i)	Dual Component Coatings	.107(m)
Fire Protection	.125(f)	Dust Hazards:	
Flow Coating	.126(b)	Abrasive Blasting	.94(a)(2)
Hardening	.126(a)(1)(i),(ii)	Asbestos	.19, .93a
Heating	.125(g)	Employee Exposure	.1000(a)
Ignition Sources	.125(e)	Grain handling facilities	.272
Inspections	.124(j)(1),(3)	Effective Dates:	
Liquid Storage	.125(e)(2)	Abrasive Wheels	.220
Maintenance	.125(e)(4)	Accident Prevention Signs and	.149
Overflow Pipes	.125(b)	Tags.	
Sprinklers	.125(f)	Acetylene	.114
Tempering	.126(a)	Air Contaminants	.98
Ventilation	.124(b), .125(d)(2)	Anhydrous Ammonia	.114
Warning Signs	.125(e)(2)	Asbestos	.1001(b)(1), (2);
Waste Cans		Blasting Agents	.114
	.125(e)(4)(ii),(iii)	Clothing, Protective	.138
isposal Systems: (see Waste Dis-			
posal Systems)		Color Codes	.149
vistances From Hazards:	100(i)(5)	Combustible Liquids	.114 .114
Ammonium Nitrate	.109(i)(5)	Conpressed Gases	
Bulk Oxygen Systems	.104(b)(3)	Cooperage Machinery	.220
Electrostatic Spraying	.107(h)(6)	Crawler, Locomotive, and Truck	.180(b)(2), .182
Explosives Storage	.109(c)	Cranes.	404/h)/0\ 400
Ignition Sources, Separation	.107(c)(2)	Derricks	.181(b)(2), .182
Spray Booths, Separations	.107(b)(8)	Dies	.217(d)(1)
stilleries: (see also Refineries,	.106(i)	Dip Tanks	.114
Chemical Plants and Distilleries).		Environmental Controls	.98, .149
istribution Plates:		Explosives	.114
Spray Booths	.107(b)(4)	Federal Standards	.17
ividers, Bakery Equipment	.263(f)	Flammable Liquids	.114
iving, Commercial	.401, .410, .411,	Forging	.221
	.420427, .430,	Guarding Machinery	.220
	.440, .441	Hand-Held Equipment	.245
Recreational instructors and	.401(a)(3)	Hazardous Materials	.114
guides, alternative requirements.		Hydrogen	.114
Scientific	.401(iv), 402, Ap-	Indoor Storage	.182
22.010	pendix B	Ionizing Radiation	.98
Oockboards	.30(a)	Labor Camps	.142(d)(7), .149(b
Dough Brakes, Manually Fed	.263(h)	Liquefied Petroleum Gases	
Drag Saws	` '	Liqueneu Fenoleum Gases	.110(b)(19)(i), (i)(
	.213(r)	Machinony	.11
Orainage:	400(0)(7)	Machinery Machinery Guarding	.221
Bulk Plants			

29 CFR Ch. XVII (7-1-07 Edition)

Subject term	Section No.	Subject term	Section No.
Materials Handling	.182	Appliances	.305(j)(3)
Mechanical Power Presses	.220	Approval	.303(a)
Mechanical Power Transmission	.221	Arcing Parts	.303(d)
Apparatus.		Attachment Plugs (Caps)	.304(j)(2)
Mills and Calenders	.216(a)(1), (2); .220	Boxes	.305(b)
National Electrical Code	.309	Branch Circuits	.304(b)
Nitrous Oxide	.114	Bulk Oxygen Systems	.104(b)(8)(ix)
Noise Exposure	.98	Bulk Plants	.106(f)(5)
Nonionizing Radiation	.98	Cabinets	.305(b)
Nonwater Disposal Systems Occupational Health	.149 .98	Capacitors	.305(i)(6)
Overhead and Gantry Cranes	.179(b)(2), .182	Communications Systems Conductors	.308(e) .305(f)
Oxygen	.114	Cranes	.179(g), .306(b)
Physical Hazards Markings	.149	Data Processing Systems	.306(e)
Powered Industrial Trucks	.182	Electrolytic Cells	.306(h)
Powered Tools, Hand and Port-	.245	Elevators	.306(c)
able.		Emergency Systems	.308(b)
Pulp and Paper Mills	.261(n)	Enclosures for Damp or Wet Loca-	.305(e)
Pulpwood Logging	.266(f)	tions.	
Safety Color CodesSanitation	.149 .149	Escalators	.306(c)
Sawmills	.265(j)	Examination of Equipment	.303(b)(1)
Signs and Tags	.149	Fire Protective Signaling Circuits	.308(d)
Spray Finishing	.114	Fittings	.305(b)
Standpipe and Hose Systems	.165	Fixture WiresFlexible Cords and Cables	.305(i) .305(g)
Ventilation	.98	General requirements	.303
Woodworking	.220	Grounded and Grounding Conduc-	.304(a)
Electric controls, Mechanical Power	.217(b)(8)	tors, Installation and Use.	.00 (u)
Presses.		Grounding	.304(f)
Electric energy, hazardous; control of		Guarding Live Parts	.303(g)(2), (h)(2)
(see Lockout/tagout)		Hand Spraying	.107(i)(5)
Electric Equipment: (see Electrical Wir-		Hazardous (Classified) Locations	.307
ing) Electric Ignition Sources: (see Ignition	.107(c), (d)(5)	Heating Equipment High Voltage (Over 600 Volts):	.306(g)
Sources).		General	.308(a)
Electric Motor Ignition Sources	.107(d)(5)	Grounding	.304(f)(7)
Electric power generation, trans-	.269	Guarding	.303(h)(2)
mission, and distribution. Definitions	260(v)	Workspace	.303(h)(3), (h)(4)
Enclosed spaces	.269(x) .269(e)	Hoists	.306(b)
Fall protection	.269(g)(1)	Identification of Disconnecting	.303(f)
Hazardous energy control (Lock-	.269(d)	Means and Circuits.	
out/tagout).	(-)	Ignition Sources	.107(c)(4), (6)
Ladders, platforms, steps, etc	.269(h)	Industrial Plants	.106(e)(7)
Live-line tools	.269(j)	Installation and Use of Equip- ments.	.303(b)(2)
Materials handling and storage	.269(k)	Irrigation Machines	.306(i)
Mechanical equipment	.269(p)	Lamps	.305(j)(1)
Medical services and first aid	.269(b)	Liquefied Hydrogen Systems	.103(c)(1)(ix)
Overhead lines	.269(q)	Liquefied Petroleum Systems	.110(b)(17), (18),
Personal protective equipment	.269(g), (n)(4),	1	(h)(13)
Power tools, hand and portable	(r)(2)(v), (r)(4)(ii) .269(i)	Marking	.303(e)
Telecommunications facilities	.269(s)	Motors	.305(j)(4)
Testing and test facilities	.269(o)	Moving Walks	.306(c)
Training	.269(a)(2), (b)(1),	Outline Lighting	.306(a)
	(d)(2), (e)(2),	Outside Conductors	.304(c)
	(q)(3)(i), (r)(1)(vi)	Overcurrent Protection	.304(e)
Tree trimming, line-clearance	.269(r), (a)(1)(E)	Panelboards	.305(d)
Water, work near	.269(w)(5)	Portable Cables	.305(h) .107(l)(1)
Electric Power Lines:	190(i)	Powder Coatings Power-Limited Circuits	.308(c)
Crane Operations	.180(j)	Processing Plants	.106(h)(7)(iii)
Boom Guards Clearances	.180(j)(2) .180(j)(1)	Receptacles	.305(j)(2)
Notifying Owners	.180(j)(1)	Remote Control Circuits	.308(c)
Overhead Wires	.180(j)(4)	Services	.304(d)
Derrick Operations	.181(j)(5)	Service Stations	.106(g)(5)
Boom Guards	.181(j)(5)(ii)	Signaling Circuits	.308(c)
Clearances	.181(j)(5)(i)	Signs	.306(a)
Notifying Owners	.181(j)(5)(iii)	Splices	.303(c)
Overhead Wires	.181(j)(5)(iv)	Spraying Operations	.107(c)(4), (6),
Safety-related work practices	.333(c)(3)	0	(i)(1)–(5)
Electric Powered Trucks	.178(b)(4)–(7),	Storage Batteries	.305(j)(7)
Electric wiring:	.120(g)(3)	Storage Rooms Swimming Pools	.106(d)(4)(iii)
Electric wiring:	109(i)(6)	Switchboards	.306(j)
Ammonium Nitrate	(م)(ا)90۱ . ا	SWITCHDORIUS	.305(d)

Subject term	Section No.	Subject term	Section No.
Switches	.305(c)	Environmental Controls:	
Transformers	.305(j)(5)	Accident Prevention Signs and	.145
Type F Powered Platforms	.66(c)(22)	Tags.	
Type T Powered Platforms Welders	.66(d)(6) .306(d)	Air Contaminants	.93
Wiring Design and Protection	.304	Asbestos Effective Dates	.93a .98, .149
Wiring Methods	.305(a)	Labor Camps	.142
Work practices, safety-related	.331–.335	Marking Physical Hazards	.144
Working Space about Electric	.303(g)(1), (h)(3),	Noise Exposure	.95
Equipment.	(h)(4)	Physical Hazards Markings	.144
X-Ray Equipment	.306(f)	Radiation:	
Electrical Installations	.301–.399 .137, .268(f)	lonizing	.96
Design	.137, .200(1)	Nonionizing Safety Color Codes	.97 .144
Care and use, in-service	.137(b)	Sanitation	.141
lectrical safety-related work practices	.331–.335	Signs and Tags	.145
Confined spaces	.333(c)(5)	Standards Sources	.99, .150
Illumination	.333(c)(4)	Ventilation	.94
Ladders, portable	.333(c)(7)	Emergency Response, Hazardous	.120
Lockout and tags	.333(b), .335(b)(1)	Waste.	
Personal protective equipment Portable electric equipment	.333(c)(2), .335(a) .334(a)	Equalizers, Crane Hoists	.179(h)(3)
Power lines, overhead	.333(c)(3)	Ethylene Oxide	.1047
Training	.332	Ethyleneimine Area requirements	.1003 1003(c)
Electromagnetic Radiation:		Closed system operation	.1003(c) .1003(c)(2)
Definitions	.97(a)(1)	Isolated systems	.1003(c)(2)
Nonionizing Radiation	.97(a)	Maintenance and decon-	.1003(c)(5)
Protection Guide	.97(a)(2)	tamination activities.	(-)(-)
Warning Symbol	.97(a)(3)	Open-vessel system oper-	.1003(c)(3)
Electrostatic Apparatus: (see also Electrostatic Apparatus, Fixed; Elec-		ations.	
trostatic Hand Spraying Equipment)		Transfer from a closed oper-	.1003(c)(4)
Powder Coatings	.107(I)(5)-(7)	ation.	4000(-)
Electrostatic Apparatus, Fixed	.107(h) ´ ` ´	Medical surveillance Examinations	.1003(g) .1003(g)(1)
Powder Coatings	.107(I)(5)	Records	.1003(g)(1)
Spraying:		Regulated area requirements	.1003(g)(2)
Conformance	.107(h)(1)	Contamination control	.1003(d)(4)
ConveyorsFail-Safe Controls	.107(h)(7)	Emergencies	.1003(d)(2)
Fire Protection	.107(h)(9) .107(h)(12)	Hygiene facilities and prac-	.1003(d)(3)
Grounding	.107(h)(5)	tices.	
Guarding	.107(h)(10)	Reports	.1003(f)
Insulators	.107(h)(5)	Incidents	.1003(f)(2)
Location	.107(h)(3)	Operations	.1003(f)(1)
Safe Distances	.107(h)(6)	Signs, information, and training Container contents identifica-	.1003(e) .1003(e)(2)
Supports	.107(h)(4)	tion.	.1003(6)(2)
Ventilation	.107(h)(11)	Lettering	.1003(e)(3)
Electrostatic Hand Spraying Equipment Application	.107(i) .107(i)(1)	Prohibited statements	.1003(e)(4)
Approval	.107(i)(1)	Signs	.1003(e)(1)
Conformance	.107(i)(2)	Training and indoctrination	.1003(e)(5)
Electrical Support Equipment	.107(i)(4)	Evacuation, Ionizing Radiation	.96(f)
Grounding	.107(i)(5)-(7)	Exhaust Air Filters, Spray Booths	.107(b)(5)
Interlocks	.107(i)(8)	Exhaust Systems: (see also Ventila-	.94(a)(4)
Powder Coatings	.107(l)(6)	tion) Abrasive Blasting. Grinding, Polishing, Buffing	.94(b)(4)
Specifications	.107(i)(3), (4)	Sawmills	.265(c)(20)
Spray Gun Grounding Ventilation	.107(i)(5) .107(i)(9)	Exhausts, Spraying Operations	.107(d) (3), (7), (9)
levating Work Platforms: (see Vehi-	.107(1)(9)	Exits Routes:	(۵, (۵), (1), (۵,
cle-Mounted Work Platforms).		Alarm System	.37(e)
mergency Action Plans	.38	Capacity	.36(f)
Hazardous waste operations and	.120(I)(1)(ii)	Compliance with Life Safety Code	.35
emergency response, exemption.		Construction, Repairs, Alterations	.37(d)
Highly hazardous chemicals, proc-	.119(n)	Coverage	.34
ess safety management.	204(h)(2)	Definitions Design and Controls	.34(c) .36
mergency Lighting mployee Alarm Systems	.261(b)(2) .165	Exit Discharge	.36(c)
Installation and Restoration	.165(c)	Exit Locking	.36(d)
Maintenance and Testing	.165(d)	Fire Retardant Paints and Solu-	.37(c)
Manual Operation	.165(d)	tions.	(0)
Employee-Owned Protective Equip-	.132(b)	Height and Width Requirements	.36(g)
ment.	` '	Lighting and Marking of Exits	.37(b)
Employee Protection: (see also Per-		Maintenance, Safeguards and	.37
sonal Protective Equipment)		Operational Features.	
Ingine Room Guardrails	210/k\/2\	Number of Routes	1 36/h)

			· ·
Subject term	Section No.	Subject term	Section No.
Outdoor Exits	.36(h)	Filters, Spraying	.107(b)(5)
Side-Hinged Doors	.36(e)	Fire Brigades	.156
Emergency Action Plans	.38	Fire Fighting Equipment	.156(d)
Fire Prevention Plans	.39	Organization	.156(b)
Manlifts	.68(b)(8)	Protective Clothing	.156(e)(1)
Explosive-Actuated Fastening Tools Definitions	.243(d)	Body protection	.156(e)(3)
Fasteners	.241(a) .243(d)(3)	Foot and Leg Protection	.156(e)(2)
High-Velocity Tools	.243(d)(2)(i)	Hand Protection Head, Eye, Face Protection	.156(e)(4) .156(e)(5)
Inspection	.243(d)(2)	Respiratory Protection	.156(e)(5)
Loads	.243(d)(3)	General Requirements	.156(f)(1)
Low-Velocity Tools	.243(d)(2)(ii)	Positive-Pressure Breathing	.156(f)(1)
Maintenance	.243(d)(2)	Apparatus.	.130(1)(2)
Explosives and Blasting Agents	.109	Selection and Distribution	.157(d)
Blast Holes	.109(e)(3)	Training and Education	.156(c)
Bulk Delivery	.109(h)(4)	Fire Prevention Plan	.39
Charge Initiation	.109(e)(4)	Fire Detection Systems	.164
Warning	.109(e)(5)	Installation and Restoration	.164(b)
Chemicals, highly hazardous,	.119	Maintenance and Testing	.164(c)
process safety management.		Number, Location, Spacing	.164(f)
Effective Dates	.114	Protection of Detectors	.164(d)
Hours of Transfer	.109(f)(5)	Response Time	.164(e)
Loading	.109(e)(3)	Fire Extinguishers	
Magazines	.109(c)(2)	Cranes	.179(c)(3), (i)(5),
Mixing Vehicles	.109(h)(4) .109(f)		(o)(3)
Pulpwood Logging	.266(c)(7)	Derricks	.180(j)(5)
Railroad Cars and Stations	.109(f)	Dip Tanks	.125(f)(2)(i)
Slurries	.109(h)	Explosives Transportation	.109(d)(2)(ii)
Small Arms Ammunition	.109(j)	Powered working platforms	.66(f)(5)(ii)(I)
Smoking	.109(e)(1)	Welding	.252(a)(2)(ii)
Standards Sources	.115	Fire Extinguishers, Portable	.157
Storage	.109(c), (f)(4)	Exemptions	.157(b)
Transportation	.109(d)	General Requirements	.157(c)
Use	.109(e)	Hydrostatic Testing	.157(f)
Vessels	.109(f)	Inspection, Maintenance Testing Selection and Distribution	.157(e) .157(d)
Water Gels	.109(h)	Training and Education	.157(d) .157(g)
Exposure:		Fire Prevention Plan	.39
Air Contaminants	.1000	Fire Protection:	.59
Airborne Radioactive Material	.96(c)	Ammonium Nitrate	.109(i)(7)
Asbestos	.1001(b)	Blasting Agents	.109(i)(7)
Asbestos Fibers	.1001(b)	Bulk Plants	.106(f)(4)(ix), (8)
Limits (Tables G-1 to G-3)	.1000	Chemical Plants	.106(i)(5)
Mineral Dusts Minors	.1000	Definitions	.155
WIII 1013	.96(b)(3), (c)(2),	Distilleries	.106(i)(5)
Noise	(d)(2)(ii) .95	Electrostatic Apparatus	.107(h)(12)
Radiation Exposure	.96(b)	Explosives	.109(i)(7)
Extension Ladders, Portable:	.00(5)	Flammable Liquids	.106(d)(7), (e)(5),
Metal	.26(a)(2)		(f)(8), (g)(9),
Metal, Trestle	.26(a)(4)		(h)(6), (i)(5)
Wood	.25	Industrial Plants	.106(e)(5)
Wood, Trestle	.25(c)(3)(v)	Liquified Petroleum Gases	.110(d)(14), (f)(7),
Extension Lamps, Cranes	.179(g)(7)		(h)(14)
Extractors	.262(y)	Local Fire Alarms	.163
Eye and Face Protection	.133	Processing Plants	.106(h)(6)
Markings	.133(a)(4)	Refineries	.106(i)(5)
Optical Corrections	.133(a)(3)	Service Stations	.106(g)(9)
Protectors	.133(a)(2)	Spray Booths	.107(f)
Welding	.252(b)(2)	Cleaning Conformance	.107(f)(3)
Face Protection: (see also Eye and	.133	Extinguishers, Portable	.107(f)(1)
Face Protection; Personal Protective		Valve Access	.107(f)(4) .107(f)(2)
Equipment).		Storage Tanks	.107(1)(2) .106(d)(7)
Facilities, Labor Camps: (see Labor Camps, Temporary)		Trucks	.178
Fail-Safe Controls, Spraying	.107(h)(9)	Fire Protection Equipment:	
Overhead and Gantry Cranes	.179(a)(40),	Color Identification	.144(a)(1)
Storiloga and Gaility Granes	(g)(3)(viii)	Fire Brigades	.156(d)
Fan-Rotating Element	.107(d)(4)	Fire Resistance (Rating):	
Farm Vehicles, Anhydrous Ammonia	.111(g), (h)	Inside Storage Rooms	.106(d)(4)(ii)
Fasteners	.243(d)(3)	Storage Cabinets	.106(d)(3)(ii)
Fastening Tools	.243(d)	Tank Supports	.106(b)(5)(ii)
Fibers, Asbestos	.1001(b)	Fire Watch, Welding	.252(a)(2)(iii)
Filling Densities, Liquefied Petroleum	.110(b)(12)	Fireworks: (see Pytrotechnics)	- (-)()()
Gases.	' ' '	First Aid	.262(pp)

Subject term	Section No.	Subject term	Section No.
Eye Flushing	.151(c)	Floor Loading	.22(d)
Labor Camps	.142(k)	Floor Openings (Holes)	.23(a)
Pulpwood Logging	.266(c)(1)(vii)	Manlifts	.68(b) (5), (7)
Standards Sources	.153	Flooring: (see also Floor Openings;	
Welding	.252(c)(13)	Floors)	
ittings: (see Piping, Fittings and Tub-		Type F Powered Platforms	.66(c)(12)
ing; Piping, Valves and Fittings)		Type T Powered Platforms	.66 (b)(5)(iii)(d)
ixed Extinguishing Systems	.160, .161, .162,	Floors:	
	.163	Covers, Hinged	.23(a)(3)(i)
Dry Chemical Agent Systems	.161	Open-Sided	.23(c)
Gaseous Agent Systems	.162	Spray Booths	.107(b)(3)
General Requirements	.160(b)	Flow Coatings	.126(b)
Total Flooding Systems	.160(c)	Fluidized Beds	.107(I)(7)
Water Spray and Foam Systems Fixed Industrial Stairs: (see Stairs,	.163	Fluorine Compounds, Welding: (see	.252(c)(5)
Fixed Industrial Stairs: (see Stairs, Fixed Industrial).	.24	also Air Contaminants).	.163
Fixed Ladders: (see Ladders, Fixed)	.27	Foam Extinguishing Systems, Fixed Food Handling	.141(h), .120(m)(
Flammable and Combustible Liquids:	.21	Foot Pedals, Power Presses	.217(b)(4)
Bulk Plants	.106(f)	Foot Protection	.136
Chemical Plants	.106(i)	Footwalks:	.100
Container Marking, color codes	.144(a)(1)(ii)	Cranes	.179(d)
Containers	.106(d)	Forging Hammers	.218(a)(3)
Dip Tanks	.123–.126	Foot-Operated Devices	.218(b)(2)
Distilleries	.106(i)	Gravity	.218(e)
Effective Dates	.114	Air Lifts	.218(e)(1)
Hazardous communication	.1200	Board Drop Hammers	.218(e)(2)
Ignition Sources	.106(b)(6), (e)(6),	Keys	.218(b)(1)
	(f)(6), (g)(8),	Power-Driven	.218(d)
	(h)(7)	Cylinder Draining	.218(d)(3)
Industrial Plants	.106(e)	Pressure Pipes	.218(d)(4)
Piping, Valves and Fittings	.106(c)	Safety Cylinder Heads	.218(d)(1)
Pressure Vessels	.106(b)(1)(v)	Shutoff Valves	.218(d)(2)
Process safety management of	.119	Forging Machine Area	.30(b)
highly hazardous chemicals.		Forging Machines:	
Processing Plants	.106(h)	Billet Shears	.218(j)(1)
Refineries	.106(i)	Boltheading	.218(i)(1)
Service Stations	.106(g)	Conveyors	.218(j)(3)
Spray Finishing	.107	Definitions	.211(e)
Storage and Handling	.107(e)	Effective Dates	.220
Conformance	.107(e)(1)	Grinding	.218(j)(5)
Containers	.107(e)(3), (5)	Hammers	.218(a)(3), (b), (d
Hoses	.107(e)(6)	Inspections	(e)
Grounding	.107(c)(9), (e)(9) .107(e)(7)	Lead Use	.218(a)(2) .218(a)(1)
Liquid Heaters Liquid Transfer		Maintenance	
Pipes	.107(e)(4) .107(e)(6)	Presses	.218(a)(2) .218(a)(3), (c), (f)
Pump Relief	.107(e)(8)	1 16363	(g)
Quantity	.107(e)(2)	Rivet Making	.218(i)(2)
Safety Relief Devices	.107(e)(2)	Saws	.218(j)(2)
Spraying Containers	.107(e)(5)	Shot Blast	.218(j)(4)
Standards Sources	.115	Standards Sources	.221
Storage Containers	.106(d)	Upsetters	.218(h)
Storage Tanks	.106(b), (d)	Forging Presses	.218(f)
Tanks	.106(b), (d)	Fork Trucks: (see also Powered Indus-	.178
Flammable Materials, Trucks Used	.178(c)(2)	trial Trucks).	
langes, Abrasive Wheel Machinery	.215(a)(3), (c)	Formaldehyde	.1048
Balance	.215(c)(3)	Airborne Concentration	.1048(c)
Blotters	.215(c)(1)(v), (c)(6),	Compliance	.1048(f)
	(d)(5)	Emergencies	.1048(k)
Diameter Uniformity	.215(c)(4)	Exposure, Permissible	.1048(c)
Dimensions	.215(c)(8)	Hazard Communication	.1048(m)
Driving	.215(c)(7)	Housekeeping	.1048(j)
Finish	.215(c)(3)	Hygiene Protection	.1048(i)
General Requirements	.215(c)(1)	Medical Surveillance	.1048(I)
Maintenance	.215(c)(9)	Monitoring	.1048(d)
Recess	.215(c)(5)	Personal Protective Clothing	.1048(h)
	.215(c)(9)	Recordkeeping	.1048(o)
Repairs	.215(c)(1)(iv)	Regulated Areas	.1048(e)
Types			1010()
Types Undercut	.215(c)(5)	Respiratory protection	.1048(g)
Types Undercut Flash Welding Equipment	.215(c)(5) .255(d)	Training, Émployee	.1048(n)
Types	.215(c)(5) .255(d) .255(d)(2)	Training, ÉmployeeFuel-Gas Systems: (see also Oxygen-	
Types Undercut Flash Welding Equipment	.215(c)(5) .255(d)	Training, Émployee	.1048(n)

7 ii 77 io, iiidox		27 OIR OII. XVII (7	. 07 24
Subject term	Section No.	Subject term	Section No.
Fusion Apparatus: (see Drying, Curing		Welding	.254(c)(2), (d)(3);
and Fusion Apparatus)	470		.255(b)(9), (c)(6)
Gantry Cranes: (see also Overhead and Gantry Cranes).	.179	Woodworking Tools Guarding: (see also Term to Which It	.243(a)(5) .211–.222
Garages, Undercoating Operations	.107(k)	Applies).	.211222
Garnett Machines	.262(f)	Abrasive Wheels, Portable	.243(c)
Gas Cylinder Inspection	.101(a)	Floor Openings (Holes)	.23(a)
Gaging Devices	.110(b)(19)	Hatchways	.23(a)(3)
Gas Mask Canisters	.134(g)	Ladderways	.23(a)(2)
Color Codes Labeling	.134(g)(6)	Live Parts	.303(g)(2), (h)(2)
Gaseous agent extinguishing systems;	.134(g) .162	Machinery Mechanical Power Transmission	.211–.222 .219(m)
fixed.	.102	Apparatus.	.213(111)
Scope and Application	.162(a)	Clutches	.219(k)
Specific Requirements	.162(b)	Friction Drives	.219(g)
Gaseous Hydrogen Systems: (see Hy-		Prime Movers	.219(b)
drogen)	470(1)(0) (0)	Pulleys	.219(d)
Gasoline Powered Trucks	.178(b)(8), (9)	Open-Sided Floors	.23(c)
GearsGill Boxes	.219(f) .262(k)	Platforms Powered Tools, Portable	.23(c) .243
Gin Pole Derricks: (see also Derricks)	.181(a)(6)	Railings	.23(e)
Gloves, Rubber Insulating	.137	Runways	.23(c)
Glue Spreaders	.213(r)	Skylight	.23(a)(4)
Goggles: (see also Eye Protection;	.133	Spraying Equipment	.107(h)(10)
Eye and Face Protection).		Stairways	.23(a)(1), (d)
Grain Handling	.272	Wall Openings (Holes)	.23(b)
Application	.272(b)	Guardrails:	24(6)(40)
Continuous flow bulk raw grain dryers.	.272(o)	Definitions	.21(f)(10) .68(b)(8)(i), (10)(iv)
Contractors	.272(h)	Power Transmission Apparatus	.219(o)(5)
Emergency action plan	.272(d)	Powered and Working Platforms	.66(e)(3), (f)(3)(i)(K),
Emergency escape	.272(n)	3	(f)(5)(i)(G),
Entry into bins, silos, tanks	.272(g)		(f)(5)(ii)(K)
Filter collectors	.272(k)	Removable	.23(a)(3)
Grain stream processing equip-	.272(m)	Working Surfaces	.22(c)
ment.	272(:)	Guardrails, Scaffolds: (see Listing	
Grate openings Hot work permit	.272(j) .272(f)	Under Specific Type Scaffold) Guards: (see also Guardrails)	
Housekeeping	.272(i)	Derricks	.181(j)(1)
Inside bucket elevators	.272(p)	Hoisting Ropes	.179(e)(5)
Preventive maintenance	.272(1)	Manlifts	.68(b)(7)–(9)
Training	.272(e)	Moving Parts	.179(e)(6)
Gravity Hammers	.218(e)	Trucks	.178(e)
Grinders: (see also Abrasive Wheel)	0.40()(0) (4)	Guide Posts	.217(d)(4)
Machinery; Cutoff Wheels	.243(c)(3), (4)	Gudgeon Pin	.181(a)(20)
Grinding, Forging Equipment Grinding Machines:	.218(j)(5)	Guy Derricks Hammers, Forging: (see Forging Ham-	.181(a)(7)
Cylindrical	.215(b)(4)	mers)	
Flanges	.215(a)(3)	Hand protection	.138
Surface Grinders	.215(b)(5)	Hand Spraying Equipment: (see Elec-	
Swing Frame Grinders	.215(b)(6)	trostatic Hand Spraying Equipment)	
Top Grinding	.215(b)(8)	Hand Tools	.242
Work Rest	.215(a)(4)	Dead-Man Controls	.243(a)(2)
Grinding, Polishing, and Buffing: Branch Pipes	.94(b)(3)	Pulp and Paper Mills Handholds, Manlifts	.261(c)(13)
Enclosure Design	.94(b)(5)	Handling: (see also Materials Handling	.68(c)(4)
Exhaust Systems	.94(b)(4)	and Storage)	
Hoods	.94(b)(3), (5)	Anhydrous Ammonia	.111
Grinding, Top	.215(b)(8)	Compressed Gases	.101(b)
Grounding:	, , , ,	Liquefied Hydrogen Systems	.103(c)(2)(iii)
Bulk Oxygen Systems	.104(b)(7)(iv)	Liquefied Petroleum Gases	.110
Circuits	.314	Liquids	.106(h)(4)
Electrostatic Spraying	.107(h)(5), (i)(5)–(7)	Service Stations	.106(g)(1)
Flammable and Combustible Liq- uids.	.106(e)(6)(ii),	Handrails Cranes	.24(h)
General	(f)(3)(iv) .304(f)	Mobile Ladder Stands	.179(d)(3), (4)(ii) .29(f)(4)
Hand Spraying	.107(i)(5)–(7)	Hangers	.219(p)(4)
Ignition Sources	.107(t)(0) (7)	Hardening Tanks	.126(a)(1)(i),(ii)
Liquefied Hydrogen Systems	.103(c)(4)(iv)	Hatchways Guarding	.23(a)(3)
Liquid Transfer	.107(e)(9)	Hazard Communication, chemical in-	.1200
Methods	.314(e)	formation, transmittal.	
Spray Booths	.107(h)(10)	Hazard Communication Program	.1200(e)
Spraying Operations	.107(c)(9), (e)(9),	Hazard Determination	.1200(d)
	(i)(5)–(7)	Information and Training	.1200(h)

Subject term	Section No.	Subject term	Section No.
Labels and Warnings	.1200(f)	Heating:	
	.1200(g)	Dip Tanks	.125(g)
	.1200(i)	Bulk Plants	.106(f)(2)(ii)
lazardous chemicals, occupational ex-	.1450	Service Stations	.106(g)(6)
posure to in laboratories (see		Helicopters	.183
Chemicals, hazardous).		Helmets	.135, .252(e)(2),
lazardous chemicals, highly, process	.119		.266(c)(iii)
safety management (see Chemicals,		Hepatitis B (see also Bloodborne	.1030
etc.).		pathogens).	00()(0)(")
Hazardous energy; control of (see		Hinged Floor Covers	.23(a)(3)(i)
Lockout/tagout)		Hoist Limit Switches	.179(n)(4)
Hazardous Materials:	100	Hoisting Equipment:	170(a)(E) (b)
	.102	Cranes Powered Platforms	.179(e)(5), (h) .66(f)(4), (g)(6)
	.111 .109	Rope Guards	.179(e)(5)
	.104	Holding Brakes	.179(f)(2)
	.119	Holes: (see also Floor Openings	.23
Chemicals, etc.).	.110	(Holes); Wall Openings (Holes)).	.20
Combustible Liquids	.106	Hooks:	
	.101	Cranes	.179(h)(4)
	.108	Derricks	.181(j)(2)
	.114	Horse Scaffolds	.28(m)
	.109	Hoses.	-
	.106	Flammable Liquids	.107(e)(6)
	.120	Liquefied Petroleum Gases	.110(b)(9)
	.103	Semiconductors	.109(a)(12)
Liquefied Petroleum Gases	.110	Sprinkler Systems	.159(c)(5)
Nitrous Oxide	.105	Standpipe and hose systems	.158(c)(3)
	.104	Welding and Cutting	.253(e)
Packages, transport vehicles, etc.,	.1201	Hot Sources	.107(c)(3)
retention of DOT markings.		Hot-work permits, process safety man-	.119(k)
	.107	agement of highly hazardous chemi-	
	.115	cals.	
Storage and Handling:		Hours of Transfer, Explosives	.109(f)(5)
,	.111	Household Stepladders, Type III	.25(c)(2)(iv)
	.1201	Housekeeping	.141(a)(3)
	.110	Asbestos	.1001(d)
	.178(c)(2)	Flammable Liquids	.106(e)(9)
Hazardous Waste Operations:	400(1-)(4)(5-)	Walking-Working Surfaces	.22(a)
	.120(b)(1)(iv)	Hydraulic Barkers	.261(e)(14)
	.120(k), (p)(4)	Hydraulic Equipment	.217(b)(11)
	.120(j)	Hydraulically designed sprinkler sys-	.159(c)(11)
Emergency Response	.120(e)(7), (l), (p)(8),	tems.	102
Engineering Controls and Bor	(q)	Hydrogen Effective Dates	.103 .114
Engineering Controls and Personal Protective Equipment.	.120(g)	Gaseous Hydrogen Systems	.103(a)(2)(i), (b)
	.120(m)	Clear Zone	.103(a)(2)(i), (b)
	.120(h)(i)	Containers	.103(b)(1)(i)
	.120(j)(6)	Design	.103(b)(1)(l)
	.120(j)(c)	Equipment Assembly	.103(b)(1)(iv)
	.120(f), (p)(3), (q)(9)	Fittings	.103(b)(1)(iii)
	.120(c)(6), (h)	Inspection	.103(b)(5)
	.120(1)(5)	Location	.103(b)(2)
	.120(j)(4)	Outdoor	.103(b)(3)(i)
	.120(f)(7)	Separate Buildings	.103(b)(3)(ii)
	.120(p)	Operating Instructions	.103(b)(4)
	.120(b)	Piping	.103(b)(1)(iii)
	.120(n)	Safety Relief Devices	.103(b)(1)(ii)
Site Characterization and Analysis	.120(c)	Testing	.103(b)(1)(vi)
Site Control	.120(d)	Tubing	.103(b)(1)(iii)
Training	.120(e), (p)(8)(iii),	Liquefied Hydrogen Systems	.103(a)(2)(ii), .103
	(q)(6)	Clear Zone	.103(c)(5)(ii)
	.120(j)(5)	Containers	.103(c)(1)(i)
Site Safety and Health Plan	.120(b)(4)	Design	.103(c)(1)
	.120(j)(9)	Electrical Systems	.103(c)(1)(ix)
	.120(g)(4)	Equipment Assembly	.103(c)(1)(vi)
Protective Suits.		Fittings	.103(c)(1)(v)
Uncontrolled sites, emergency re-	.120(I)	Grounding	.103(c)(4)(iv)
sponses.		Inspection	.103(c)(5)(i)
	.135	Location	.103(c)(2)
Healthcare professions and related in-	.1030	Outdoor	.103(c)(3)(i)
dustries, exposures to bloodborne		Separate Buildings	.103(c)(3)(ii)
		Special Rooms	.103(c)(3)(iii)
pathogens. Hearing Conservation Program		Maintenance	

iii iii ii i		27 0111 0111 7(111 ()	i or Lamoi
Subject term	Section No.	Subject term	Section No.
Markings	.103(c)(1)(iii)	Open Surface Tanks	.94(d)(11)
Operating Instructions	.103(c)(4)	Power Presses	.217(e)
Attendants	.103(c)(4)(ii)	Powered Platforms	.66(g)
Security	.103(c)(4)(iii)	Respirators	.134(f)
Piping	.103(c)(1)(v)	Ropes, Cranes	.179(m)
Safety Relief Devices	.103(c)(1)(iv)	Woodworking Machines	.213(s)
Supports	.103(c)(1)(ii)	Instruction Signs, Manlifts	.68(c)(7)
Testing	.103(c)(1)(vii)	Insulators	.107(h)(5)
Tubing	.103(c)(1)(v)	Interior Hung Scaffolds	.28(p)
Vaporizers	.103(c)(1)(viii)	Ionizing Radiation	.1096
Standards Sources	.115	AEC Licensees	.1096(p)
Hydrostatic Tests: (see also Testing)		Airborne Radioactive Materials	.1096(c)
Fire Extinguishers	.157(f)	Caution Signs and Labels	.1096(e)
Piping	.106(c)(7)	Employees:	
gnition Sources:		Disclosure	.1096(o)
Bulk Plants	.106(f)(6)	Exposure Records	.1096(m), (n)
Dip Tanks	.125(e)	Incident Reporting	.1096(I)
Industrial Plants	.106(e)(6)	Instruction Posting	.1096(i)
Powder Coatings	.107(l)(1)	Evacuation	.1096(f)
Processing Plants	.106(h)(7)	Exemptions	.1096(g), (h)
Service Stations	.106(g)(8)	Exposure	.1096(b)
Spraying Operations	.107(c)	Airborne Radioactive Mate-	.1096(c)
Combustible Residues	.107(c)(5)	rials.	4000(1)(0) ()(0)
Conformance	.107(c)(1)	Minors	.1096(b)(3), (c)(2)
Electrical Wiring	.107(c)(4), (6)		(d)(2)(ii)
Grounding	.107(c)(9)	Exposure Records	.1096(m)–(o)
Hot Sources	.107(c)(3)	Incident Reporting	.1096(I)
Lamps	.107(c)(7), (8)	Monitoring	.1096(d)
Separation Minimum	.107(c)(2)	Overexposure Reports	.1096(m)
Storage Tanks	.106(b)(6)	Personnel Instructions, Posting	.1096(i)
Illumination: (see Lighting)		Radioactive Materials:.	4000(1)
Indoor Storage:	400	Packaged	.1096(h)
Effective Dates	.182	Storage	.1096(j)
Flammable and Combustible Liq-	.106(b)(4), (d)(4),	Warning Signals	.1096(f)
uids.	(d)(5), (e)(5),	Waste Disposal	.1096(k)
D	(g)(1)(iii), (h)(4)(i)	Jacks:	044(-1)
Rooms	.106(d)(4)	Definitions	.241(d)
Standards Sources	.183	Fixed Truck	.178(k)(3)
Industrial Plants:	400/)	Loading	.244(a)(1)
Flammable and Combustible Liq-	.106(e)	Marking	.244(a)(1)
uids.		Maintenance	.244(a)(2)
Electrical Systems	.106(e)(7)	Truck	.178(k)(3)
Fire Protection	.106(e)(5)	Jointers	.213(j)
Housekeeping	.106(e)(9)	Blades	.213(s)(12)
Incidental Storage	.106(e)(2)	Keys, Projecting	.219(h)
Ignition Sources	.106(e)(6)	Kiers	.262(q)
Maintenance	.106(e)(9)	Kilns	.265(f)
Repairs, Equipment	.106(e)(8)	Kitchens, Labor Camps	.142(i)
Tank Loading	.106(e)(4)	Labeling, Hazardous Chemicals	.1200
Unit Physical Operations	.106(e)(3)	Labor Camps, Temporary	.142
Liquefied Petroleum	.110(d)(12), (f)(4)	Bathing Facilities	.142(f)
ndustrial Stepladders, Type I	.25(c)(2)(ii)	Bedding	.142(b)(3)
nsect Control	.141(a)(5)	Communicable Diseases	.142(i)
Labor Camps	.142(j)	Reportings.	
Inspection: (see also Term to Which It		Dining Facilities	.142(j)
Applies)		Effective Dates	.149
Compressed Gas Cylinders	.101(a), .166	Facilities	.142(b)
Cranes	.179(j), .180(d)	First Aid	.142(k)
Crawler	.180(d)	Furnishings	.142(b)
Gantry	.179(j)	Floors	.142(b)(4), (5)
Ropes	.179(m)	Grounds	.142(a)(3)
Locomotive	.180(d)	Heating Equipment	.142(b)(11)
Overhead	.179(j)	Insect Control	.142(j)
Ropes	.179(m)	Kitchens	.142(i)
Truck	.180(d)	Laundry Facilities	.142(f)
Cylinders	.101(a)	Lighting	.142(g)
	.181(d)	Refuse Disposal	.142(h)
Derricks	.157(e)	Rodent Control	.142(j)
Fire Extinguishers	137(e)		
		Screening	.142(b)(8)
Fire ExtinguishersFlooding, Tank Areas	.106(b)(5)(vi), (v)	Screening Sewage Disposal	.142(b)(8) .142(e)
Fire Extinguishers Flooding, Tank Areas Gas Cylinders	.106(b)(5)(vi), (v) .101(a)	Sewage Disposal	.142(e)
Fire Extinguishers Flooding, Tank Areas Gas Cylinders Gaseous Hydrogen	.106(b)(5)(vi), (v) .101(a) .103(b)(5)	Sewage Disposal Shelters	.142(e) .142(b)
Fire Extinguishers Flooding, Tank Areas Gas Cylinders	.106(b)(5)(vi), (v) .101(a)	Sewage Disposal	.142(e)

Subject term	Section No.	Subject term	Section No.
Space	.142(b)(2), (9)	Landings, Manlifts	.68(b) (6), (10)
Standards Sources	.150	Lathers' Scaffolds: (see also Plas-	.28(o)
Stoves	.142(b)(10)	terers' Scaffolds).	(-)
Toilet Facilities	.142(d)	Lathes	.213(o)
Washing	.142(f)	Laundry Facilities, Labor Camps	.142(f)
Waste Disposal	.142(h)	Laundry Operations	
Water Supply	.142(n)		.264
		Miscellaneous Equipment	.264(c)(4)
Windows	.142(b)(7), (8)	Operating Rules	.264(d)
aboratories, occuptional exposures to	.1450	Markers	.264(d)(1)(iii)
hazardous chemicals in (see Chemi-		Mechanical Safeguards	.264(d)(2)
cals, hazardous).		Point-of-Operation Guards	.264(c)
aboratories and production facilities,	.1030(e)	Washroom Machines	.264(c)(1)
HIV and HBV research.		Lavatories	.141(d)(2)
adder-Jack Scaffolds	.28(q)	Lawn Mowers, Power	.243(e)
adder Stands, Manual Mobile; (see	.29(f)	Definitions	.241(c)
Work Platforms, Mobile).	.20(.)		
adders:		Forging Machines	.218(a)(1)
	470(-1)(4) (-)(4)	General Requirements	.243(e)(1)
Cranes	.179(d)(4), (o)(1)	Riding Rotary	.243(e)(2), (4)
Fixed	.27	Walk-Behind	.243(e)(2), (3)
Manlifts	.68(b)(12)	Lead	.1025, .252(f)(7)
Portable Metal	.26	Compliance	.1025(e)
Portable Wood	.25	Confined Spaces	.252(f)(7)(i), (iii)
Sawmills	.265(c)(10)	Housekeeping	.1025(h)
adders, Fixed	.27	Hygiene Facilities and Practices	.1025(ii)
Cages	.27(c)(3), (d)(1)		
Clearances	.27(c)	Indoors	.252(c)(7)(ii), (iii)
Cleats	.27(b)(1)	Medical Removal	.1025(k)
		Medical Surveillance	.1025(j)
Design	.27(a)	Monitoring	.1025(d)
Stresses	.27(a)(2)	Monitoring, Observation of	.1025(o)
Deterioration	.27(b)(7)	Protective Equipment and	.1025(g)
Electrolytic Action	.27(b)(5)	Clothing	.1025(g)
Extensions	.27(d)(3)	Recordkeeping	.1025(g)
Fastenings	.27(b)(3)		` '
Grab Bars	.27(c)(5), (d)(4)	Respiratory Protection	.1025(f)
Ladder Extensions	.27(d)(3)	Signs	.1025(m)
Landing Platforms	.27(d)(2)	Training, Employee	.1025(I)
Maintenance		Ventilation	.252(c)(7)(iii)
	.27(f)	Leakage, Bulk Oxygen Systems	.104(b)(2)(iii)
Pitch	.27(e)	Levers, Hand-Operated	.217(b)(5)
Rungs	.27(b)(1)	Lifelines: (see also Safety Belts)	(-/(-/
Safety Devices	.27(d)(5)	Confined Spaces	.252(b)(4)(iv)
Side Rails	.27(b)(2)	Crawling Boards	.28(t)(2)
Splices	.27(b)(4)		
Standards Sources	.31	Powered Platforms	.66(d)(9), App. C
Welding	.27(b)(6)	Welding	.252(b)(4)(iv)
Wells	.27(d)(1)	Chicken Ladders	.28(t)(2)
adders, Portable Metal	.26	Lighting: (see also Lamps)	
Care		Container Areas	.110(d)(16)
	.26(c)(2)	Cranes	.179(c)(4), (g)(7)
Electrical safety-related work prac-	.333(c)(7)	Electric Equipment, Workspace	.303(g)(1)(v),
tices.		About.	(h)(3)(ii)
Extension Ladders	.26(a)(2), (4)		
General Requirements	.26(a)(1)	Electrical safety-related work prac-	.333(c)(4)
Platform Ladders	.26(a)(5)	tices.	400()
Standards Sources	.31	Hazardous Waste Operations	.120(m)
Stepladders	.26(a)(3)	Labor Camps	.142(g)
Straight Ladders	.26(a)(2), (4)	Machinery, Basement Areas	.219(c)(5)
Use	.26(c)(3)	Manlifts	.68(b)(6)(iii), (14)
adders, Portable Wood	.25	Operating Areas, Industrial Trucks	.178(h)
•		Pulp and Paper Mills	.261(b)(2), (c)(10
Care	.25(d)(1)	. sip and . apor millo	(k)(21)
Rung Ladders	.25(c)(3)	Pulpwood Harvesting	
Sectional	.25(c)(3)(iv)		.266(e)(15)
Single	.25(c)(3)(ii)	Sawmills	.265(c)(5)(iii), (9)
Trestle	.25(c)(3)(v)		(23)(iii)
Two-Section	.25(c)(3)(iii)	Spray Booths	.107(b)(10)
Side-Rolling Ladders	.25(c)(5)	Storage Areas	.177(f)(1), .178(h
Special Purpose Ladders	.25(c)(4)	Lighting Receptacles:	, , , , , , , , , , , , , , , , , , , ,
Masons'	.25(c)(4)(iii)	Cranes	.179(g)(7)
Painters'	.25(c)(4)(ii)	Liquefied Hydrogen Systems: (see Hy-	- (3/(1/
		drogen)	
Standards Sources	.31		440 400/5\/0\/
Stepladders	.25(c)(2)	Liquefied, Petroleum Gases: (see also	.110, .168(b)(3)(x
Trolley Ladders	.25(c)(5)	Containers, Liquefied Petroleum	
Materials	.25(b)	Gases).	
Use	.25(d)(2)	Appliances	.110(b)(20)
	.23(a)(2)	Attendant	.110(b)(14)
adderway Guarding			
adderway Guardingamps: (see also Lighting)	.107(c)(7)(8);	Buildings: Engines Use	. , , ,

Subject term	Section No.	Subject term	Section No
Industrial Trucks	.110(e)(13)	Liquefied Petroleum Gases	.110(b)(15)
Inside Storage	.110(f)	Processing Plants	.106(h)(5)
Piping Into	.110(b)(13)	Scaffolds	.29(a)(2)
Condensed Gas Drips	.110(d)(9)	Lockout/tagout of hazardous energy	.147
Definitions	.110(a) `	Control sequence	.147(d)
Effective Dates	.110(b)(19)(i), .114	Electrical safety-related work prac-	.333(b)
Electrical Equipment	.110(b)(17), (18);	tices.	
	(h)(13)	Inspection	.147(c)(6)
Engines in Buildings	.110(e)(11), (12)	Powered platforms	.66(f)(3)()i)(J)
Equipment Approval	.110(b)(2)	Release procedures	.147(e)
Fire Protection	.110(d)(14), (f)(7),	Testing	.147(f)(1)
	(h)(14)	Training	.147(c)(7)
Fuel Handling and Storage	.178(f)	Locomotive Cranes: (see also Crawler,	.180
Gaging Devices	.110(b)(19)	Locomotive and Truck Cranes).	
Garaging Vehicles	.110(e)(14)	Log Handling: (see also Sawmills)	.265(d)
Handling	.110	Longshoring	.16(a)
Liquid Level Gaging Device	.110(b)(19)	Looms	.262(n)
Liquid Transfer	.110(b)(14)	Low Pressure Tanks	.106(b)(1)(iv)
Loading	.110(b)(15)	LP-Gases: (see Liquefied Petroleum	
Motor Fuel	.110(e)	Gases)	
Odorizing Gases	.110(b)(1)	Lumber Handling	.265(c)(27), (28
Pits and Drains	.110(d)(11)	Lunchrooms	.141(g)
Regulating Equipment	.110(b)(6); (c)(5);	Location	.141(g)(1), (2)
	(d)(9); (e)(9)	Waste Disposal Containers	.141(g)(3)
Indoor	.110(c)(5)	Machine Guarding: (see Machine(ry)	
Location	.110(b)(6)	Guarding)	
Outdoor	.110(c)(4)	Machine(ry) Guarding	.211–.222
Service Stations	.110(h)	Abrasive Wheel Machinery	.215
Standards Sources	.115	Anchoring Fixed Machinery	.212(a), (b)
Storage	.110	Bakeries	.263(c)
Tank Car Loading	.110(b)(15)	Barrels	.212(a)(4)
Transport Trucks	.110(b)(15)	Blades Exposure	.212(a)(5)
Trucks	.178(b)(10), (11)	Calendars	.216
Trucks Conversion	.178(d), (q)(12)	Containers	.212(a)(4)
quid Fuels:	470(0	Definitions	.211
Handling and Storage	.178(f)	Drums	.212(a)(4)
Service Stations	.106(g)	Effective Dates	.220
quid Heaters, Spray	.107(e)(7)	Forging Machines	.218
quid Transfer:	444(5)(40) (6)(0)	Mills	.216
Anhydrous Ammonia	.111(b)(12), (f)(6)	Point of Operation	.212(a)(3)
Flammable Liquids	.106(e)(2)(iv),	Power Presses	.217
	(e)(3)(vi),	Power Transmission Equipment	.219
	(f)(3)(vi), (g),	Standards Sources	.221
	(h)(4), .107(e)(4),	Types	.212(a)(1)
Lieusfied Detroloum Coose	(9)	Woodworking Machinery	.213
Liquefied Petroleum Gases	.110(b)(14)	Machines:	245
oad Handling:	100/h)	Abrasive Wheels	.215
Crawler, Locomotive and Truck	.180(h)	Definitions	.211
Cranes.	400(5)(0)	Forging	.218
Attaching	.180(h)(2)	Laundry	.264
Holding	.180(h)(4)	Mills and Calenders	.216
Moving Size	.180(h)(3)	Power Transmission, Mechanical Presses, Mechanical	.219
	.180(h)(1)		.217
Derricks Attaching	.181	Textiles	.262 .213
	.181(i)(2)	Woodworking	
Boom Securing	.181(i)(6)	Magazines, Explosives	.109(c)(2)
Holding	.181(i)(4)	Class I	.109(c)(3)
Moving	.181(i)(3)	Class II	.109(c)(4)
Size	.181(i)(1)	Class III	.109(c)(5)
Winch Heads	.181(i)(5)	Maintenance: (see also Term to Which	
Overhead and Gantry Cranes	.179(n)	It Applies)	104(b)(40)
Attaching	.179(n)(2)	Bulk Oxygen Systems	.104(b)(10)
Hoist Limit Switches	.179(n)(4)	Cranes	.179(I), .180(f)
Moving	.179(n)(3)	Derricks	.181(f)
Size	.179(n)(1)	Fire Alarm Systems	.163(c)
oad Ratings:	100(a)	Fire Extinguishers:	.157(e)
Cranes	.180(c)	Gaseous Hydrogen Systems	.103(b)(5)
Derricks	.181(c)	Industrial Plants	.106(e)(9)
Overhead and Gantry Cranes	.179(b)(5)	Liquefied Hydrogen Systems	.103(c)(5)
Powered Platforms	.66(c)(7)	Powder Coatings	.107(I)(4)
pading:		Powered Industrial Trucks	.178(q)
Bulk Plants	.106(f)(3)	Powered Platforms	(-)(-)
Explosives	.109(e)(3)	Processing Plants	.106(h)(8)
Industrial Plants		Respirators	.134(f)

Subject term	Section No.	Subject term	Section No
Standpipe and Hose System	.158(e)	Guarding Openings	.176(g)
Sprinkler Systems	.159(c)(2)	Hazardous materials, retention of	.1201
Type F Powered Platforms	.66(c)(5)	DOT markings.	
Manifolding Gas Cylinders	.253(c)	Hazardous Waste Operations	.120(j), (p)(6)
Fuel-Gas	.253(c)(1)	Housekeeping	.176(c)
Operating Procedures	.253(c)(5)	Mechanical Equipment	.176(a)
Oxygen	.253(c)(2), (3)	Powered Industrial Trucks	.178
Portable Outlet Headers	.253(c)(4)	Pulp and Paper Mills	.261(c), (d), (m)
Manholes	.23(a)(6), .268(o)	Railroad Car Blocks	.176(f)
Manlifts	.68	Securing	.176(b)
Belts	.68(c)(1)(ii)	Standards Sources	.183
Brakes	.68(c)(1)(i)	Maximum Allowable Concentration:	050(-)(5)(::)
Clearances	.68(b)(11)	Fluorine	.252(c)(5)(ii)
Design	.68(b)(3)	Welding Contamination	.252(c)(1)(iii)
Exit Protection	.68(b)(8)	Mechanical Handling Equipment:	470()
Floor Openings	.68(b)(5), (7)	Clearances	.176(a)
Guardrails	.68(b)(8)(i), (10)(iv)	Powered Industrial Trucks	.177(e), .178
Guards	.68(b)(7), (9)	Mechanical Power Presses:	0.47(1.)(4.0)
Handholds	.68(c)(4)	Air Controlling Equipment	.217(b)(10)
Inspections	.68(e)	Brakes, Friction	.217(b)(2)
Instruction Signs	.68(c)(7)	Clearances, Work Area	.217(f)(3)
Ladders	.68(b)(12)	Clutches:	
Landings	.68(b)(6)	Full Revolution	.217(b)(3)
Lighting	.68(b)(6)(iii), (14)	Part Revolution	.217(b)(7)
Machinery	.68(c)	Definitions	.211(d)
Mechanical Requirements	.68(c)	Dies	.217(d)
Operating Rules	.68(d)	Effective Dates	.220
Platforms	.68(c)(3)	Electrical Controls	.217(b)(8)
Speed	.68(c)(2)	Excluded Machines	.217(a)(5)
Standards Sources	.68(b)(4), .69	Foot Pedals	.217(b)(4)
Steps	.68(c)(3)	Guarding	.217(b)
Stops	.68(c)(5), (6)	Guide Posts	.217(d)(4)
Warning Signs	.68(c)(7)	Hand Feeding Tools	.217(c)(4)
Weather Protection	.68(b)(15)	Hazards:	(-)(.)
Marine Service Stations	.106(g)(4)	Guide Posts	.217(d)(4)
Marine Terminals	.16(b)	Personnel	.217(b)(1)
Marking Physical Hazards	.144	Hydraulic Equipment	.217(b)(11)
Sawmills	.265(c)(11)	Inspection, Records	.217(e)(11)
Markings: (see also Signs and Tags)	.203(0)(11)	Instructions	.217(b)(1)
Bulk Oxygen Systems	.104(b)(8)(viii)	Lever, Hand-Operated	.217(b)(5)
Compressed Gas Cylinders	.253(b)(1)	Maintenance:	.217(0)(3)
Electric equipment:	.255(b)(1)	Records	.217(e)(1)
General	.303(e)	Training Personnel	
Hazardous locations		Modifications	.217(e)(3)
	.307(b)(2)(ii)		.217(a)(4), (e)(2
Explosive Actuated Tools	.243(d)(3)	Operating Instructions	.217(f)(2)
Explosives	.109(d)(2)(ii)	Overloading	.217(f)(4)
Eye and Face Protection	.133(a)(4)	Point of Operation	.217(c)
Gaseous Hydrogen Systems	.103(b)(1)(v)	Pressure Vessels	.217(b)(12)
Hazardous materials, retention of	.1201	Slide Counterbalances	.217(b)(9)
DOT markings.		Air	.217(b)(9)(iii)–(v
Liquefied Hydrogen Systems	.103(c)(1)(iii)	Spring	.217(b)(9)(i), (ii)
Liquefied Petroleum Gases	.110(b)(5), (c)	Standards Sources	.221
Load_Ratings:		Training Maintenance Personnel	.217(e)(3)
Cranes	.180(c)(2)	Treadles	.217(b)(4)
Derricks	.181(c)	Trips, Two-Hand	.217(b)(6)
Powered Industrial Trucks	.178(a)(3)	Unitized Tooling	.217(d)(5)
Powered Platforms	.66(f)(7)	Mechanical Power Transmission Appa-	.219
Physical Hazards	.144	ratus.	
Respirators	.134(g)	Bearings	.219(j), (p)(3)
Sawmills	.265(c)(11)	Belts:	
Mason's Adjustable Multiple Point Sus-	.28(f)	Care	.219(p)(6)
pension Scaffolds.		Fasteners	.219(1)(4)
Masons' Ladders	.25(c)(4)(iii)	Perches	.219(I)(3)
	.213(n)	Shifters	.219(I)(1)
Matching Machines	.1200	Shippers	.219(I)(2)
			.219(f)
Matching Machines	.1200	Chains	
Matching Machines Material Safety Data Sheets, chemical hazards information.	.1200	Chains	
Matching Machines Material Safety Data Sheets, chemical hazards information. Materials Handling and Storage:		Clutches	.219(k), (l)
Matching Machines Material Safety Data Sheets, chemical hazards information. Materials Handling and Storage: Aisles and Passageways	.176(a)	Clutches Collars	.219(k), (l) .219(i)
Matching Machines	.176(a) .176(e)	Clutches Collars Couplings	.219(k), (l) .219(i) .219(i), (k)(1)
Matching Machines Material Safety Data Sheets, chemical hazards information. Materials Handling and Storage: Aisles and Passageways Clearance Signs Cranes—Crawler, Locomotive and	.176(a)	Clutches Collars Couplings Cutoff Couplings	.219(k), (l) .219(i) .219(i), (k)(1) .219(k)(1)
Matching Machines Material Safety Data Sheets, chemical hazards information. Materials Handling and Storage: Aisles and Passageways Clearance Signs Cranes—Crawler, Locomotive and Truck.	.176(a) .176(e) .180	Clutches	.219(k), (l) .219(i) .219(i), (k)(1)
Matching Machines Material Safety Data Sheets, chemical hazards information. Materials Handling and Storage: Aisles and Passageways Clearance Signs Cranes—Crawler, Locomotive and	.176(a) .176(e)	Clutches Collars Couplings Cutoff Couplings	.219(k), (l) .219(i) .219(i), (k)(1) .219(k)(1)

Subject term Section No. Subject ter Effective Dates .220 Regulated area req Engine Rooms .219(k)(2) Contamination Equipment Care .219(p) Emergencies Excluded Apparatus .219(a)(1) Hygiene facilit	uirements1003(d)
Engine Rooms .219(k)(2) Contamination Equipment Care .219(p) Emergencies	
Equipment Care	
Excluded Apparatus 219(a)(1) Hydiene facilit	
	ies and prac1003(d)(3)
Gears	1003/f)
Horizontal Overhead: Signs, information, s	
	ents identifica1003(e)(2)
Rope and Chain Drives219(o)(4) tion.	
2:	ements1003(e)(4)
Table to a sent to	
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	doctrination1003(e)(5)
	re Limits1052(c)
Materials .219(m)(1) Permissible Exposu Toeboards .219(o)(5) Exposure Monitoring	
U-Guards	
Wooden	
Hangers	
Keys	Clothing and .1052(h)
Located in Basements, Towers, .219(c)(5) Equipment.	4050(1)
and Rooms. Hygiene Facilities .	
Personnel Protection	
Fillile Wover Guards.	
213(b)(2)	1002(1)
Oranio	
Extension Piston Rods	,
Tail Rods	tion
Projections	
Pulleys 219(d) (k) (p)(5) Emergency Situatio	
Setscrews 219(h) Hazard Communica	
Shafting 219(c) Exposure, Permissi	
Care	
Guarding 219(c)(2), (3) Medical Surveillance	
Installation	
Projecting Shafts	
Sprockets	
Standards Sources	
Textile Industry	
Personnal Protective Equipment	
Ashastas IVIIII TOII Tielyitis	
First Aid 151	
Labor Camps	er and Paper-
Pulpwood Logging	ce Industry:
Textiles	
Welding	
Labor Camps 142(k) Roll Heights	` /` /
Radiation Exposure Records96(n) Safety Controls	
Standards Sources	ment216(b)(3)
	ntrol216(b)(1)
Mercantile Occupancies	
Mercury .252(f)(10) Switches, Trip and Exposure Limit .95(b) Minors:	Emergency216(e)
Exposure Limit	
Metal Ladders, Portable: (see also .26 Minors Employment	(d)(2)(ii) 217(f)(4)
Ladders, Portable Metal). Mixing: Methyl chloromethyl ether	100(a)(2) (3):
Area requirements	
Closed system operation1003(c)(2) Explosives	
Isolated systems	
Maintenance and decon1003(c)(5) Monitoring:	, ,
tamination activities. Asbestos	
Open-vessel system oper1003(c)(3) Ionizing Radiation .	
ations. Mortising Machines Transfer from a closed oper1003(c)(4) Motor Fuels	
ation. Motor Vehicles:	
Medical surveillance	a
Examinations	
Records	

Subject term	Section No.	Subject term	Section No.
· · · · · · · · · · · · · · · · · · ·		· -	
Multi-piece Rim Wheelsalpha-Napthylamine	.177 .1003	Maintenance and decontamination activities.	.1003(c)(5)
Area requirements	.1003 .1003(c)	Open-vessel system oper-	.1003(c)(3)
Closed system operation	.1003(c)(2)	ations.	
Contamination control	.1003(d)(4)	Transfer from a closed oper-	.1003(c)(4)
Emergencies	.1003(d)(2)	ation.	
General regulated area re-	.1003(d)	Medical surveillance	.1003(g)
quirements.	4000(-1)(0)	Examinations	.1003(g)(1)
Hygiene facilities and prac-	.1003(d)(3)	Records Regulated area requirements	.1003(g)(2)
tices. Isolated systems	.1003(c)(1)	Contamination control	.1003(d) .1003(d)(4)
Maintenance and decon-	.1003(c)(1)	Emergencies	.1003(d)(2)
tamination activities.		Hygiene facilities and prac-	.1003(d)(3)
Open-vessel system oper-	.1003(c)(3)	tices.	
ations.		Reports	.1003(f)
Transfer from a closed oper-	.1003(c)(4)	Incidents	.1003(f)(2)
ation.		Operations	.1003(f)(1)
Medical surveillance	.1003(g)	Signs, information, and training Container contents identifica-	.1003(e) .1003(e)(2)
Examinations	.1003(g)(1)	tion.	.1003(e)(2)
Records Regulated area requirements	.1003(g)(2) .1003(d)	Lettering	.1003(e)(3)
Contamination control	.1003(d) .1003(d)(4)	Prohibited statements	.1003(e)(4)
Emergencies	.1003(d)(2)	Signs	.1003(e)(1)
Hygiene facilities and prac-	.1003(d)(3)	Training and indoctrination	.1003(e)(5)
tices.	, , , ,	N-Nitrosodimethylamine	.1003
Reports	.1003(f)	Area requirements	.1003(c)
Incidents	.1003(f)(2)	Closed system operation Isolated systems	.1003(c)(2) .1003(c)(1)
Operations	.1003(f)(1)	Maintenance and decon-	.1003(c)(1)
Signs, information, and training	.1003(e)	tamination activities.	
Container contents identifica- tion.	.1003(e)(2)	Open-vessel system oper-	.1003(c)(3)
Lettering	.1003(e)(3)	ations.	.,,,,
Prohibited statements	.1003(e)(4)	Transfer from a closed oper-	.1003(c)(4)
Signs	.1003(e)(1)	ation.	4000()
Training and indoctrination	.1003(e)(5)	Medical surveillance	.1003(g)
beta-Napthylamine	.1003	Examinations Records	.1003(g)(1) .1003(g)(2)
Area requirements	.1003(c)	Regulated area requirements	.1003(g)(2)
Contamination control	.1003(d)(4)	Contamination control	.1003(d)(4)
Closed system operation Emergencies	.1003(c)(2) .1003(d)(2)	Emergencies	.1003(d)(2)
General regulated area re-	.1003(d)(2)	Hygiene facilities and prac-	.1003(d)(3)
quirements.	.1000(u)	tices.	
Hygiene facilities and prac-	.1003(d)(3)	Reports	.1003(f)
tices.	. , , ,	Incidents Operations	.1003(f)(2) .1003(f)(1)
Isolated systems	.1003(c)(1)	Signs, information, and training	.1003(i)(1)
Maintenance and decon-	.1003(c)(5)	Container contents identifica-	.1003(e)(2)
tamination activities.		tion.	,,,,,
Open-vessel system oper-	.1003(c)(3)	Lettering	.1003(e)(3)
ations. Transfer from a closed oper-	1003(a)(4)	Prohibited statements	.1003(e)(4)
ation.	.1003(c)(4)	Signs	.1003(e)(1)
Medical surveillance	.1003(g)	Training and indoctrination	.1003(e)(5)
Examinations	.1003(g)(1)	Nitrous Oxide Administrative Controls	.105 .95(b)(1)
Records	.1003(g)(2)	Effective Dates	.114
Regulated area requirements	.1003(d)	Engineering Controls	.95(b)(1)
Contamination control	.1003(d)(4)	Standards Sources	.115
Emergencies	.1003(d)(2)	Noise Exposure	.95
Hygiene facilities and prac-	.1003(d)(3)	Effective Dates	.98
tices.	4002(6)	Personal Protective Equipment	.95(b)(1), (c), (i), (j)
Reports Incidents	.1003(f) .1003(f)(2)	Pulpwood Logging	.266(c)(1)(vi)
Operations	.1003(f)(2)	Standards Sources	.99 .97
Signs, information, and training	.1003(e)	Nonionizing Radiation Effective Dates	.98
Container contents identifica-	.1003(e)(2)	Electromagnetic Radiation	.97(a)
tion.		Standards Sources	.99
Lettering	.1003(e)(3)	Nonpotable Water	.120(n)(2)
Prohibited statements	.1003(e)(4)	Noxious Gases, Storage Areas	.178(i)
Signs	.1003(e)(1)	Nozzles:	
Training and indoctrination	.1003(e)(5)	Abrasive Blasting	.94(a)(2)(iii), .244(b
Needle Beam Scaffolds	.28(n) .1003	Gasoline Standpipe	.106(g)(3)(vi)
4-Nitrobiphenyl Area requirements	.1003 .1003(c)	Occupational Noise Exposure: (see	.158(c)(4)
Closed system operation	.1003(c)(2)	Noise Exposure)	
Isolated systems		Odorizing Gases	.110(b)(1)
,	(- / (- /		- 1 - / 1

			T
Subject term	Section No.	Subject term	Section No.
Open-Sided Floors	.23(c)	Piping Systems	.253(d)
Open Surface Tanks: (see Tanks:		Protective Equipment	.253(e)
Open Surface) Openings: (see also Floor Openings	.23	Oxygen Manifolds: High Pressure	.253(c)(2)
(Holes), Wall Openings (Holes)).	.20	Low Pressure	.253(c)(3)
Tanks:		Painters' Stepladders	.25(c)(4)(ii)
Inside	.106(b)(4)(iv)	Paints:	444
Organic Peroxide Coatings: (see also Dual Component Coatings).	.107(m)	Color Code	.144 .261
Outdoor Storage:		Pulp, Paper and Paperboard Mills).	.201
Flammable Liquids	.106(d)(6)	Passageways, Working Surfaces	.22(b)
Outlet Headers, welding	.253(c)(4)	Permissible Exposure Limits	.1000
Protective Equipment Outrigger Scaffolds	.253(e)(4) .28(e)	Personal Protection: (see also Personal Protective Equipment).	.219(p)(7)
Outside Storage Trucks	.178(c)(2)(ix), (xi)	Personal Protective Equipment: (see	
Ovens	.263(I)	also Lifelines, and Other Terms List-	
Direct-Fire	.263(I)(10)	ed Below)	
Direct Recirculating	.263(I)(11)	Abrasive Blasting	.94(a)(5)
Electrical Heating Equipment	.263(I)(8)	Asbestos Exposure	.1001(d)
General Requirements Indirect Recirculating	.263(I)(9) .263(I)(15)	Clothing Bloodborne pathogens, exposure	.1001(d)(3) .1030(c)(2)(ii),
Location	.263(I)(1)	to, use of ppe.	(d)(2)(i) and (3)
Mechanical Parts	.263(I)(3)	Electrical Protective Equipment	.137, .268(f)
Overflow Pipes, Dip Tanks	.125(b)	Electrical safety-related work prac-	.333(c)(2), .335(a)
Overhead Cranes: (see also Overhead and Gantry Cranes).	.179	tices, use of ppe. Emergency Showers and Foun-	
Overhead and Gantry Cranes:		tains:	
Access	.179(c)(2)	Pulp, Paper and Paperboard	.261(g)(5), (18)
Adjustments	.179(I)(3)	Mills.	
Brakes	.179(f)	Eye Protection	.133
Bridge Bumpers Cabs	.179(e)(2) .179(c)	Face Protection Fire Brigades	.133 .156
Clearances	.179(b)(6)	Foot Protection	.136
Effective Dates	.179(b)(2), .182	General Requirements	.132
Electric Equipment	.179(g)	Hand protection	.138
Fire Extinguishers	.179(c)(3), (o)(3)	Hazardous Waste Operations	.120(g)
FootwalksGuards	.179(d) .179(e)(5), (6)	Head Protection Noise Exposure	.135 .95(b)(1)
Handrails	.179(d)(3), (4)(ii)	Pulp and Paper Mills	.261(g)(2), (i)(4),
Hoisting Equipment	.179(h)	r aip and r apor mile illininininini	(k)(3)
Hoisting Rope Guards	.179(e)(5)	Pulpwood Logging	.266(c)(1)(i)-(v)
Inspections	.179(j), (m)	Respiratory Protection	.134
Ladders Lighting	.179(d)(4) .179(c)(4)	Textiles Welding	.262(qq) .252–.257
Load Handling	.179(n)	Booths	.252(b)(2)(iii)
Maintenance	.179(I)	Cable	.252(b)(1)(ii)
Modifications	.179(b)(3)	Clothing	.252(b)(3)
Moving Part Guards	.179(e)(6)	Eye Protection	.252(b)(2)
Rail ClampsRail Sweeps	.179(b)(4) .179(e)(4)	Helmets Railing	.252(b)(2) .252(b)(1)(i)
Rated Load:	.173(6)(4)	Shade Numbers, Lenses	.252(b)(1)(i) .252(b)(2)(ii)(H), (b)
Markings	.179(b)(5)	Physical Hazards Markings: (see also	.144
Tests	.179(k)(2)	Color Codes, Physical Hazards:	
Repairs	.179(I)(3)	Markings).	440
Rope inspection Stairways	.179(m) .179(d)(4)	Effective Dates Standards Sources	.149 .150
Standards Sources	.183	Piers and Wharves: (see also	.130
Testing	.179(k)	Wharves)	
Toeboards	.179(d)(3)	Trucks Used	.178(c)(2)(x)
Trolley Bumpers	.179(e)(3)	Pipes:	125(b)
Trolley Stops	.179(e)(1) .179(i)	Dip Tanks Flammable Liquids	.125(b) .107(e)(6)
Wind Indicators	.179(b)(4)	Overflow	.107(e)(6)
Overhead Wires:	, , , ,	Piping: (see Piping, Fittings and Tub-	
Cranes	.180(j)(4)	ing; Piping, Valves and Tubing)	
Derricks	.181(j)(5)(iv)	Piping, Fittings and Tubing:	444(5)(7)
Overspray Collectors Oxygen: (see also Bulk Oxygen Sys-	.107(b)(6)	Anhydrous Ammonia Bulk Oxygen Systems	.111(b)(7) .104(b)(5)
tems).	.104	Gaseous Hydrogen Systems	.104(b)(5) .103(b)(1)(ii), (iii)
Effective Dates	.114	Liquefied Hydrogen Systems	.103(b)(1)(ii), (iii)
Standards Sources	.115	Liquefied Petroleum Gases	.110(b)(8)
Storage	.252(a)(2)(iv)	Safety Relief Devices	.103(b)(1)(ii),
Oxygen-Fuel Gas Systems	.253	Dining Systems Courses First	(c)(1)(iv)
Outlet Headers	.∠ɔɔ(c)(4)	Piping Systems, Oxygen-Fuel	.∠⊃3(0)

Subject term Fittings	Section No. .253(d)(1) .253(d)(3) .253(d)(3) .253(d)(4) .253(d)(1) .253(d)(2) .253(e)(2) .253(e)(3) .253(e)(4) .253(e)(4) .253(d)(5) .252(d)(1)(vii) .106(c) .106(c)(1) .106(c)(3) .106(c)(2) .106(c)(4) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n) .28(o)	Subject term DS DY E E ES ES EE EX G G GS LP LPS Effective Dates Fire Protection Front End Attachments Fuel Handling Gases and Fumes Grain Handling Loading Maintenance Markings Modifications Operations Repairs Safety Guards	Section No. .178(b)(2) .178(b)(3) .178(b)(4) .178(b)(5) .178(b)(6) .178(b)(7) .178(b)(8) .178(b)(9) .178(b)(10) .178(b)(11) .18(2) .178(a)(1) .178(a)(5) .178(f) .178(c)(2)(vi), (b) .178(c)(2) .178(a)(6)
Installation Painting Painting Piping Piping Joints Pressure Relief Devices Protective Equipment Signs Station Outlets Testing X-ray Inspections Piping, Valves, and Fittings: Flammable and Combustible Liquids. Corrosion Protection Design Joints Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Pits Drains Planing Machines	.253(d)(3) .253(d)(4) .253(d)(1) .253(d)(2) .253(e)(2) .253(e)(3) .253(e)(4) .253(e)(4) .253(d)(5) .252(d)(1)(vii) .106(c) .106(c)(1) .106(c)(2) .106(c)(4) .106(c)(7) .106(c)(6) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	DY E ES ES EE EX G G GS LP LPS Effective Dates Fire Protection Front End Attachments Fuel Handling Gases and Fumes Grain Handling Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(b)(3) .178(b)(4) .178(b)(5) .178(b)(6) .178(b)(7) .178(b)(8) .178(b)(9) .178(b)(9) .178(b)(10) .178(b)(11) .182 .178(a)(1) .178(a)(5) .178(f) .178(i) .178(i) .178(c)(2)(vi), (b) .178(c)(2) .178(h) .178(q)
Painting Piping Piping Piping Joints Pressure Relief Devices Protective Equipment Signs Station Outlets Testing X-ray Inspections Piping, Valves, and Fittings: Flammable and Combustible Liquids. Corrosion Protection Design Joints Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Planing Machines	.253(d)(4) .253(d)(1) .253(d)(1) .253(e)(2) .253(e)(3) .253(e)(4) .253(e)(4) .253(d)(5) .252(d)(1)(vii) .106(c) .106(c)(5) .106(c)(2) .106(c)(2) .106(c)(4) .106(c)(6) .110(h)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	E ES EE EX G GS LP LPS Effective Dates Fire Protection Front End Attachments Fuel Handling Gases and Fumes Grain Handling Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(b)(4) .178(b)(5) .178(b)(6) .178(b)(6) .178(b)(7) .178(b)(8) .178(b)(9) .178(b)(10) .178(b)(11) .182 .178(a)(1) .178(a)(5) .178(f) .178(f) .178(f) .178(f) .178(o)(2)(vi), (b) .178(o)(178(q) .178(q) .178(a)(1)
Piping	.253(d)(1) .253(d)(2) .253(e)(2) .253(e)(3), (4) .253(d)(4) .253(d)(4) .253(d)(5) .252(d)(1)(vii) .106(c) .106(c)(5) .106(c)(1) .106(c)(3) .106(c)(4) .106(c)(4) .106(c)(6) .106(c)(6) .106(c)(6) .106(c)(7) .106(c)(8) .106(c)(1)	ES EE EX G G GS LP LPS Effective Dates Fire Protection Front End Attachments Fuel Handling Gases and Fumes Grain Handling Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(b)(5) .178(b)(6) .178(b)(7) .178(b)(9) .178(b)(9) .178(b)(10) .178(b)(11) .182 .178(a)(1) .178(a)(5) .178(f) .178(i) .178(c)(2)(vi), (b) .178(c)(2) .178(h) .178(a) .178(q) .178(a)(6) .178(q) .178(a)(6)
Piping Joints Pressure Relief Devices Protective Equipment Signs Station Outlets Testing X-ray Inspections Piping, Valves, and Fittings: Flammable and Combustible Liquids. Corrosion Protection Design Joints Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Prits Drains Planing Machines	.253(d)(2) .253(e)(2) .253(e)(3), (4) .253(e)(4) .253(e)(4) .253(d)(5) .252(d)(1)(vii) .106(c) .106(c)(1) .106(c)(3) .106(c)(2) .106(c)(4) .106(c)(6) .106(c)(6) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	EE	.178(b)(6) .178(b)(7) .178(b)(8) .178(b)(9) .178(b)(9) .178(b)(10) .178(b)(11) .182 .178(a)(1) .178(a)(5) .178(i) .178(i) .178(c)(2)(vi), (b) .178(c)(2) .178(h) .178(a)(6) .178(a)(6) .178(a)(6) .178(a)(6) .178(a)(6) .178(a)(6)
Pressure Relief Devices Protective Equipment Signs Station Outlets Testing X-ray Inspections Piping, Valves, and Fittings: Flammable and Combustible Liquids. Corrosion Protection Design Joints Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Drains Planing Machines	.253(e)(2) .253(e)(3), (4) .253(e)(4) .253(e)(4) .253(d)(5) .252(d)(1)(vii) .106(c) .106(c)(5) .106(c)(1) .106(c)(2) .106(c)(2) .106(c)(4) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	EX G GS LP LPS Effective Dates Fire Protection Front End Attachments Fuel Handling Gases and Fumes Grain Handling Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(b)(7) .178(b)(8) .178(b)(9) .178(b)(10) .178(b)(11) .182 .178(a)(1) .178(a)(5) .178(f) .178(f) .178(f) .178(c)(2)(vi), (b) .178(c)(2) .178(h) .178(q) .178(q) .178(a)(6) .178(a)(6) .178(a)(6) .178(a)(6) .178(a)(6) .178(a)(6) .178(a)(6) .178(a)(6)
Protective Equipment	.253(e)(3), (4) .253(d)(4) .253(d)(4) .253(d)(5) .252(d)(1)(vii) .106(c) .106(c)(5) .106(c)(1) .106(c)(3) .106(c)(2) .106(c)(4) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	G GS LP LPS Effective Dates Fire Protection Front End Attachments Fuel Handling Gases and Fumes Grain Handling Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(b)(8) .178(b)(9) .178(b)(10) .178(b)(11) .182 .178(a)(5) .178(a)(5) .178(i) .178(i) .178(i) .178(c)(2)(vi), (b) .178(c)(2) .178(h) .178(a) .178(a) .178(a) .178(a) .178(a)(6) .178(a)(6) .178(a)(6) .178(a)(6) .178(b)
Signs Station Outlets Testing X-ray Inspections Piping, Valves, and Fittings: Flammable and Combustible Liquids. Corrosion Protection Design Joints Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Planing Machines	.253(d)(4) .253(d)(4) .253(d)(5) .252(d)(1)(vii) .106(c) .106(c)(5) .106(c)(1) .106(c)(3) .106(c)(2) .106(c)(4) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	GS LP LPS Effective Dates Fire Protection Front End Attachments Fuel Handling Gases and Fumes Grain Handling Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(b)(9) .178(b)(10) .178(b)(11) .182 .178(a)(1) .178(a)(5) .178(i) .178(i) .178(c)(2)(vi), (b) .178(c)(2) .178(h) .178(q) .178(q) .178(a)(6) .178(a)(6) .178(a)(6) .178(a)(6) .178(a)(6) .178(b)
Station Outlets Testing X-ray Inspections Piping, Valves, and Fittings: Flammable and Combustible Liquids. Corrosion Protection Design Joints Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Drains Planing Machines	.253(e)(4) .253(d)(5) .252(d)(1)(vii) .106(c) .106(c)(5) .106(c)(1) .106(c)(2) .106(c)(2) .106(c)(4) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	LP LPS LPS Effective Dates Fire Protection Front End Attachments Fuel Handling Gases and Fumes Grain Handling Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(b)(10) .178(b)(11) .182 .178(a)(1) .178(a)(5) .178(f) .178(f) .178(c)(2)(vi), (b) .178(c)(2) .178(h) .178(o) .178(a) .178(a) .178(a)(6) .178(a)(6) .178(a)(6)
Testing X-ray Inspections Piping, Valves, and Fittings: Flammable and Combustible Liquids. Corrosion Protection Design Joints Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Drains Planing Machines	.253(d)(5) .252(d)(1)(vii) .106(c) .106(c)(5) .106(c)(1) .106(c)(3) .106(c)(2) .106(c)(4) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	LPS Effective Dates Fire Protection Front End Attachments Fuel Handling Gases and Fumes Grain Handling Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(b)(11) .182 .178(a)(1) .178(a)(5) .178(f) .178(f) .178(c)(2)(vi), (b) .178(c)(2) .178(h) .178(q) .178(a) .178(a)(6) .178(a)(6) .178(a)(4)
X-ray İnspections Piping, Valves, and Fittings: Flammable and Combustible Liquids. Corrosion Protection Design Joints Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Drains Planing Machines	.252(d)(1)(vii) .106(c) .106(c)(5) .106(c)(1) .106(c)(3) .106(c)(2) .106(c)(4) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	Effective Dates Fire Protection Front End Attachments Fuel Handling Gases and Fumes Grain Handling Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.182 .178(a)(1) .178(a)(5) .178(f) .178(f) .178(c)(2)(vi), (b) .178(c)(2) .178(h) .178(o) .178(q) .178(a)(6) .178(a)(6) .178(a)(4) .178(a)(6)
Piping, Valves, and Fittings: Flammable and Combustible Liquids. Corrosion Protection Design Joints Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Drains Planing Machines	.106(c) .106(c)(5) .106(c)(1) .106(c)(3) .106(c)(2) .106(c)(4) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	Fire Protection Front End Attachments Fuel Handling Gases and Fumes Grain Handling Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(a)(1) .178(a)(5) .178(f) .178(f) .178(c)(2)(vi), (b) .178(c)(2) .178(h) .178(a) .178(q) .178(a) .178(a)(6) .178(a)(4) .178(p)
Flammable and Combustible Liquids. Corrosion Protection Design Joints Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Drains Planing Machines	.106(c)(5) .106(c)(1) .106(c)(3) .106(c)(2) .106(c)(4) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	Front End Attachments Fuel Handling Gases and Fumes Grain Handling Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(a)(5) .178(f) .178(f) .178(c)(2)(vi), (b) .178(c)(2) .178(h) .178(q) .178(a) .178(a)(6) .178(a)(4) .178(p)
uids. Corrosion Protection Design Joints Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Drains Planing Machines	.106(c)(5) .106(c)(1) .106(c)(3) .106(c)(2) .106(c)(4) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	Fuel Handling Gases and Fumes Grain Handling Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(f) .178(c)(2)(vi), (b) .178(c)(2) .178(c)(2) .178(h) .178(o) .178(q) .178(a)(6) .178(a)(4) .178(p)
Corrosion Protection Design Joints Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Drains Planing Machines	.106(c)(1) .106(c)(3) .106(c)(2) .106(c)(4) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	Gases and Fumes Grain Handling Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(i) .178(c)(2)(vi), (b) .178(c)(2) .178(h) .178(o) .178(q) .178(a) .178(a)(4) .178(p)
Design Joints Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Drains Planing Machines	.106(c)(1) .106(c)(3) .106(c)(2) .106(c)(4) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	Grain Handling Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(c)(2)(vi), (b) .178(c)(2) .178(h) .178(n) .178(o) .178(q) .178(a)(6) .178(a)(4) .178(p)
Joints Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Drains Planing Machines	.106(c)(3) .106(c)(2) .106(c)(4) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	Hazardous Materials Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(c)(2) .178(h) .178(o) .178(q) .178(a)(6) .178(a)(4) .178(p)
Materials Supports Testing Valves Liquefied Petroleum Gases Processing Plants Drains Planing Machines	.106(c)(2) .106(c)(4) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	Lighting Loading Maintenance Markings Modifications Operations Repairs	.178(h) .178(o) .178(q) .178(a)(6) .178(a)(4) .178(p)
Supports Testing	.106(c)(4) .106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	Loading Maintenance Markings Modifications Operations Repairs	.178(o) .178(q) .178(a)(6) .178(a)(4) .178(p)
Testing Valves Liquefied Petroleum Gases Processing Plants Drains Planing Machines	.106(c)(7) .106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	Maintenance Markings Modifications Operations Repairs	.178(q) .178(a)(6) .178(a)(4) .178(p)
Valves Liquefied Petroleum Gases Processing Plants Pits Drains Planing Machines	.106(c)(6) .110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	Markings Modifications Operations Repairs	.178(a)(6) .178(a)(4) .178(p)
Liquefied Petroleum Gases	.110(h)(7) .106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	Modifications Operations Repairs	.178(a)(4) .178(p)
Processing Plants	.106(h)(4)(ii) .23(a)(5) .110(d)(11) .213(n)	OperationsRepairs	.178(p)
Pits Drains Planing Machines	.23(a)(5) .110(d)(11) .213(n)	Repairs	
Drains Planing Machines	.110(d)(11) .213(n)		.178(g)
Planing Machines	.213(n)		- \ 1/
			.178(e)
	.28(0)	Standards Sources	.183
Plasterers' Scaffolds		Training Operators	.178(I)
Plastics Industry: (see also Mills, Rub-		Traveling	.178(n)
ber and Plastics Industry)	040()(0)	Truck Operations	.178(m)
Auxiliary Equipment	.216(a)(3)	Powered Platforms	.6670
Effective Dates	.216(a)(1), (2), .220	Access	.66(f)(3) (i)(K),
Installations:	040()(0)		(ii)(D), (iii)(C)(2),
Existing	.216(a)(2)		(f)(5)(ii)(J)
New	.216(a)(1)	Application	.66(b)
Mills and Calenders	.216	Buildings, affected parts	.66(e)
Standards Sources	.221	Definitions	.66(d)
Platform Lift Trucks: (see also Pow-	.178	Electrical	.66(e)(11), (f)(8)
ered Industrial Trucks).		Equipment	.66(f)
Platforms, Scaffolds: (see also Listings		Fall Arrest systems	66(f)(5)(ii)(L), (M),
Under Specific Type Scaffold)	22(a)		(iii)(B), (j), App. C
Guarding Manlifts	.23(c)	Hoisting Equipment	.66(f)(4), (g)(6)
Pneumatic Powered Tools	.68(c)(3)	Inspections	.66(g)
	.243(b)	Lockout	.66(f)(3)(i)(J)
Airhoses Portable	.243(b)(2)	Maintenance	.66(e)(5), (10), (g),
Point of Operation Guarding	.243(b)(1)		(h)
Polishing: (see Grinding, Polishing and	.212(a)(3), .217(c)	Manlifts	.68
		Reshackling Hoists	.66(h)(4)
Buffing)	157	Ropes	.66(f)(7), (g)(5),
Portable Fire Extinguishers: (see also	.157	Tropod	(h)(3), (4)
Fire Extinguishers, Portable). Portable Metal Ladders: (see also Lad-	.26	Standards Sources	.69
	.26	Tests	.66(g)
ders, Portable Metal). Portable Stepladders: (see Step-		Vehicle-Mounted	.67
Portable Stepladders: (see Stepladders, Portable)		Powered Tools, Hand and Portable:	
		Abrasive Wheels	.243(c)
Portable Tank Storage: (see Tank		Compressed Air Cleaning	.242(b)
Storage, Portable)		Definitions	.241
Portable Tanks: (see Tanks, Portable)	244	Effective Dates	.245
Portable Tools: (see also Powered	.244	Employees	.242(a)
Tools, Hand and Portable).		Explosive Actuated Fastening	.243(d)
Portable Welding Machines: (see		Guarding	.243
Welding Machines, Portable)	05	Lawn Mowers, Power	.243(e)
Portable Wood Ladders: (see also	.25		
Ladders, Portable Wood).	407(1)	Pneumatic Powered Standards Sources	.243(b)
Powder Coatings	.107(I)		.246
Power Presses, Mechanical: (see Me-		Woodworking	.243(a)
chanical Power Presses)		Presses: (see also Mechanical Power	
Powered Industrial Trucks:	470 () (0) (7)	Presses)	240(~)(2)
Approval Labels	.178(a)(3), (7)	Cold Trimming	.218(g)(2)
Batteries	.178(g)	Forging	.218(f)
Combustible Dusts	.178(c)(2)(vi)	Hot Trimming	.218(g)(2)
Conversion	.178(d), (q)(12)	Hydraulic Forging	.218(f)(2)
Design and Construction	.178(a)(2)	Trimming	.218(g)
Designated Locations	.178(c)(1)	Pressure Gages, Air Receivers	.169(b)(3)
Designations, Trucks:		Pressure Vessels	.106(b)(1)(v),
D	.178(b)(1)		.217(b)(12)

Subject term Chemical Plants Distilleries Pulp and Paper Mills	Section No	Subject term	Section No.
Distilleries	.106(i)(3)	Motoriala I landlina	
		Materials Handling	.261(m)
Puln and Paner Mills	.106(i)(3)	Mechanical Pulp Processes	.261(i)
	.216(g)(16), (17)	Personal Protective Equipment	.261(d)(1)
Refineries	.106(i)(3)	Pulpwood:	
Pressures: (see Safety Relief Devices)		Preparation	.261(e)
Prime Mover Guards	.219(b)	Removal	.261(c)(14)
Primers, Ammunition	.109(j)(4)	Rags and Old Paper	.261(f)
Process safety management of highly	.119	Safe Practices	.261(b)
hazardous chemicals (see Chemi-		Signs:	201/2/10
cals, etc.).	400(1)	Conveyors	.261(c)(16)
Processing Plants, Flammable and	.106(h)	TrafficStandards Sources	.261(c)(9) .261(a)(3), (4); .268
Combustible Liquids.	400(1)(4)	Stock Preparation	.261(a)(3), (4), .266
Application	.106(h)(1)	Storage	.261(c), (d)
Buildings	.106(h)(3)	Chocking Rolls	.261(d)(4)
Fire Protection	.106(h)(6)	Clearances	.261(d)(2)
Housekeeping	.106(h)(8)	Piling	.261(d)(3)
Ignition Sources	.106(h)(7)	Traffic Warning Signs	.261(c)(9)
Liquid Handling	.106(h)(4)	Pulpwood Logging	.266
Loading	.106(h)(5)	Chain Saw Operations	.266(e)(2)
Location	.106(h)(2)	Chipping	.266(h)(4)
Maintenance	.106(h)(8)	Environmental Conditions	.266(d)(5)
Profile Lathes	.213(o)	Explosives	.266(d)(10)
Projections peta-Propiolactone	.219(h) .1003	First Aid	.266(d)(2), (i)(7),
Area requirements	.1003 .1003(c)		App. A, App. B
Closed system operation		Hand and Portable Powered Tools	.266(e)
Isolated systems	.1003(c)(2)	Harvesting	.266(h)
Maintenance and decon-	.1003(c)(1) .1003(c)(5)	Bucking	.266(h)(3)
tamination activities.	.1003(0)(3)	Felling	.266(h)(2)
Open-vessel system oper-	.1003(c)(3)	Limbing	.266(h)(3)
ations.	.1003(0)(3)	Loading	.266(h)(6)
Transfer from a closed oper-	.1003(c)(4)	Machines for Moving Materials	.266(f)
ation.	.1003(0)(4)	designated operator	.266(f)(2)
Medical surveillance	.1003(g)	FOPS/ROPS	.266(f)(3)
Examinations	.1003(g)(1)	overhead guard	.266(f)(4)
Records		machine access	.266(f)(5)
	.1003(g)(2) .1003(d)	exhaust system	.266(f)(6)
Regulated area requirements Contamination control	.1003(d)(4)	brakes	.266(f)(7)
Emergencies	.1003(d)(2)	guarding	.266(f)(8)
Hygiene facilities and prac-	.1003(d)(2)	Personal Protective Equipment	.266(d)(1)
tices.	.1003(u)(3)	Seat Belts	.266(d)(3)
Reports	1002(f)	Storage	.266(h)(8)
Incidents	.1003(f) .1003(f)(2)	Training	.266((i)
Operations	.1003(f)(1)	frequency	.266(i)(2)
Signs, information, and training	.1003(i)(1)	content	.266(i)(3)
Container contents identifica-	.1003(e)(2)	first-aid	.266(i)(7)
tion.	.1003(6)(2)	designated trainer	.266(i)(8)
	1003(a)(3)	certification	.266(i)(10)
Lettering Prohibited statements	.1003(e)(3) .1003(e)(4)	meetings	.266(i)(11)
		Vehicles	.266(g)
Signs	.1003(e)(1)	maintenance	.266(g)(1)
Training and indoctrination Protective Clothing: (see Clothing, Pro-	.1003(e)(5)	inspection	.266(g)(2)
tective and Personal Protective		instructions	.266(g)(3)
Equipment)		Work Areas	.266(d)(6)
Protective Equipment, Piping: (see	253(6)	Pumps, Gasoline: (see also Service	.106(g)(3), (4)
also Personal Protective Equipment).	.253(e)	Stations).	400(1) 440
Hoses and Connections	253(5)	Pyrotechnics	.109(k), .119
Pressure-Reducing Regulations	.253(5) .253(6)	Radial Saws	.213(h)
		Radiation:	
Stations Outlet	.253(4)	lonizing	.96
Pulleys	.219(d), (k), (p)(5)	Nonionizing	.97
Pulp, Paper and Paperboard Mills:	261(c)(12)	Radioactive Materials:	00(1-)
Barking Devices	.261(c)(12)	Packaged	.96(h)
Belt Conveyors	.261(c)(15)	Storage	.96(j)
Bleaching	.261(h)	Rail Clamps	.179(b)(4), .180(i)(1
Bridge or Dock Plates	.261(c)(11)	Rail Sweeps	.179(e)(4)
Chemical Processes	.261(g)	Railroad Cars	.176, .178(k)(2)–(4)
Cranes	.261(c)(8)	Explosives	.109(f)
Finishing Rooms	.261(1)	Ramps:	
Hand Tools	.261(c)(13)	Rated Load Markings:	470(1)(5)
Handling	.261(c), (d)	Cranes	.179(b)(5)
Lighting	.261(b)(2), (c)(10),	Derricks	.181(c)(2)
	(k)(21)	Rated Load Test:	
Lockouts	.261(b)(1)	Crawler, Locomotive, and Truck	.180(e)(2)

	0		0
Subject term	Section No.	Subject term	Section No.
Overhead and Gantry Cranes Recordkeeping:	.179(k)(2)	Respirators: (see also Gas Mask Canisters).	.134
Asbestos Bloodborne pathogens, exposure	.1001(i), (j)(6)	Abrasive Blasting	.94 (a)(1)(ii), (a)(5)
to.	.1030(f)(6), (h)	Air Supply	.94(a)(6), .134(d) .1001(d)(1), (2)
Building Inspection, assurance for	.66(c)	Cleaning	.134(b)(5), (f)(3)
powered platform use.		Color Codes	.134(g)(6)
Communicable Diseases	.142(I)(1) and (2)	Employer Provided	.134(a)(2)
Cranes: Crawler, Locomotive and	.180(d)(2) and (6),	Fire brigades	.156(f)
Truck.	(e)(2), (g)(i) and	IdentificationInspection	.134(g) .134(b)(7), (f)
	(2)	Labeling	.134(g)
Overhead and Gantry	.179(k)(2), (m)(1)	Maintenance	.134(f)
Derricks	and (2) .181(g)(1) and (3)	Minimum Acceptable Program	.134(b)
Forging Equipment Inspection	.218(a)(2)	Positive-pressure	.156(f)(2)
Hazardous Waste Operations	.120(f)(7)	Pulp, and Paper Mills	.261(g)(2), (6), (10),
Injury Reporting, Welding	.252(c)(13)	Repairs	(15)(ii) .134(f)(4)
Ionizing Radiation Exposure	.96(m), (o)	Selection	.134(c)
Labor Camps Liquid Storage Tanks, Class I	.142(I)(1) and (2) .106(g)(1)	Storage	.134(b)(6), (f)(5)
Manlifts	.68(e)(3)	Training	.134(b)(3)
Mechanical Power Presses	.217(e)(1)	Use	.134(e)
Personal Monitoring: Asbestos	1001(i)(1)	Welding	.252(c)(4)(ii), (iii); (5)(ii); (7)(ii); (8);
Ionizing Radiation	.1001(i)(1) .96(n)		(9); (10)
Power Presses Inspection	.217(e)(1)	Respiratory Protection: (see also Res-	.134
Powered Platforms Inspection	.66(g)	pirators).	
Radiation Exposure	.96(b)(2)(iii), (m)(1),	Air Quality	.94(a)(6), .134(d)
Records, Disclosure, Ionizing Ra-	(n), (o)(1) .96(o)(1)	Air Supply Fire brigades	.94(a)(6), .134(d) .156(f)
diation.	.50(0)(1)	Fit testing	.1001(g)(4), App. C,
Respirators	.134(e)(2), (f)(2)(iv)	3	.1025(f)(3), App.
Welding Operations	.252(c)(13), .255(e)		D, .1028(g)(5),
Records: Asbestos	.93a(i), (j)(6)		App. E,
Ionizing Radiation	.96(m), (n)		.1048(g)(3)(ii), App. E
Mechanical Power Presses	.217(e)(1)	Gas Mask Canister Identification	.134(g)
Refineries, Chemical Plants and Distill-	.106(i)	Minimum Acceptable Program	.134(b)
eries. Application	.106(j)	Permissible Practices	.134(a)(1)
Fire Protection	.106(j)	Respirators	.134(a)(2), (b), (c),
Pressure Vessels	.106(i)(3)	Use	(e) .134(e)(5)
Process Unit Location	.106(i)(4)	Right to know	.1200
Storage Tanks Wharves	.106(i)(1) .106(i)(2)	Rim wheels, multi-piece	.177
Refrigerated Containers:	.100(1)(2)	Ring Test	.215(d)(1)
Anhydrous Ammonia	.111(d)	Risers, Open	.213(c), .214(d)
Refueling:		Rodent Control	.24(j) .141(a)(5)
Cranes Derricks	.180(i)(4)	Labor Camps	.142(j)
Trucks	.181(j)(4) .178(p)(2)	Rolling Scaffolds: (see Work Platforms,	
Refuse:	- 47(7	Mobile).	00(-)
Disposal	.142(h)	Roofing Brackets Catch Platforms	.28(s) .28(s)(3)
Receptacles	.141(a)(4)	Construction	.28(s)(1)
vices)		Supports	.28(s)(2)
Remote Gas Pumping Systems	.106(g)(3)(v)	Rope Inspections:	
Residue Disposal: (see Waste Dis-		Cranes	.179(m), .180(g)
posal)	255(a)	Derricks	.181(g)
Resistance Welding Equipment Capacitor Discharge Welding	.255(c) .255(b)(2)	Cranes	.179(m), .180(g)
Disconnecting Means	.306(d)(2)	Hoists	.179(h)(2)
Foot Switches	.255(b)(6)	Inspections	.179(m), .180(g)
Grounding	.255(b)(9)	Running	.179(m)(1)
GuardingInstallation	.255(a)(4), (b)(4)	Derricks Idle Ropes	.181(g) .181(g)(3)
InstallationInterlocks	.255(a)(1) .255(b)(3)	Limited Travel	.181(g)(3)
Safety Pins	.255(b)(8)	Nonrotating Ropes	.181(g)(4)
Shields	.255(b)(5)	Running	.181(g)(1)
Spot and Seam Welding	.255(b)	Powered Platforms	.66(f)(7), (g)(5),
Stop Buttons Thermal Protection	.255(b)(7) .255(a)(2)	Rotary Lawn Mowers	(h)(3), (4) .243(e)(1), (4)
Resistors:	, , , ,	Rotating Work Platforms: (see also Ve-	.67
Cranes	.179(g)(4)	hicle-Mounted Work Platforms).	I

Subject term	Section No.	Subject form	Section No.
Subject term	Section No.	Subject term	
Rubber Industry: (see also Mills, Rub-		Lighting	.265(c)(9)
ber and Plastics Industry)	040(-)(0) (5)(0)	Platforms	.265(c)(4)
Auxiliary Equipment	.216(a)(3), (b)(3)	Stairways	.265(c)(5)
Effective Dates	.216(a)(1), (2); .220	Handrails	.265(c)(5)(ii)
Installations:		Lighting	.265(c)(5)(iii)
Existing	.216(a)(2)	Tanks	.265(c)(8)
New	.216(a)(1)	Vats	.265(c)(8)
Mills and Calenders	.216	Walkways	.265(c)(4)
Standards Sources	.221	Work Areas	.265(c)(2)
Rubber Protective Equipment	.221	Burners	.265(c)(29)
Rung Ladders, Portable	.25(c)(3)	Chippers	.265(c)(21)
Running Ropes:	- (-)(-)	Conveyors	.265(c)(18)
Cranes	.179(m)(1),	Definitions	.265(b)
	.180(g)(1)	Effective Dates	.265(j)
Derricks	.181(g)(1)	Exhaust Systems	.265(c)(20)
Runway Conductors:	.101(g)(1)	Gas Piping and Appliances	.265(c)(15)
Cranes	170(a)(6)	General Requirements	.265(a)
	.179(g)(6)		
Runway Protection	.23(c)	Hydraulic Systems	.265(c)(13)
Safety Belts: (see also Lifelines)		Kilns, Dry	.265(f)
Powered Platforms	.66(f)(5(ii), (L), (M),	Log Breakdown	.265(e)
	(iii)(B), (j), App. C	Log Handling, Sorting, and Stor-	.265(d)
Pulp, Paper, and Paperboard Mills	.261(g)(4), (15)	age.	
Scaffolding	.28(j)(4), (n)(8),	Barking Devices	.265(d)(4)
	(s)(3), (t)(2),(u)(6)	Log Decks	.265(d)(3)
Welding	.252(b)(4)(iv)	Storage Areas	.265(d)(2)
Safety Color Codes:		Unloading	.265(d)(1)
Effective Dates	.149	Unloading Areas	.265(d)(2)
Standards Sources	.147	Lumber:	(-/(-/
Safety Devices:		Loading	.265(c)(28)
Ladders	.27(d)(5)	Piling	.265(c)(27)
Safety Guard Design, Abrasive Wheel	.215(a)(2), (b)(10)–	Storage	.265(c)(27)
Machinery.	(12)	Marking Physical Hazards	.265(c)(11)
Safety Instruction Signs	.145(c)(3), (d)(6)	Refuse Removal	.265(c)(20)(vi)
Safety Relief Devices:		Ropes, Cables, Slings, and	.265(c)(24)
Bulk Oxygen Systems	.104(b)(6), (7)(ii)	Chains.	
Flammable Liquids	.107(e)(8)	Stackers and Unstackers	.265(c)(26)
Gaseous Hydrogen Systems	.103(b)(1)(ii)	Standards Sources	.265(a)(2), (j); .26
Liquefied Hydrogen Systems	.103(c)(1)(iv)	Traffic Control	.265(c)(31)
Liquefied Petroleum Gases	.110(b)(10), (c)(7),	Tramways	.265(c)(19)
Elquolica i oliologiii odoco illilililii	(d)(4), (e)(7),	Trestles	.265(c)(19)
	(g)(7), (h)(4)	Vehicles	.265(c)(30)
Non-DOT Containers	.110(d)(4)	Saws:	.203(0)(30)
	.107(e)(8)	Band	212(i)
Spraying	.107(e)(o)		.213(i)
Safety-Toe Footwear: (see Foot Pro-		Band Resaws	.213(i)
tection)		Circular	.213(f); .243(a)(1)
Sanding Machines	.213(p), .243(a)(3)	Circular Resaws	.213(e)
Sanitation	.141	Cracked	.243(a)(4)
Application	.141(a)(1)	Cylindrical Saws	.214(c)
Change Rooms	.141(e)	Drag	.213(r)
Effective Dates	.149	Forging Machines	.218(j)(2)
Food Handling	.141(h)	Heading Bolt	.214(a), (c)
Hazardous Waste Operations	.120(b)(13), (n)	Inspection	.213(s)
Housekeeping	.141(a)(3)	Radial	.213(h)
Insect Control	.141(a)(5)		.213(c)
		Ripsaws	
Lunchrooms	.141(g)	Swing Cutoff	.213(g)
Rodent Control	.141(a)(5)	Table	.213(d)
	.265(h)	Scaffolding: (see also Scaffolds)	
Sawmills		Safety Requirements	.28
Standards Sources	.150		
	.141(c)	Scaffolds: (see also Ladder Stands	
Standards Sources			
Standards Sources Toilet Facilities	.141(c)	Scaffolds: (see also Ladder Stands	.28(j)
Standards Sources Toilet Facilities Vermin Control Washing Facilities	.141(c) .141(a)(5) .141(d)	Scaffolds: (see also Ladder Stands Listings by Names of Scaffolds) Boatswain's Chair	
Standards Sources Toilet Facilities Vermin Control Washing Facilities Waste Disposal	.141(c) .141(a)(5) .141(d) .141(a)(4)	Scaffolds: (see also Ladder Stands Listings by Names of Scaffolds) Boatswain's Chair Bricklayers' Square	.28(1)
Standards Sources Toilet Facilities Vermin Control Washing Facilities Waste Disposal Water Supply	.141(c) .141(a)(5) .141(d)	Scaffolds: (see also Ladder Stands Listings by Names of Scaffolds) Boatswain's Chair Bricklayers' Square Carpenters' Bracket	.28(l) .28(k)
Standards Sources Toilet Facilities Vermin Control Washing Facilities Waste Disposal Water Supply Sawmills:	.141(c) .141(a)(5) .141(d) .141(a)(4) .141(b)	Scaffolds: (see also Ladder Stands Listings by Names of Scaffolds) Boatswain's Chair	.28(l) .28(k) .28(t)
Standards Sources Toilet Facilities Vermin Control Washing Facilities Waste Disposal Water Supply Sawmills: Bins, Bunkers, Hoppers, and Fuel	.141(c) .141(a)(5) .141(d) .141(a)(4)	Scaffolds: (see also Ladder Stands Listings by Names of Scaffolds) Boatswain's Chair Bricklayers' Square Carpenters' Bracket Chicken Ladders Coupler, Mobile	.28(l) .28(k) .28(t) .29(d)
Standards Sources Toilet Facilities Vermin Control Washing Facilities Waste Disposal Water Supply Sawmills: Bins, Bunkers, Hoppers, and Fuel Houses.	.141(c) .141(a)(5) .141(d) .141(a)(4) .141(b)	Scaffolds: (see also Ladder Stands Listings by Names of Scaffolds) Boatswain's Chair Bricklayers' Square Carpenters' Bracket Chicken Ladders Coupler, Mobile Crawling Boards	.28(l) .28(k) .28(t) .29(d) .28(t)
Standards Sources Toilet Facilities Vermin Control Washing Facilities Waste Disposal Water Supply Sawmills: Bins, Bunkers, Hoppers, and Fuel Houses. Lighting	.141(c) .141(a)(5) .141(d) .141(a)(4) .141(b) .265(c)(23)	Scaffolds: (see also Ladder Stands Listings by Names of Scaffolds) Boatswain's Chair Bricklayers' Square Carpenters' Bracket Chicken Ladders Coupler, Mobile Crawling Boards Decorators'	.28(i) .28(k) .28(t) .29(d) .28(t) .28(o)
Standards Sources Toilet Facilities Vermin Control Washing Facilities Waste Disposal Water Supply Sawmills: Bins, Bunkers, Hoppers, and Fuel Houses. Lighting Loading Bins	.141(c) .141(a)(5) .141(d) .141(a)(4) .141(b) .265(c)(23) .265(c)(23)(iii) .265(c)(23)(iii)	Scaffolds: (see also Ladder Stands Listings by Names of Scaffolds) Boatswain's Chair Bricklayers' Square Carpenters' Bracket Chicken Ladders Coupler, Mobile Crawling Boards Decorators' Float	.28(I) .28(k) .28(t) .29(d) .28(t) .28(o) .28(u)
Standards Sources Toilet Facilities Vermin Control Washing Facilities Waste Disposal Water Supply Sawmills: Bins, Bunkers, Hoppers, and Fuel Houses. Lighting Loading Bins Blower Systems	.141(c) .141(a)(5) .141(d) .141(a)(4) .141(b) .265(c)(23)	Scaffolds: (see also Ladder Stands Listings by Names of Scaffolds) Boatswain's Chair Bricklayers' Square Carpenters' Bracket Chicken Ladders Coupler, Mobile Crawling Boards Decorators' Float Horse	.28(i) .28(k) .28(t) .29(d) .28(t) .28(o)
Standards Sources Toilet Facilities Vermin Control Washing Facilities Waste Disposal Water Supply Sawmills: Bins, Bunkers, Hoppers, and Fuel Houses. Lighting Loading Bins	.141(c) .141(a)(5) .141(d) .141(a)(4) .141(b) .265(c)(23) .265(c)(23)(iii) .265(c)(23)(iii)	Scaffolds: (see also Ladder Stands Listings by Names of Scaffolds) Boatswain's Chair Bricklayers' Square Carpenters' Bracket Chicken Ladders Coupler, Mobile Crawling Boards Decorators' Float	.28(l) .28(k) .28(t) .29(d) .28(t) .28(o) .28(u)
Standards Sources Toilet Facilities Vermin Control Washing Facilities Waste Disposal Water Supply Sawmills: Bins, Bunkers, Hoppers, and Fuel Houses. Lighting Loading Bins Blower Systems	.141(c) .141(a)(5) .141(d) .141(a)(4) .141(b) .265(c)(23)(iii) .265(c)(23)(iii) .265(c)(20) .265(c)(20)	Scaffolds: (see also Ladder Stands Listings by Names of Scaffolds) Boatswain's Chair Bricklayers' Square Carpenters' Bracket Chicken Ladders Coupler, Mobile Crawling Boards Decorators' Float Horse	.28(l) .28(k) .28(t) .29(d) .28(t) .28(o) .28(u) .28(m)
Standards Sources Toilet Facilities Vermin Control Washing Facilities Waste Disposal Water Supply Sawmills: Bins, Bunkers, Hoppers, and Fuel Houses. Lighting Loading Bins Blower Systems Building Facilities Docks	.141(c) .141(a)(5) .141(d) .141(d) .141(a)(4) .141(b) .265(c)(23) .265(c)(23)(iii) .265(c)(23)(iii) .265(c)(20) .265(c) .265(c)	Scaffolds: (see also Ladder Stands Listings by Names of Scaffolds) Boatswain's Chair Bricklayers' Square Carpenters' Bracket Chicken Ladders Coupler, Mobile Crawling Boards Decorators' Float Horse Interior Hung	.28(i) .28(k) .28(t) .29(d) .28(t) .28(o) .28(u) .28(u) .28(p) .28(p)
Standards Sources Toilet Facilities Vermin Control Washing Facilities Waste Disposal Water Supply Sawmills: Bins, Bunkers, Hoppers, and Fuel Houses. Lighting Loading Bins Blower Systems Building Facilities	.141(c) .141(a)(5) .141(d) .141(a)(4) .141(b) .265(c)(23)(iii) .265(c)(23)(iii) .265(c)(20) .265(c)(20)	Scaffolds: (see also Ladder Stands Listings by Names of Scaffolds) Boatswain's Chair Bricklayers' Square Carpenters' Bracket Chicken Ladders Coupler, Mobile Crawling Boards Decorators' Float Horse Interior Hung Ladder-Jack	.28(i) .28(k) .28(t) .29(d) .28(t) .28(o) .28(o) .28(m) .28(m)

Subject term	Section No.	Subject term	Section No.
Outrigger	.28(e)	Use Classification	.145(c)
Plasterers'	.28(0)	Biological Hazards	.145(e)(4), (f)(8)
Powered platforms	.66	Caution	.1001(g), .145(c)(2),
Roofing Brackets	.28(s)	Oddion	(d)(4), (f)(6)
Ship	.28(u)	Colors	.145(d)
Single-Point Adjustable Suspen-	.28(i)	Danger	.145(c)(1), (d)(2),
sion.	.20(.)	Dangor	(e)(3), (f)(5)
Stone Setters' Adjustable Multiple	.28(h)	Design	.145(d), (f)(4)
Point Suspension.		Effective Dates	.149
Suspension	.28(f), (g), (h), (i)	Gas Mask Canisters	.134(g)
Swinging	.28(g)	Hazardous materials, retention of	.1201
Tube and Coupler	.28(c)	DOT markings.	
Tube and Coupler, Mobile	.29(d)	Powered Platforms	.66(f)(7)(vi)
Tubular Welded Frame	.28(d), .29(b)	Pulp and Paper Mills	.261(c)(9), (16)
Tubular Welded Sectional Folding	.29(c)	Radiation Warning	.97(a)(3)
Two-Point Suspension	.28(g)	Respirators	.134(g)
Window-Jack	.28(r)	Safety Instruction	.145(c)(3), (d)(6)
Wood Pole	.28(b)	Slow-Moving Vehicles	.145(d)(10)
Scaffolds, Manual Mobile: (see also	.29	Specifications	.93a(g)(ii), .145
Work Platforms, Mobile Scaffolds).		Standards Sources Wordings	.150 .145(e)
Scientific Diving (see Diving, Scientific Semigantry Cranes: (see Gantry			
Semigantry Cranes: (see Gantry Cranes)		Single-Point Adjustable Suspension Scaffolds.	.28(i)
Separation Walls: (see also Distances		Single-Rung Ladders	.25(c)(3)(ii)
From Hazards)		Mason's	.25(c)(4)(iii)
Ammonium Nitrate	.109(i)(5)	Skylight Floor Openings	.23(a)(4)
Service Stations:	.103(1)(3)	Sleeping Facilities, temporary	.120(n)(5)
Flammable and Combustible Liq-	.106(g)	Sleeves, Rubber Insulating	.137
uids.	(g)	Slings	.184
Dispensing Systems	.106(g)(3)	Slurries	.109(h)
Drainage	.106(g)(7)	Small Arms Ammunition	.109(j)
Electrical Equipment	.106(g)(5)	Primers	.109(j)(4)
Fire Protection	.106(g)(9)	Smokeless Propellants	.109(j)(3)
Handling	.106(g)(1)	Storage	.109(j)
Heating Equipment	.106(g)(6)	Smokeless Propellants	.109(j)(3)
Ignition Sources	.106(g)(8)	Smoking:	
Marine Stations	.106(g)(4)	Dual Component Coatings	.107(m)(2)
Multi-piece rim wheels, servicing	.177	Explosives	.109(e)(1)
Private Stations	.106(g)(2)	Flammable Liquids	.106(d)(7)(iii)
Storage	.106(g)(1)	Powder Coatings	.107(l)(4)(iii)
Waste Disposal	.106(g)(7)	Spraying	.107(g)(7), (l)(4)(iii),
Liquefied Petroleum Gases	.110(h)	Consider Machines	(m)(2)
Containers	.110(h)(2)	Snagging Machines	.215(b)(7)
Accessories	.110(h)(3)	Sources of Standards: (see Standards	
CapacityInstallation	.110(h)(5) .110(h)(6)	Sources) Special Industries:	
Protecting Fittings	.110(h)(7), (9)	Bakeries	.263
Valves	.110(h)(3)	Cooperage	.214
Dispensing Devices	.110(h)(11)	Forging	.218
Electrical Systems	.110(h)(13)	Hazardous Waste Operations	.120
Fire Protection	.110(h)(14)	Laundries	.264
Fittings	.110(h)(7)	Paper and Paperboard Mills	.261
Piping	.110(h)(7)	Plastics Industry	.216
Pumps	.110(h)(10)	Pulp Mills	.261
Safety Relief Valves	.110(h)(4)	Pulpwood Logging	.266
Truck Unloading	.110(h)(8)	Rubber Industry	.216
Valves	.110(h)(7)	Sawmills	.265
Setscrews	.219(h)	Standards Sources	.268
Sewage Disposal	.142(e)	Textiles	.219(a)(3), .262
Shafting Guarding:	0404)40)	Woodworking	.213
Horizontal	.219(c)(2)	Spill Containment	.106(d)(6)(iii)
Inclined	.219(c)(3)	Spot and Seam Welding Machines	.255(b)
Vertical	.219(c)(3)	Spray Booths	.107(b)
Sheaves:	470/h)/4)	Spray Finishing	.107
Crane Hoists	.179(h)(1)	Application	.94(c)(6)
	.142(b)	Application	.107(n)
cilities, Labor Camps).	28(11)	Automobile Undercoatings Clean Air	.107(k)
Ship Scaffolds: (see also Float Scaffolds).	.28(u)	Combustible Liquids Storage	.94(c)(7)
Side-Rolling Ladders	.25(c)(5)	Curing Apparatus	.107(e) .107(j)
Signs and Tags: (see also Markings)	.20(0)(0)	Drying Apparatus	.107(j)
Accident Prevention	.145	Dual Component Coatings	.107(j) .107(m)
Classification	.145(c)	Electrical Systems	.107(iii)
Definitions		Electrostatic Apparatus	
Dominiono		2.001100tatio / pparatao	

Subject term	Section No.	Subject term	Section No
Fire Protection		·	.39
Flammable Liquids Storage	.107(f) .107(e)	Life Safety Code Liquefied Petroleum Gases	.115
Fusion Apparatus	.107(e)	Machinery Guarding	.221
Ignition Sources	.107(j)	Manlifts	.69
Location	.94(c)(2)	Materials Handling	.189
Maintenance	.106(g)	Medical	.153
Make-Up Air	.94(c)(7)	Medical Services	.153
Organic Peroxide Coatings	.107(m)	Nitrous Oxide	.115
Powder Coatings	.107(II)	Noise Exposure	.99
Spray Booths		Nonionizing Radiation	.99
	.94(c)(3), .107(b)	Nonwater Disposal Systems	.150
Spray Rooms	.94(c)(4)	Occupational Health	
Undercoatings Velocity	.107(k)		.99
Ventilation	.94(c)(6)	Oxygen	.115
	.94(c)(5), .107(d)	Physical Hazards Markings	.150
pray Liquid Heaters	.107(e)(7)	Platforms, Powered	.69
praying Operations	.107(g)	Powered Industrial Trucks	.189
prinkler Systems:	07()	Powered Platforms	.69
Egress	.37(m)	Powered Tools, Hand and Port-	.246
prinkler Systems, Automatic	.159	able.	
Acceptance tests	.159(c)(3)	Railings	.31
Design	.159(c)(1)	Safety Color Codes	.150
Drainage	.159(c)(7)	Sanitation	.150
Exemptions	.159(a)	Signs and Tags	.150
Hose Connections	.159(c)(5)	Special Industries	.274
Hydraulically Designed	.159(c)(11)	Spray Finishing	.115
Maintenance	.159(c)(2)	Tanks, Cargo and Portable	.170
Protection of Piping	.159(c)(6)	Toeboards	.31
Sprinkler Alarms	.159(c)(9)	Toxic Substances	.1499
Sprinkler Spacing	.159(c)(10)	Vehicle Mounted Work Platforms	.69
Water supply	.159(c)(4)	Ventilation	.99
prinklers	(-)(.)	Walking-Working Surfaces	.31
Dip Tanks	.125(f)	Wall Openings	.31
prockets	.219(f)	Standpipe and Hose Systems	.158
tability Margin:	.219(1)	Equipment	.158(c)
Crane Loads	190(c)(1)(i) (iv)	Hose	.158(c)(3)
	.180(c)(1)(i)–(iv)	Hose Outlets and Connec-	
stainless Steel Cutting	.252(c)(12)		.158(c)(2)
stairs, Fixed Industrial	.24	tions.	450(-)(4)
Handrails	.24(h)	Nozzles	.158(c)(4)
Length of Stairways	.24(g)	Reels and Equipment	.158(c)(1)
Railings	.24(h)	Exceptions	.158(a)(2)
Rise Angle	.24(e)	Protection	.158(b)
Strength	.24(c)	Scope and Application	.158(a)(1)
Treads	.24(f)	Tests and Maintenance	.158(e)
Vertical Clearance	.24(i)	Acceptance Tests	.158(e)(1)
Width	.24(d)	Maintenance	.158(e)(2)
tandards Sources:		Water Supply	.158(d)
Accident Prevention Signs and	.150	Stands, Ladder: (see also Scaffolds;	, ,
Tags.		Work Platforms, Mobile)	
Acetylene	.115	Stationary Derricks: (see also Derricks)	.181
Air Contaminants	.99	Static Sparks	.219(p)(2)(ii)
Air Receivers	.169(a)(2), .170	Steps: (see Stairs)	.2.0(p)(2)()
Anhydrous Ammonia	.115	Stepladders:	
Asbestos	.99	Portable Metal	.26(a)(3)
Blasting Agents	.115	Stepladders, Portable	.25(c)(2)
Color Codes	.150	Sticking Machines	.23(c)(2)
	.115	Stiffleg Derricks: (see also Derricks)	
Combustible Gases			.181
Combustible Liquids	.115	Stone Setters' Adjustable Multiple-	
Compressed Gas Equipment	.170	Point:	20(%)
Compressed Gases	.115	Suspension Scaffolds	.28(h)
Cranes	.189	Stopping Limits, Mills and Calenders	.216(f) (1)–(3)
Derricks	.189	Stops: (see also Safety Devices)	
Dip Tanks	.115	Manlifts	.68(c)(5), (6)
	.99, .150	Storage: (see also Materials Storage:	
Environmental Controls		Storage Areas; Tank Storage: Tank	
Environmental Controls Explosives	.115		
Environmental Controls	.115 .153	Storage, Portable)	
Environmental Controls Explosives		Ammonium Nitrate	.109(i)
Environmental Controls Explosives First Aid Flammable Liquids	.153 .115	Ammonium Nitrate	
Environmental Controls	.153 .115 .221	Ammonium NitrateAnhydrous Ammonia	.111
Environmental Controls Explosives First Aid Flammable Liquids Guarding Machinery Hand-Held Equipment	.153 .115 .221 .246	Ammonium Nitrate Anhydrous Ammonia Blasting Agents	.111 .109(g)(5)
Environmental Controls Explosives First Aid Flammable Liquids Guarding Machinery Hazardous Materials	.153 .115 .221 .246 .115	Ammonium Nitrate Anhydrous Ammonia Blasting Agents Buildings	.111 .109(g)(5) .106(d)(5)
Environmental Controls Explosives First Aid Flammable Liquids Guarding Machinery Hand-Held Equipment Hazardous Materials Hydrogen	.153 .115 .221 .246 .115 .115	Ammonium Nitrate Anhydrous Ammonia Blasting Agents Buildings Mercantile Occupancies	.111 .109(g)(5) .106(d)(5) .106(d)(5)(iv)
Environmental Controls Explosives First Aid Flammable Liquids Guarding Machinery Hand-Held Equipment Hazardous Materials Hydrogen Indoor Storage	.153 .115 .221 .246 .115 .115	Ammonium Nitrate Anhydrous Ammonia Blasting Agents Buildings Mercantile Occupancies Office Occupancies	.111 .109(g)(5) .106(d)(5) .106(d)(5)(iv) .106(d)(5)(iii)
Environmental Controls Explosives First Aid Flammable Liquids Guarding Machinery Hand-Held Equipment Hazardous Materials Hydrogen	.153 .115 .221 .246 .115 .115	Ammonium Nitrate Anhydrous Ammonia Blasting Agents Buildings Mercantile Occupancies	.111 .109(g)(5) .106(d)(5) .106(d)(5)(iv)

Subject term	Section No.	Subject term	Section No.
Containers, Bulk Oxygen	.104(b)(4), (6)	Application	.106(d)(1)(i)
Explosives	.109(c), (e)(2), (b)(1)	Capacity	.106(d)(2)
Flammable and Combustible Liq-	.106(b), (d)	Design	.106(d)(2)
uids.	106(4)(4)	Exceptions	.106(d)(1), (2)
Inside Storage Rooms Storage Inside Buildings	.106(d)(4) .106(d)(5)	Fire Protection	.106(d)(7)
Storage Outside Buildings	.106(d)(6)	Indoor Storage	.106(d)(4), (5)
Indoor Rooms	.106(d)(5)	Outdoor Storage	.106(d)(6)
Liquefied Petroleum Gases	.110	Storage Cabinets	.106(d)(3)
Logs	.265(d)	Temporary Floor Openings Temporary Labor Camps: (see also	.23(a)(7) .142
Lumber	.265(c)(27)	Labor Camps, Temporary).	.142
Pulp and Paper Mills	.261(c), (d)	Tempering Tanks	.126(a)
Pulpwood Logging	.266(e)(12)	Tenoning Machines	.213(k)
Respirators	.134(f)(5)	Telecommunications	.268
Service Stations	.106(g)(1)	Testing:	.200
Storage Areas:	470(-)	Bulk Oxygen	.104(b)(8)(v)
Aisles and Passageways	.176(a)	Cranes	.179(k), .180(e)
Bridge Plates	.178(j), (k)(4)	Derricks	.18(e)
Clearance Signs	.176(e) .176(a)	Fire Extinguishers:	.157(e)
Dockboards	.178(j), (k)(4)	Gaseous Hydrogen Systems	.103(b)(1)(vi)
Drainage	.176(d)	Liquefied Hydrogen Systems	.103(c)(1)(vii)
Housekeeping	.176(c)	Piping	.106(c)(7)
Lighting	.178(h)	Powered Platforms	.66(g)
Noxious Gases	.178(i)	Radiation Alarm	.96(f)(3)
Railroad Cars	.178(k)(2)–(4)	Sprinkler Systems	.159(c)(3)
Securing	.176(b)	Standpipe and hose systems	.158(e)
Trucks, Highway	.178(k)(1), (3); (m)	Storage Tanks	.106(b)(7)
Storage Batteries: (see Battery Chang-		Textiles:	
ing and Charging)		Acid Carboys	.262(nn)
Storage Bridge Cranes: (see Gantry		Bleaching	.262(p)
Cranes)		Calenders	.262(ee)
Storage, Tanks: (see Tank Storage;		Caustics	.262(00)
Tank Storage, Portable)	00(-)(0)	Color-Mixing Room	.262(kk)
Straight Ladders, Portable Metal	.26(a)(2)	Cotton Cards	.262(e)
Surface Grinders	.215(b)(5) .215(b)(6)	Cotton Combers	.262(j)
Swing-Head Lathes	.213(0)	Drawing Frames	.262(j)
Swinging Locomotive Cranes	.180(i)(6)	Drying Cans	.262(w)
Swinging Scaffolds: (see also Two-	.28(g)	Drying Tumblers	.262(cc)
Point Suspension Scaffolds).	(3)	Dyeing Jigs	.262(u)
Switches:		Dye Vats	.262(mm)
Electric	.305(c)	Extractors	.262(y)
Cranes	.179(g)(5)	First Aid	.262(pp)
Trip and Emergency	.216(e)	Flat Work Ironers Folders, Overhead	.262(x)
Table Saws	.213(d)	Garnet Machines	.262(jj)
Tags: (see Signs and Tags)		Gill Boxes	.262(f) .262(k)
Tanks: (see also Cargo Tanks—Port-		Hand Boiling Machines	.262(hh)
able Tanks)	400()(4)(1) (11)	Kiers	.262(q)
Hardening	.126(a)(1)(i),(ii)	Lappers	.262(m)
Tempering Tanks, Dip: (see also Dip Tanks)	.126(a)	Looms	.262(n)
Tanks, Dip. (see also Dip Tanks) Tanks, Storage:	.123–.126	Mercerizing Ranges	.262(s)
Flammable and Combustible Liq-	.106(b)	Nip Guards	.262(dd)(1), (v), (z)
uids.		Openers	.262(d)
Atmospheric Tanks	.106(b)(1)(iii)	Padders	.262(v)
Construction	.106(b)(1)	Personal Protective Equipment	.262(qq)
Corrosion	.106(b)(1)(vi)	Pickers	.262(d)
Diking	.106(b)(2)(vii)	Power Transmission	.219(a)(3)
Ignition Sources	.106(b)(6)	Printing Machines	.262(dd)
Installation:		Rings Frames	.262(j)
Above Ground, Outside	.106(b)(2)	Roll Bench	.262(ii)
Inside Buildings	.106(b)(4)	Rope Washers	.262(bb)
Underground	.106(b)(3)	Sanforizing and Palmer Machines	.262(aa)
Low Pressure Tanks	.106(b)(1)(iv)	Shearing Machines Slashers	.262(o)
Materials	.106(b)(1)(i)	Slubbers	.262(h) .262(j)
Pressure Vessels Supports	.106(b)(1)(v) .106(b)(5)	Spinning Mules	.262(g)
Testing	.106(b)(5) .106(b)(7)	Standards Sources	.262(g) .262(a)(2), .265(j)
Venting	.106(b)(7)	Staple Cullers	.262(a)(z), .263(j)
vonding	(vi), (3)(iv), (4)(ii),	Tanks, Open	.262(II)
	(vi), (3)(iv), (4)(ii), (iii)	Tenter Frames	.262(t)
Tanks, Storage, Portable:	\···/	Tumblers	.262(cc)
Flammable and Combustible Liq-	.106(d)	Warpers	.262(i)
uids.	` ′	Worsted Drawing	
	•		(-)

Toeboards: Toelogy Cranes .179(d)(3) Toelogy Definition .21(a)(9) Power Transmission Apparatus .219(o)(5) Toelogy Powered Platforms .66(f)(5)(i)(G) Toelogy Walking-Working Surfaces .23(a)(2), (3)(ii), (e) Toelogy User Facilities: (see also Toilets) .141(c) .141(c) Construction .141(c)(2), (3) .120(n)(3) Toelogy	Subject term Jube and Coupler Scaffolds	Section No. 28(c) .29(d) .28(d) .29(b) .29(c)
Toeboards: Toelografic Cranes .179(d)(3) Toelog Definition .21(a)(9) Power Transmission Apparatus .219(0)(5) Toelog Powered Platforms .66(f)(5)(i)(G) Toelog Walking-Working Surfaces .23(a)(2), (3)(ii), (e) Toelog Construction .141(c) .141(c) Toelog Construction .141(c)(2), (3) .120(n)(3) Toelog	ube and Coupler Scaffolds, Mobile ubing: (see Piping, Fittings, and Tub- ing) ubular Welded Frame Scaffolds ubular Welded Frame Scaffolds, Mo- bile. ubular Welded Sectional Folding Scaffolds. urning Machines wo-Point Suspension Scaffolds wo-Section Rung Ladders I-Guards	.29(d) .28(d) .29(b)
Cranes .179(d)(3) Tu Definition .21(a)(9) Power Transmission Apparatus .219(o)(5) Tu Powered Platforms .66(f)(5)(i)(G) Tu Walking-Working Surfaces .23(a)(2), (3)(ii), (e) Tu Toilet Facilities: (see also Toilets) .141(c) Tu Construction .141(c)(2), (3) Tu Hazardous Waste .120(n)(3) Tu	ubing: (see Piping, Fittings, and Tubing) ubular Welded Frame Scaffolds ubular Welded Frame Scaffolds, Mobile. ubular Welded Sectional Folding Scaffolds. urning Machines wo-Point Suspension Scaffolds wo-Section Rung Ladders	.28(d) .29(b)
Definition	ing) ubular Welded Frame Scaffolds ubular Welded Frame Scaffolds, Mobile. ubular Welded Sectional Folding Scaffolds. urning Machines	.29(b)
Power Transmission Apparatus	ubular Welded Frame Scaffoldsubular Welded Frame Scaffolds, Mobile. ubular Welded Sectional Folding Scaffolds. urning Machines	.29(b)
Powered Platforms	ubular Welded Frame Scaffolds, Mobile. Jubular Welded Sectional Folding Scaffolds. Jurning Machines Wo-Point Suspension Scaffolds Wo-Section Rung Ladders J-Guards	.29(b)
Walking-Working Surfaces .23(a)(2), (3)(ii), (e) Toilet Facilities: (see also Toilets) .141(c) Construction .141(c)(2), (3) Hazardous Waste .120(n)(3)	ubular Welded Sectional Folding Scaffolds. urning Machines	, ,
Construction	Scaffolds. urning Machines wo-Point Suspension Scaffolds wo-Section Rung Ladders I-Guards	.29(c)
Hazardous Waste120(n)(3)	urning Machines	
	wo-Point Suspension Scaffolds wo-Section Rung Ladders I-Guards	
	wo-Section Rung Ladders	.213(0)
1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	J-Guards	.28(g)
14 1		.25(c)(3)(iii) .219(m)(3)
Towels	Inderground Storage Tanks, Flam-	.106(b)(3)
Washing Facilities	mable and Combustible Liquids.	()()
Tongs, Upsetters	Location	.106(b)(3)(i)
Tooling	Depth and Cover	.106(b)(3)(ii)
Towels	Corrosion Protection	.106(b)(3)(iii)
Towers Coeffelds: (see Lodder Stands 20	VentsInit Physical Operations	.106(b)(3)(iv) .106(e)(3)(v)
and Coeffelds, Coeffelds, Warts Diet	psetters	.218(h)
forms, Mobile).	Dies Changing	.218(h)(5)
Tractors: (see also Powered Industrial .178	Lockouts	.218(h)(2)
Trucks).	Manual Controls	.218(h)(3)
Trailers	Supporting Foundations	.218(h)(1)
Pleadharna nathagana aynagura 1030(a)(E) (a)(2)	Tongs	.218(h)(4)
to	'alves: (see also Piping, Valves, and	
Electrical safety-related work prac332	Fittings) Air Receivers	.169(b)(3)
tices.	Liquefied Petroleum Gases	.110(b)(7)
Fire brigades	Non-DOT Containers	.110(d)(3)
Fire extinguishers	aporizers:	()()
Hazardous chemicals	Liquefied Petroleum Gases	.110(b)(11)
process safety management.	Liquid Hydrogen	.103(c)(1)(viii)
Hazardous waste operations 120(a) (b)(7)	Liquid Oxygen	.104(b)(7)
(q)(b)	ehicles, slow-moving, signs	.145(d)(10) .30(c)
Respirators	Cutters	.213(q), (s)(13)
Telecommunications	entilation	.94, .107(d)
Truck Operators	Abrasive Blasting	.94(a)
Transmission Pipeline Welding	Asbestos	.1001(c)(1)(ii)
Construction Standards	Bulk Oxygen Systems	.104(b)(3)(xii)
Electric Shock	Bulk Plants	.106(f)(2)(iii)
Field Shop Operations	Confined Spaces Dip Tanks	.255(e)(4)(ii), (f)
Flammable Substances	Effective Dates	.124(b), .125(d)(2) .98
Pressure Testing	Electrostatic Spraying	.107(i), .107(r)(9)
X-ray Inspection	Grinding, Polishing, and Buffing	.94(b)
Blasting Agents	Inside Storage Rooms	.106(d)(4)(iv)
Explosives	Laundries	.262(c)(4)(ii),
Fire Extinguishers109(d)(2)(iii)	Develop Ocations	(d)(1)(ii)
Markings109(d)(2)(ii)	Powder Coatings Processing Buildings	.107(1)(2)
Vehicles	Sawmills	.106(h)(3)(iii) .265(c)(7)
Trapdoors	Spray Finishing	.94(c)(5)
Treads, Stairs	Spraying Operations	.94(c), .107(d)
Treadles	Exhaust Duct System	.107(d)(3), (7)
Trestle Ladders, Portable:	Fan-Rotating Element	.107(d)(4)
Metal	Independent Exhaust	.107(d)(3)
Wood25(c)(3)(v)	Room Intakes	.107(d)(11)
Trimming Presses	Standards Sources	.99
Trips, Two-Hand	enting, Tanks: Aboveground	.106(b)(2)(iv)-(vi)
Trolley Ladders, Portable	Inside	.106(b)(4)(ii)
Trolley Stops, Cranes	Portable	.106(d)(2)(ii)
Truck Cranes: (see Crawler, Loco180	Underground	.106(b)(3)(iv)
motive and Truck Cranes).	'ents: (see Venting)	
	ermin Control	.141(a)(5)
	'inyl Chloride	.1017
Hand	Emergency situations Hazardous operations	.1017(i)
Highway	Medical surveillance	.1017(h) .1017(k)
Trucks, Powered Industrial: (see also .178	Methods of compliance	.1017(k)
Powered Industrial Trucks).	Monitoring	

Subject term	Section No.	Subject term	Section No.
Permissible exposure limit	.1017(c)	Cleaning Compounds	.252(c)(11)
Regulated area	.1017(c)	Concentrations. Maximum Allow-	.252(c)(11)
Respiratory protection	.1017(g)	able.	.232(6)(1)(11)
	.1017(g) .1017(l)	Containers	252(2)(3)
Signs and labels		Containers	.252(a)(3)
Training Valking-Working Surfaces:	.1017(j)	Definitions	.252(c)(1)(i)
Aisles	.22(b)	Exhaust Hoods	.251
Covers	.22(c)	Fire Protection	.252(c)(3)
Definitions		File Flotection	.252(a)(2)(i), (ii),
	.21 .24	First Aid Favinment	(XV)
Fixed Industrial Stairs	.22(d)	First Aid Equipment	.252(c)(13)
Floor Chanings Cuard		Fluorine Compounds	.252(c)(1)(v), (5)
Floor Openings Guard General Requirements	.23 .22	Ladders, Fixed	.252(c)(1)(iv)
			.27(b)(6)
Guardrails Housekeeping	.22(c)	Lead	.252(c)(7)
Ladders:	.22(a)	Liquefied Petroleum Gases	.110(b)(4)
	27	Mercury Machanical	.252(c)(10)
Fixed Portable:	.27	Piping Systems, Mechanical	.252(d)(2)
Metal	26	Personnel Protection	.252(b)
	.26	Precautions	.252(a)(2), .255(e)
Wood	.25 .29	Prohibited Areas	.252(a)(2)(vi)
Stands	1	Screens	.252(c)(1)(ii)
Passageways	.22(b) .28	Spot and Seam	.255(b)
Scaffolding Safety		Stainless Steels	.252(c)(12)
Scaffolds (Towers)	.29 .24	Supervisory Responsibility	.252(a)(2)(xiv)
Stairs, Fixed Industrial Standards Sources	.24	Transmission Pipelines Ventilation	.252(d)(1)
	-	venulation	.252(c)(1)(ii), (c)(2)
Wall Openings Guarding Working Surfaces	.23 .30	Zinc	(4)
Wall Cranes: (see Gantry Cranes)	.30	Welding Machines, Portable	.252(c)(6)
	22/h)	Clevis	.255(c) .255(c)(3)
Wall Openings (Holes)Warehouses:	.23(b)	Counterbalance	
Ammonium Nitrate	100(i)(4)		.255(c)(1)
	.109(i)(4)	Grounding	.255(c)(6)
Flammable Liquids	.106(d)(5)(v)	Holder, Movable	.255(c)(5)
Warning Devices and Signs: (see also		Safety Chains	.255(c)(2)
Signs and Tags)	4000(-)(4)	Switch Guards	.255(c)(4)
Bloodborne pathogens	.1030(g)(1)	Wharves:	400(0(4)
Cranes	.179(i)	Bulk Plants	.106(f)(4)
Ionizing Radiation	.96(f)	Chemical Plants	.106(i)(2)
Manlifts	.68(c)(7)	Distilleries	.106(i)(2)
Nonionizing Radiation	.97(a)(3)	Explosives	.109(f)
Washing Facilities	.141(d), .142(f),	Marine Service Stations	.106(g)(4)
Neste Dieses	.120(n)(6)	Refineries	.106(i)(2)
Waste Disposal	.141(a)(4)	Wheels, Multi-Piece Rim: Servicing	.177
Asbestos	.1001(h)(2)	Winch Heads, Derricks	.181(i)(5)
Bulk Plants	.106(f)(7)	Wind Indicators	.179(b)(4)
Containers	.141(g)(3)	Window-Jack Scaffolds	.28(r)
Dip Tanks	.125(e)(4)(ii),(iii)	Guardrails	.28(r)(3)
Ionizing Radiation	.96(k)	Use	.28(r)(1), (2)
Labor Camps	.142(e), (h)	Wood Heel Turning Machines	.213(0)
Processing Plants	.106(h)(8)(iii)	Wood Ladders, Portable: (see also	.25
Radiation	.96(k)	Ladders, Portable Wood).	00(1)
Service Stations	.106(g)(7)	Wood Pole Scaffolds	.28(b)
Spraying	.107(g)(3)	Wood Shapers	.213(m)
Water Gels	.109(h)	Wooden Guards	.219(o)(2)
Water Spray Extinguishing Systems,	.163	Woodworking Machinery	.213
Fixed.		Band Saws and Resaws	.213(i)
Nater Supply:		Boring Machines	.213(I)
Hazardous waste operations	.120(n)	Circular Resaws	.213(e)
Labor Camps	.142(c)	Construction	.213(a)
Nonpotable Water	.141(b)(2)	Controls	.213(b)
Potable Water	.141(b)(1)	Crosscut Table Saws	.213(d)
Sprinkler Systems	.159(c)(4)	Definitions	.211(a)
Standpipe and Hose Systems	.158(d)	Drag Saws	.213(r)
Weather Protection Manlifts	.68(b)(15)	Effective Dates	.220
Welding: (see also Acetylene Genera-	.251257	Glue Spreaders, Roll-Type	.213(r)
tors; Arc Welding; Flash Welding		Hand-Fed Crosscut Table Saws	.213(d)
Equipment; Resistance Welding		Hand-Fed Ripsaws	.213(c)
Equipment; Welding Machines, Port-		Inspection	.213(s)
able).		Jointers	.213(j)
Beryllium	.252(c)(8)	Maintenance	.213(s)
Cadmium	.252(c)(1)(v), (9)	Matching Machines	.213(n)
Chemicals, highly hazardous,	.119(k)	Molding Machines	.213(n)
process safety management;		Mortising Machines	.213(l)
process salety management,			

Subject term	Section No.	Subject term	Section N
Profile Lathes	.213(o)	Dead-Man Controls	.243(a)(2)
Radial Saws	.213(h)	Grounding	.243(a)(5)
Ripsaws	.213(c)	Sanding Machines	.243(a)(3)
Sanding Machines	.213(p)	Work Platforms	.66, .67
Self-Fed Circular Saws	.213(f)	Elevating and Rotating	.67
Standards Sources	.221	Powered Platforms	.66
Sticking	.213(n)	Vehicle-Mounted	.67
Swing Cutoff Saws	.213(g)	Application	.67(b)(1)
Swing Head Lathes	.213(o)	Design	.67(b)(2)
Table Saws	.213(d)	Work Platforms, Mobile: (see also	.29(e)
Tenoning Machines	.213(k)	Scaffolds).	- (-)
Turning Machines	.213(o)	Working Surfaces: (see also Walking-	.30
Veneer Cutters	.213(q)	Working Surfaces).	
Wood Heel Turning Machines	.213(o)	X-ray Inspections, Mechanical Piping	.252(d)(2)(ii)
Wood Shapers	.213(m)	Systems.	- (-/(/(/
Woodworking Tools, Portable Powered	.243(a)	Zinc	.252(c)(6)
Belt Sanding Machines	.243(a)(3)	Confined Spaces	.252(c)(6)(i)
Circular Saws	.243(a)(1)	Indoors	.252(c)(6)(ii)
Cracked Saws	.243(a)(4)		(-)(-)()