

## Oil-Only Pillow in a Pan #WPIL1224 - 10.5" x 10.5" x 3", 24 pillows/package



For an economical solution to high-volume leaks and drips, try this Oil-Only Pillow in a Pan. When saturated, you simply replace the Pillow and reuse the Pan.

- **Efficient, Cost-Effective:** Each Oil-Only Pillow absorbs up to 3 quarts of oil or other oil-based liquid while actually repelling water. By selectively absorbing petroleum-based liquids and not water, these Pillows take in more oil and can be left on the job longer. This kind of efficiency makes the Pillow in a Pan an ideal choice for catching recurring or continuous high-volume leaks.
- **Makes a Great "Quick Response" Absorbent:** No preparation required. Simply set it in place, and watch it go to work. With high absorbency and a holding depth of 3", the Pillow in a Pan provides the volume capacity you need to handle a variety of sorbency situations.
- **Color-Coded:** Color-coding helps you visually identify the right sorbent for your needs. White designates Oil-Only sorbency and makes it easy to identify when saturated.

### WPIL1224 Specifications

<b>Dimensions:</b>	10.5" W x 3" D x 10.5" L
<b>Shipping Dimensions:</b>	17" W x 25.25" L x 12" H
<b>Sold as:</b>	24 pillows per package
<b>Color:</b>	White/Black Tray
<b>Composition:</b>	Poly Blend
<b>Recycled Content:</b>	100% Post-Industrial Recycled Poly Blend Filler
<b>Absorbency:</b>	Up to 18 gal. per package
<b>Absorbency per:</b>	Up to 0.75 gal. per pillow
<b>Weight:</b>	9 lbs.
<b># per Pallet:</b>	35
<b>Incinerable:</b>	No
<b>Ship Class:</b>	175

### Metric Equivalent Specifications

<b>Dimensions:</b>	26.7cm W x 7.6cm D x 26.7cm L
<b>Shipping Dimensions:</b>	43.2cm W x 64.1cm L x 30.5cm H
<b>Absorbency:</b>	Up to 68.1 L per package
<b>Absorbency per:</b>	Up to 2.8 L per pillow
<b>Weight:</b>	4.1 kg

## WPIL1224 Technical Information

### Warnings & Restrictions:

There are no known warnings and restrictions for this product.

### Regulations and Compliance:

49 CFR 173.3(c)(2) - The area between a container and a salvage drum used for overpacking must have "sufficient cushioning and absorption material to prevent excessive movement of the damaged package and to eliminate the presence of any free liquid at the time the salvage drum is closed."

29 CFR 1910.22(a)(2) - Floors in your workplace should be, "maintained in a clean and, so far as possible, a dry condition."

### Technical Documents:

(Available at [spilltech.com](http://spilltech.com))

Product Data Sheet (PDS)

Safety Data Sheet (SDS)



Online:  
[spilltech.com](http://spilltech.com)

Phone:  
**1-800-228-3877 (N.Am.)**  
**1-770-475-3877 (Other)**

Fax:  
**1-800-872-3764 (N.Am.)**  
**1-770-410-1812 (Other)**

Email:  
[sales@spilltech.com](mailto:sales@spilltech.com)