EASY STEP NE 113



- Designed for use with 48" to 54" deep aboveground pools
- Easy to install
- Two plastic handrails allow for easy entry into pool
- Mounts to any decking surface with mounting brackets
- Slats on side of step allow water to flow with less restriction, which will decrease the chance of algae growth behind step
 - Fits decks up to 60"
 - Step dimensions: 10" x 27"

MAXIMUM WEIGHT CAPACITY 350 Lbs.

EASY STEP ENTRY SYSTEM NE 138



- **♦** For use with 48" to 54" above ground pools
- All resin construction eliminates chance of corrosion
- Sridge system includes two steps with handrails which make for easy access to the pool
- ✓ Includes gate with latch and lock to limit access to pool site when pool is not in use
- Slats on side of step allow water to flow with less restriction, which will decrease the chance of algae growth behind step

NOT SHOWN

- Each step is 10" x 27"
- Crossover is 11.5" wide
- Riser between steps = 10"

MAXIMUM WEIGHT CAPACITY

EASY STEP W/OUTSIDE LADDER NE 126



- Perfect set-up for entry into aboveground pools with no deck
- ✓ Unlike standard A-frame ladders, the outside ladder is combined with an in-pool step making it easier to step into the pool
- ✓ Adjustable for use with 48" to 54" pools
- Outside ladder swings up when pool is not in use to limit access to the pool

NOT SHOWN

- Max width of step = 32.5"
- Width of steps on ladder = 18"

MAXIMUM WEIGHT CAPACITY 300 Lbs.