ipg intertape polymer group™


0



As one of the most comprehensive suppliers of industrial and packaging products, Intertape Polymer Group (IPG) is uniquely positioned to touch a broad base of customers with specialized solutions. The product solutions engineered by Intertape are designed to create efficiencies, cost containment and performance advantages for the end use markets and applications served by IPG products. The Core Products highlighted in this catalog meet the needs of most widespread industrial applications. To learn more about the complete line of IPG products that range from general to highly specialized, log on to www.itape.com.



Intertape[®] brand Paper Masking Tapes are designed for superior performance in a variety of applications and environments ranging from demanding temperature and UV sensitive paint masking to general purpose functions such as holding or light duty splicing, bundling and more.



UV RESISTANT

PT14 UV Resistant 14-Day Blue Masking Tape

			-						
-	 Removes cleanly up to 14 days after application, 	Item Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
	even when exposed to direct sunlight and high	PT1435	18mm x 54.8m	23	26	5.5	11	Blue	48
y	direct sunlight and high humidity	PT1436	24mm x 54.8m	23	26	5.5	11	Blue	36
	• Fine-Structured [™] crepe	PT1437	36mm x 54.8m	23	26	5.5	11	Blue	24
	paper backing	PT1438	48mm x 54.8m	23	26	5.5	11	Blue	24

PT8 UV Resistant 8-Day Green Masking Tape

	• Removes cleanly up to 8 days after application, even when exposed to direct sunlight and high humidity	ltem Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
		85283	18mm x 54.8m	18	22	5.9	11	Green	48
		85284	24mm x 54.8m	18	22	5.9	11	Green	36
	 Fine-Structured[™] crepe paper backing 	85285	36mm x 54.8m	18	22	5.9	11	Green	24
		85286	48mm x 54.8m	18	22	5.9	11	Green	24

PREMIUM GRADE

PG5 Premium Grade Masking Tape

6	Smooth textured backing Easy application	Item Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
61.0	Clean, crisp paint lines	PG5127	18mm x 54.8m	25	30	6.3	10	Natural	48
2		PG5128	24mm x 54.8m	25	30	6.3	10	Natural	36
		PG5129	36mm x 54.8m	25	30	6.3	10	Natural	24
		PG5130	48mm x 54.8m	25	30	6.3	10	Natural	24

Intertage PAPER MASKING TAPE



MEDIUM GRADE

519 Medium Grade Masking Tape

6	Solvent cast natural and synthetic rubber blend	Item Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
	adhesive	73848	18mm x 54.8m	23	36	6.0	7	Natural	48
	 Adheres to many surfaces 	73858	24mm x 54.8m	23	36	6.0	7	Natural	36
		73859	36mm x 54.8m	23	36	6.0	7	Natural	24
		73860	48mm x 54.8m	23	36	6.0	7	Natural	24

UTILITY GRADE

PG505 Utility Grade Masking Tape

(A)	 Paint contractor industry staple 	ltem Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
6,0	 High elongation will 	PG505.120	18mm x 54.8m	20	30	5.8	10	Natural	48
W.	conform to most painting applications	PG505.121	24mm x 54.8m	20	30	5.8	10	Natural	36
	applications	PG505.122	36mm x 54.8m	20	30	5.8	10	Natural	24
		PG505.123	48mm x 54.8m	20	30	5.8	10	Natural	24

515 Utility Grade Masking Tape

	Proven industry leader	Item		Tensile	Adhesion	Thickness	Elongation		Rolls/
65	Solvent cast natural and	Number	Size	lb/in	oz/in	mils	%	Color	Case
6.0	synthetic rubber blend	70830	18mm x 54.8m	21	40	6	7	Natural	48
S	adhesive	70885	24mm x 54.8m	21	40	6	7	Natural	36
	 Ideal for masking, bundling and holding 	70934	36mm x 54.8m	21	40	6	7	Natural	24
	Sananing and Holaning	70988	48mm x 54.8m	21	40	6	7	Natural	24

PG415 Utility Grade Masking Tape

-	 Very conformable backing and aggressive 	ltem Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
(A.)	adhesive	85328	18mm x 54.8m	15	37	5.3	8	Natural	48
2	 For non-critical securing and bundling 	85324	24mm x 54.8m	15	37	5.3	8	Natural	36
	applications	85325	36mm x 54.8m	15	37	5.3	8	Natural	24
		85326	48mm x 54.8m	15	37	5.3	8	Natural	24

513 Utility Grade Masking Tape

65	 Aggressive adhesive For applications such as 	ltem Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
A	textile, carpet seaming,	87217	18mm x 54.8m	19	36	5	6.4	Natural	48
	light industrial, manufacturing, bundling	87202	24mm x 54.8m	19	36	5	6.4	Natural	36
	and tabbing	87218	36mm x 54.8m	19	36	5	6.4	Natural	24
		87201	48mm x 54.8m	19	36	5	6.4	Natural	24



Intertape[®] brand Cloth/Duct Tapes satisfy even the most demanding requirements and industry standards. A must have for the most discerning contractors and every job site. Applications include sealing, bundling, weatherproofing, convention set-up, entertainment, construction, maintenance, and book binding/repair.



PREMIUM GRADE

AC50 Premium Grade Cloth/Duct Tape



re	mium Grade Cloth/Duct	Tape							
	 Provides excellent moisture barrier 	Item Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
	For use when a signifi-	82762	48mm x 54.8m	40	50	14.0	14	Silver	24
	cant level of tensile and tear strength are required	82763	48mm x 54.8m	40	50	14.0	14	Black	24

Meets ASTM D5486
 Type 1

							_			
					11.		G			
1	/		11	11		71	ก	11	1	-
		_	•	L '		/ 🗖		1/		_

AC36 Medium Grade Cloth/Duct Tape

	 The general contractor's duct tape of choice 	ltem Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
*	Aggressive adhesive for high performance applications	82843	48mm x 54.8m	20	54	11.0	18	Silver	24
		83053	72mm x 54.8m	20	54	11.0	18	Silver	16
	applications	82842	48mm x 54.8m	20	54	11.0	18	Black	24
		83052	72mm x 54.8m	20	54	11.0	18	Black	16

UTILITY GRADE

AC20 Utility Grade Cloth/Duct Tape

	• Economic all-purpose duct tape for home and	Item Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
	office use	74977	48mmx54.8m	19	54	9.0	18	Silver	24
9		78750	72mmx54.8m	19	54	9.0	18	Silver	16

AC10 Utility Grade Cloth/Duct Tape

 Ideal for wrapping, sealing and general use 	Item Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
 Conforms to irregular shapes 	87372	48mmx54.8m	17	41	7.5	15	Silver	24



(Intertage FILAMENT & MOPP TAPE

Intertape[®] brand fiberglass reinforced Filament Tape delivers superior adhesion for a variety of light to medium load applications. Intertape[®] brand MOPP Strapping Tape utilizes mono-oriented tensilized polypropylene for light duty strapping, palletizing and bundling.

PREMIUM GRADE

RG16* Premium Grade Filament Tape

	 Polyester film backed Natural rubber adhesive 	Item Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case			
	Very high tensile strength	RG1635	18mm x 54.8m	333	40	7.5	4.5	Clear	48			
Ŋ	Ideal for heavy duty	RG1636	24mm x 54.8m	333	40	75	4.5	Clear	36			
	industrial applications	RG1637	48mm x 54.8m	333	40	7.5	4.5	Clear	24			

RG316* Premium Grade Filament Tape

4	 BOPP backed Thin profile for medium to heavy duty use Ideal for moderate industrial packaging 	Item Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
Å .		RG316.3	18mm x 54.8m	300	70	6.1	4	Clear	48
Ø		RG316.4	24mm x 54.8m	300	70	6.1	4	Clear	36
		RG316.5	48mm x 54.8m	300	70	6.1	4	Clear	24

MEDIUM GRADE

RG315* Medium Grade Filament Tape

	BOPP backed with medium tensile strength	Item Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
	 Ideal for palletizing, 	RG315.3	18mm x 54.8m	175	49	4.2	4	Clear	48
- W	unitizing and strapping heavier products	RG315.4	24mm x 54.8m	175	49	4.2	4	Clear	36
	neuror preducto	RG315.5	48mm x 54.8m	175	49	4.2	4	Clear	24

RG15 Medium Grade Filament Tape

-	 Polyester film backed; medium tensile strength 	Item Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
	 Aggressive natural rubber adhesive 	RG15.27	18mm x 54.8m	175	39	5.6	4	Clear	48
		RG15.28	24mm x 54.8m	175	39	5.6	4	Clear	36
	 Ideal for palletizing, unitizing and bundling heavier products 	RG15.29	48mm x 54.8m	175	39	5.6	4	Clear	24

GENERAL GRADE

RG3 General Grade Filament Tape

Industry workhorse PET polyester film backed multi purpose filament tape	,	Item Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
	RG353	18mm x 54.8m	131	41	4.9	3	Clear	48	
Ð		RG354	24mm x 54.8m	131	41	4.9	3	Clear	36
		RG355	48mm x 54.8m	131	41	4.9	3	Clear	24

Additional products, sizes and specifications available. Log on to www.itape.com to view our complete product offering. * Standard lead times may not apply.





UTILITY GRADE

RG400^{*} Utility Grade Filament Tape



tinty Grade i nament rap								
Hand tearable	ltem Number	Size	Tensile lb/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
 Readable graphics 	Number		ID/IN	oz/in	miis	70		Case
through contact clear	RG400.12	12mm x 54.8m	100	75	5.3	4	Clear	72
construction Excellent delamination 	RG400.18	18mm x 54.8m	100	75	5.3	4	Clear	48
resistance for ease of	RG400.24	24mm x 54.8m	100	75	5.3	4	Clear	36

- Ex re use when having to stop, break and restart a roll
- Excellent for bundling, strapping and palletizing

RG300 Utility Grade Filament Tape

	and and a marrier rap	0							
	BOPP backed Ideal for non-critical	ltem Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
	packaging and shipping	RG300.38	9mm x 54.8m	100	48	4.0	3	Clear	96
		RG300.39	12mm x 54.8m	100	48	4.0	3	Clear	72
		RG300.40	18mm x 54.8m	100	48	4.0	3	Clear	48
		RG300.41	24mm x 54.8m	100	48	4.0	3	Clear	36
		RG300.43	48mm x 54.8m	100	48	4.0	3	Clear	24

BUNDLING/STRAPPING (MOPP)

197 MOPP Tape



PP Tape								
 Used for palletizing, unitizing and bundling 	ltem Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
• Temperature resistant to	1974	9mm x 54.8m	100	60	2.7	34	Clear	192
160°F/70°C	1975	12mm x 54.8m	100	60	2.7	34	Clear	144
	1977	18mm x 54.8m	100	60	2.7	34	Clear	96
	19713	9mm x 54.8m	100	60	2.7	34	Black	192
	19715	12mm x 54.8m	100	60	2.7	34	Black	144
	19716	18mm x 54.8m	100	60	2.7	34	Black	96



(Intertape[®] FLATBACK TAPE

Intertape[®] brand Flatback Tape is designed for a variety of packaging, splicing and tabbing applications, providing a quick, positive seal under a wide range of temperature and humidity conditions. Applications include splicing, tabbing and box closure.

MEDIUM GRADE

PM2 Flatback Tape

Versatile Matches most corrugated cardboard for professional socied	ltem Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
	PM274	24mm x 54.8m	47	57	6.0	3	Tan	36
for professional sealed look	PM275	36mm x 54.8m	47	57	6.0	3	Tan	24
	PM277	48mm x 54.8m	47	57	6.0	3	Tan	24

539 Flatback Tape

10	• Low curl; highly conformable tape	ltem Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
	 Designed for carton 	74936	18mm x 54.8m	40	50	7.2	7	Brown	48
- V	sealing, splicing and use with automatic tape	74937	24mm x 54.8m	40	50	7.2	7	Brown	36
	heads	74938	36mm x 54.8m	40	50	7.2	7	Brown	24
		74941	48mm x 54.8m	40	50	7.2	7	Brown	24

534 Flatback Tape

3	• Low curl; highly conformable tape	ltem Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/ Case
	Designed for carton	71598	24mm x 54.8m	35	43	7.2	8	Brown	36
	sealing, splicing and use with automatic tape	71624	36mm x 54.8m	35	43	7.2	8	Brown	24
	use with automatic tape	71672	48mm x 54.8m	35	43	7.2	8	Brown	24







Intertage DOUBLE-COATED TAPE

Intertape[®] brand Double-Coated Tape features an extremely aggressive tack. Ideal for many industrial uses such as golf grip application, photograph mounting, carpet installation, plate mounting, and adhering and bonding applications.



UTILITY GRADE

591 Double-Coated Tape

1	Standard for golf grip repair	ltem Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils w/o liner/with liner	Elongation %	Color	Rolls/ Case
	 Heavy duty; double-coated flatback Also ideal for photograph mounting, carpet installation and textile manufacturing 	72699	18mm x 32.9m	34	52	7.0/12.0	3	Natural	48
		72706	24mm x 32.9m	34	52	7.0/12.0	3	Natural	36
		72713	36mm x 32.9m	34	52	7.0/12.0	3	Natural	24
		84913	2in x 36yds	34	52	7.0/12.0	3	Natural	24

592 Double-Coated Tape

(100 m)	 Double-coated crepe paper tape w/ white liner 	ltem Number	Size	Tensile Ib/in	Adhesion oz/in	Thickness mils w/o liner/with liner	Elongation %	Color	Rolls/ Case	
	 Easy-release treated 	82738	18mm x 32.9m	23	47	6.0/10.4	8.5	Natural	48	
	 Ideal for printing/textile industry and certain splicing applications 	82739	24mm x 32.9m	23	47	6.0/10.4	8.5	Natural	36	
		82741	48mm x 32.9m	23	47	6.0/10.4	8.5	Natural	24	



COMPLEMENTARY PRODUCTS

PRESSURE-SENSITIVE CARTON-SEALING TAPE

As a leader in the pressure-sensitive carton-sealing tape market, Intertape Polymer Group[™] (IPG) combines years of experience as a prime manufacturer of superior quality tape to the industrial and consumer channels.



Intertape[®] brand Hot Melt Adhesive Carton-Sealing Tapes offer the widest range of application flexibility available. Superior adhesion properties, holding force and tensile strength ensure consistent, reliable seals. Noted for quiet release and easy unwind, IPG's Hot Melt Tape is well suited for automatic case-sealing machines.



ACRYLIC ADHESIVE

Intertape[®] brand Acrylic Carton-Sealing Tape is best suited for applications in temperatures less than 40°F and greater than 120°F. Providing excellent clarity, acrylic tape ages well over extended periods in sunlight and fluorescent lighting.



NATURAL RUBBER ADHESIVE

Central[®] brand Natural Rubber Tape has the most aggressive adhesive available offering fast, positive bonding on "problem" applications such as high recycled content cartons, rough or ultra-smooth cartons, heavy ink coverage, dusty and/or dirty environments, humid conditions and temperature extremes.

WATER-ACTIVATED CARTON-SEALING TAPE

Central[®] brand Water-Activated Tapes bond instantly to both virgin and recycled fiber (corrugated carton, paper, etc.) surfaces and therefore, generate an immediate destructive bond resulting in a tamper evident package. Central is a recognized pioneer and innovator in water-activated technology.





REINFORCED

Available in a wide variety of sizes and product construction, Central[®] Brand reinforced tapes are designed to provide consistent performance in carton sealing applications where durability, extra strength and reliability are required. Extra strong fiberglass yarns are bonded between the high tensile strength sheets for an extra margin of strength.

PAPER

Designed for fast, permanent adhesion and superior strength. Cracking of the adhesive surface provides our paper tape with excellent flexibility for sealing carton corners, edges and irregular surfaces. Use Central[®] Brand paper tapes to seal lightweight or standard sized packages or cartons that will be shipped in unitized loads or full pallets. Central[®] Brand paper tapes are Lili[™] Approved as the most environmentally preferred method of sealing a box.



COMPLEMENTARY PRODUCTS

FILMS

STRETCH FILM

A market leader in technology, IPG manufactures monolayer and 3-layer blown film, both 5 & 7-layer cast films and specialty products on state-of-the-art equipment in ISO Certified facilities.

SuperFLEX[™] brand High Performance Films provide significant downgauging opportunities yielding as much as a 30% reduction in the amount of film needed to securely contain a load. In addition to providing a measurable cost savings, the reduction in film consumed means that SuperFLEX[™] brand films are environmentally preferred over conventional films.

StretchFLEX[®] brand Stretch Wrap rounds out the Intertape Polymer Group line of films and is designed to meet a variety of stretch wrapping needs.

SHRINK FILM

Exlfilm[®] brand shrink films guarantee your packaging looks its absolute best, while providing unmatched durability, versatility and value. Our advanced crosslinking technology enables sealing on all types of equipment across a wider range of temperatures, and improves burn through resistance ensuring the best possible package.

PROTECTIVE PACKAGING

For years, Intertape Polymer Group has been a trusted source for the products that secure your packages as a leading supplier of carton-sealing tapes and stretch film. It only makes sense that you would also rely on Intertape to protect the contents of your packages. That is why the iCushion[™] brand Protective Packaging line emerged with the fastest Air Pillow System on the market and continues to expand.

AP-8000C INFLATABLE AIR PILLOW SYSTEM

- Available in conventional or Oxo-Biodegradable film
- Popular pillow sizes: 8" x 8" and 8" x 12"

AP-2000 INFLATABLE AIR PILLOW SYSTEM

- Available in Oxo-Biodegradable film
- Popular pillow sizes: 8" x 4" and 8" x 8"
- Placement of air pillow systems requires customer commitment.



iCushion[™] Oxo-biodegradable air pillows are available in a variety of popular sizes.



















COMPLEMENTARY PRODUCTS

CASE SEALING EQUIPMENT

IPG's Interpack[™] brand of quality case sealers and accessories offers the features and versatility you need with performance you can depend on... all at the most cost-effective price. Our comprehensive equipment line includes case sealers, tape heads, case erectors, standard and special options and custom-built special application machinery.

Case sealing equipment available in:

- USA Series Uniform Semi-Automatic
- UA Series Uniform Automatic RSA Series - Random Semi-Automatic • RA Series - Random Automatic
- Ask about Interpack's equipment capabilities and programs... including the Tape Head Program, Tape Incentive Program, Parts Voucher, Spare Parts Kit and more.

WATER-ACTIVATED TAPERS

As the market leader for water-activated carton-sealing tape, Intertape's commitment continues with the introduction of state-of-the-art tabletop dispensers.

This superior line of dispensers offers improved features and benefits enhancing the value created by an integrated system of closure material and dispenser. The increased capabilities highlighted in the TWA 1000-M Manual Taper and TWA 1000-E Electric Taper provide the quality your production requires.

CARTON-SEALING TAPE HAND DISPENSERS

Intertape brand carton-sealing tape hand dispensers have a comfortable pistol grip and adjustable tension brake. Available for 2 and 3-inch rolls of tape.

MEET LILITM

Lili[™] is Intertape's environmental stewardship program and stands for "Low environmental impact line from Intertape". Lili™ encompasses:

- Corporate Commitment
- Socially Responsible Corporate Initiatives

LILI APPROVED PRODUCTS

- Oxo-Biodegradable Films, including Stretch Film, Shrink Film and Air Pillows
- Central[®] brand Water-Activated Paper Tape



11



TWA 1000-E Electric Taper

Low-environmental impact line from intertape



USA 3036-SB Case Sealer






CORPORATE PROFILE

Intertape Polymer Group Inc. (IPG) is an acknowledged leader in the packaging industry. Leveraging its advanced manufacturing and technologies, extensive research and development capabilities and a comprehensive strategic acquisition program, the company believes it has assembled the broadest and deepest range of products in the industry.

IPG is widely recognized for its development and manufacture of specialized polyolefin, plastic and paper-based packaging products, as well as complementary packaging systems for industrial and retail use. Additionally, IPG is a woven and flexible intermediate bulk container (FIBC) manufacturer. Its performance products, including tapes and cloths, are designed for demanding aerospace, automotive and industrial applications and are sold to a broad range of industry/specialty distributors, retail stores and large end-users in diverse industries.

Langley, British Columbia





Marysville, MI Fax: 800-368-8273 Columbia, SC Fax: 800-462-1293 Montreal, QC Fax: 800-561-3671 Tape Technical Help: 877-447-4832 www.itape.com | E-mail: info@itape.com

