

Page 1 of 6 **SDS-E-L260NP** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0





Page 2 of 6 **SDS-E-L260NP** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0 SDS Revisio

		4. FIRST AID MEASURES – con	ťd			
4.3	Symptoms of Overexposure:	Ingestion:         Nausea, intestinal discomfort, vomiting and/or diarrhea           Eves:         Overexposure in eyes may cause redness, itching and           Skin:         Symptoms of skin overexposure may include rednes like symptoms. The product can cause allergic skir individuals.	l watering. s, itching, a			
4.4	Acute Health Effects:	Non-irritating when used as directed. Moderate irritation to eyes concentrations of vapors can cause drowsiness, dizziness, headache			l areas. Addit	ionally, high
4.5	Chronic Health Effects:	None reported by the manufacturer.				
4.6	Target Organs:	Eyes, Skin				
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of th target organs (eyes, skin).		H IABILITY		1 0
				CAL HAZAR	2DS	0
				CTIVE EQU		B
			EYES	SKIN		
			•			
		5. FIREFIGHTING MEASURES				
5.1	Fire & Explosion Hazards:	This product is not flammable. However, if involved in a fire, this protect temperatures to form toxic gases (e.g., CO,CO <sub>X</sub> ).		-	t high	
5.2 5.3	Extinguishing Methods: Firefighting Procedures:	Water, Foam, CO <sub>2</sub> , Dry Chemical. Use water spray to cool unopene				
		Fight fires as for surrounding materials. As in any fire, wear MSHA/N breathing apparatus (pressure-demand) and full protective gear. If after the fire is out. Use water spray to cool fire-exposed surfaces fire upwind. Avoid spraying water directly into storage containers b Prevent runoff from fire control or dilution from entering sewers, dr any natural waterway. Firefighters must use full bunker gear inclu pressure self-contained breathing apparatus to protect against pote decomposition products and oxygen deficiencies.	Keep contain and to prote because of d ains, drinkin ding NIOSH	ners cool unt ect personal. langer of boil ng water supp l-approved po	il well Fight -over. bly, or ositive	0
		6. ACCIDENTAL RELEASE MEASU				
6.1	Spills:	<ul> <li>Before cleaning any spill or leak, individuals involved in spill clequipment.</li> <li>For small spills (e.g., &lt; 1 gallon (3.8 L)) wear appropriate person Maximize ventilation (open doors and windows). Remove spille appropriate closed container(s) for disposal. Dispose of properly in Wash all affected areas and outside of container with plenty of w clothing and wash thoroughly before reuse.</li> <li>For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotomaterial (e.g., sand or earth). Transfer product to containers for separate containers for proper disposal. Remove contaminated c soap and water. Keep spills and cleaning runoffs out of municipal set.</li> </ul>	conal protect d material of accordance warm water tected individ r recovery of clothing prom	tive equipme with absorber with local, sta and soap. I duals. Dike or disposal a nptly and was	nt (e.g., goggl nt material and ate and federal Remove any co and contain sp nd solid diking sh affected skii	es, gloves). d place into regulations. ontaminated bill with inert g material to
		7. HANDLING & STORAGE INFORM	ATION			
7.1	Work & Hygiene Practices:	Do not eat, drink, or smoke while handling this product. Wash thorou combustible materials. Avoid contamination from any source, inclu covered. Wash unintentional residues with soap and warm water.	ughly after h	andling. Avoi		
7.2	Storage & Handling:	Store at temperatures between 59 °F and 95 °F (15 °C and 35 °C heat, sparks, open flame, and other sources of ignition. Contained pressure to empty container or it may rupture with explosive force.	r is not desi	gned to conta	ain pressure.	
7.3	Special Precautions:	Spilled material may present a slipping hazard if left unattended. contain product residues. Avoid contaminating soil or releasing th bodies of water.	Clean all his material	spills prompt into sewage	ly. Empty cor and drainage s	ntainers may systems and



Page 3 of 6 SDS-E-L260NP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0 SDS Revision Date: 2/1/2018

8.1	Exposure Limits:		AC	GIH		NOHSC			OSHA		OTHER
	ppm (mg/m <sup>3</sup> )	CHEMICAL NAME(S)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
		DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC	5	10	NF	NF	NF	100	10	NA	RESP MIST
		RESIDUAL OILS (PETROLIUM) SOLVENT-REFINED	5	10	NF	NF	NF	5	10	NA	RESP MIST
		DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC	5	10	NF	NF	NF	5	10	NA	RESP MIST
3.2	Ventilation & Engineering Controls:	When working with large quanti that an eyewash station, sink or							al exhau	ist vent	ilation, fans). Ensu
8.3	Respiratory Protection:	No special respiratory protection necessary, use only respirator §1910.134, or applicable U.S. provinces, E.C. member states,	y prote state	ction au regulati	thorized p	er U.S. C	OSHA's requ	uireme	ent in 2	9 CFR	
8.4	Eye Protection:	Wear protective eyewear (e.g. product. Always use protectiv special hazard; soft lenses may	e eyew	ear whe	n cleaning	g spills or					$\textcircled{\textbf{i}}$
8.5	Hand Protection:	None required under normal sensitive individuals. When h impervious plastic gloves.	conditio	ons of u	use. Howe	ever, may					
8.6	Body Protection:	No apron required when hand gallon), eye wash stations and activities involving large quantit and water.	deluge	e showe	ers should	be availa	able. Upon	comp	letion c	of work	
	•	9. PHYSICA		HEN		ROFF	RIIES				
9.1	Appearance:	Amber liquid									
9.2	Odor:	Ethereal / hydrocarbon odor									
9.3 9.4	Odor Threshold: pH:	NA									
9.4 9.5	Melting Point/Freezing Point:	NA									
9.5 9.6	Initial Boiling Point/Pietzing Point.	NA									
	Range:	>240 °C (464 °F)									
9.7	Flashpoint:	> 244 °C (471 °F) COC (Clevela	and Ope	en Cup)							
9.8	Upper/Lower Flammability Limits:	NA									
9.9	Vapor Pressure:	<0.01 mmHg									
9.10	Vapor Density:	NA									
9.11	Relative Density:	0.72									
9.12	Solubility:	Insoluble									
9.13	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	5.4-7.5 cSt									
9.17	Other Information:	NA									
		10. ST	ABIL	ITY 8			Y				
10.1	Stability:	This product is stable.									
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO <sub>2</sub> ) and	d sulfur	(SO <sub>2</sub> ). L	iberation	of gas my	result in dar	ngerou	s press	ure.	
10.3	Hazardous Polymerization:	Will not occur.									
10.4	Conditions to Avoid:	Excessive heat, and incompatib									
10.5	Incompatible Substances:	Avoid extreme heat and ignition	COURCO	e Stora	away fron		•				



Other Requirements:

NA

15.8

# SAFETY DATA SHEET

Page 4 of 6 SDS-E-L260NP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0 SDS

Flepa	iled to OSHA, ACC, ANSI, N	Unsc, while 2001/36 & 12/2/2006/EC standards 305 Revision 4.0 305 Revision Date. 2/1/2016		
	r	11. TOXICOLOGICAL INFORMATION		
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES		
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product and is not presented in this document.		
11.3	Acute Toxicity:	Moderate irritation to eyes and skin near affected areas.		
11.4	Chronic Toxicity:	This material may aggravate any pre-existing skin condition (e.g., dermatitis).		
11.5	Suspected Carcinogen:	NO. The highly refined mineral oil contains < 3% (w/w%) DMSO extract, according to IP346.		
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.		
	Mutagenicity: This product is not reported to produce mutagenic effects in humans. This product contains Alkyl Dithiophospha (ZDDPs). Several ZDDPs have been reported to have weak mutagenic activity in cultured mammalian cells but onl concentrations that were toxic.			
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.			
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.		
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.		
11.7	Irritancy of Product:	The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.		
11.8	Biological Exposure Indices:	NE		
11.9	Physician Recommendations:	Treat symptomatically.		
12.1	Environmental Stability:	12. ECOLOGICAL INFORMATION		
12.1	Effects on Plants & Animals:	There is no specific data available for this product.		
12.2	Effects on Aquatic Life:	There are no specific data available for this product. <u>Ethanol</u> : EC <sub>50</sub> (Daphnia magna (water flea), 48h): 7.7 - 11.2 mg/L; LC <sub>50</sub> (Pimephales promelas (fathead minnow), 96h) >		
12.0	Elisono on Aquatio Elio.	$\frac{\text{Ethanol}}{100 \text{ mg/L}}$ ; Alkyl Dimethyl Benzyl Ammonium Chloride: LC <sub>50</sub> (Morone saxatilis (Striped bass, 96h): 10.4 - 19.1 mg/L		
		13. DISPOSAL CONSIDERATIONS		
13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler.		
13.2	Special Considerations:	NA		
		14. TRANSPORTATION INFORMATION		
The	basic description (ID Nun	nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.		
14.1	49 CFR (GND):	NOT REGULATED		
14.2	IATA (AIR):	NOT REGULATED		
14.3	IMDG (OCN):	NOT REGULATED		
14.4	TDGR (Canadian GND):	NOT REGULATED		
14.5	ADR/RID (EU):	NOT REGULATED		
14.6	SCT (MEXICO):	NOT REGULATED		
14.7	ADGR (AUS):	NOT REGULATED		
	1	15. REGULATORY INFORMATION		
15.1	SARA Reporting Requirements:	This product contains the following chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-know Act of 1986 and of CFR 372; 68649-42-3 Zinc Alkyldithiophosphate		
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.		
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.		
15.4	CERCLA Reportable Quantity (RQ):	NA		
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics).		
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.		
15.7	State Regulatory Information:	No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov.		
15.8	Uther Requirements:	NA		



Page 5 of 6 SDS-E-L260NP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0 SDS R

		16. OTHER INF	ORMATION
16.1	Other Information:	gloves and eye protection. IF ON SKIN – Wa advice/attention. IF SWALLOWED: Immediatel Specific Treatment: refer to Section 4 of the Sa	AND ENTERS AIRWAYS. Avoid contact with the eyes. Wear protective sh with plenty of soap and water. If skin irritation occurs: get medical y call a POISON CENTER or doctor/physician. Do NOT induce vomiting. fety Data Sheet (First Aid). IF IN EYES - Rinse continuously with water if present and easy to do – continue rinsing. Store locked up. <b>KEEP REN.</b>
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	government regulations must be reviewed for Laboratories, Inc.'s knowledge, the information accuracy, suitability or completeness is not gua provided. The information contained herein re	OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other or applicability to this product. To the best of ShipMate's & CAIG in contained herein is reliable and accurate as of this date; however, aranteed and no warranties of any type, either expressed or implied, are lates only to the specific product(s). If this product(s) is combined with the considered. Data may be changed from time to time. Be sure to
16.4	Prepared for:	CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/	CARLES, INC.
16.5	Prepared by:	ShipMate, Inc.           P.O. Box 787           Sisters, Oregon 97759-0787 USA           Tel: +1 (310) 370-3600           Fax: +1 (310) 370-5700           http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting



Page 6 of 6 SDS-E-L260NP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0

SDS Revision Date: 2/1/2018

# **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

### **GENERAL INFORMATION:**

CAS No. Chemical Abstract Service Number		
RTECS No.         Registry of Toxic Effects of Chemical Substances Number           EINECS No.         European Inventory of Existing Commercial Chemical Substances Num		

#### EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
IDLH	IDLH Immediately Dangerous to Life and Health	
NOHSC	National Occupational Health and Safety Commission (Australia)	
OSHA	OSHA U.S. Occupational Safety and Health Administration	
PEL Permissible Exposure Limit		
STEL	Short Term Exposure Limit	
TLV	Threshold Limit Value	
TWA	Time Weighted Average	

### FIRST AID MEASURES:


CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
	and provide oxygen to the body.

### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

## HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

_			
	0	Minimal Hazard	HEALTH
	1	Slight Hazard	FLAMMABILITY
	2	Moderate Hazard	PHYSICAL HAZARDS
	3	Severe Hazard	PERSONAL PROTECTION
	4	Extreme Hazard	

# PERSONAL PROTECTION RATINGS:



### OTHER STANDARD ABBREVIATIONS:


Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		

#### HAZARD RATINGS:

0	Minimal Hazard	FLAMMABIL
1	Slight Hazard	FLAMIMADIL
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	<b>(1</b> )
ALK	Alkaline	
COR	Corrosive	
W	Use No Water	HEALTH
OX	Oxidizer	
TREFOIL	Radioactive	



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm Concentration expressed in parts of material per million parts	
TD <sub>Io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or Lowest dose (or concentration) to cause lethal or toxic effects	
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

$\bigcirc$	۲	٢		Ē	۲		Ř
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$					
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment