





WINDSCREEN

quality custom products



The Douglas® Advantage

Douglas® is the leading USA manufacturer of windscreen, privacy screen and sport screen. With over 50 years of custom fabrication experience we have the highest and most strict material specifications in the industry. All Douglas® screens are specifically manufactured for tough outdoor conditions with UV and weather protection extruded in every fiber. Each screen is custom finished with either an 18oz solid vinyl overlay and 4-ply hem, or 3-ply with a double sewn solid vinyl insert. All finishing includes high performance exterior grade thread and #2 rust proof brass grommets. The diverse line of windscreens offered by Douglas® ensures you can find the best material at the best price for any recreational or industrial application. Our sales representatives are highly knowledgeable and provide unparalleled service and support.

QUALITY

As the manufacturer, we control every aspect of the production process. Every piece of material goes through multiple quality control checks to ensure accuracy and precision. Douglas's meticulous attention to detail guarantees consistent, quality craftsmanship every time.

SELECTION

Douglas® carries a complete line of premium windscreen fabrics in both polypropylene and vinyl coated polyester. Our wide range of materials includes both open and closed mesh fabrics, standard and custom colors and digital print ready. Our sales representatives will gladly guide you through the options and help you select the material that is best suited for your application.

SERVICE

Our dependable customer service team takes pride in quick response times with most inquiries being answered in no more than 24 hours. Every employee at Douglas® is cross trained on all products to ensure we always have the answers to all your questions. Our goal is your 100% satisfaction and we work relentlessly to exceed your expectations.

CUSTOMIZATION

Our screens are custom made to your exact specifications with any custom color, design, cut-out and size possible. We can assist with all aspects of your project such as graphic design, layout and drawings.

USA Manufactured



Digital Printing

Our Vinyl Coated Polyester windscreen fabrics can be customized with a school name, logo, mascot or advertisement. Windscreens are printed with our high quality UV digital printing process. Our elite printing method allows us to print directly on our materials eliminating the "white back" eye sore as used by other printing companies. We specialize in wide format, multi-color print completely treated for long lasting outdoor use. Once printed, the ink becomes part of the material and will not crack, peel or fade. All print jobs include a complimentary artwork design proof for approval. Once approved; our state of the art digital printer runs the exact blueprint from the artwork proof with laser precision eliminating any chance of error.



○ COURT FACILITIES



○ BALLPARKS



SPORTS FIELDS



CONSTRUCTION SITES & FACILITIES




Bleacher Screen

Solve two problems with bleacher enclosures. Secure the area beneath the bleachers from unauthorized access and improve the appearance of your bleachers and entire facility. Turn your enclosures into an eye-catching source of promotion by adding custom graphics. Enclosures are custom made to your specifications from vinyl coated polyester windscreen or 18 oz heavy-duty solid vinyl. Perimeter reinforced hems with brass grommets for easy installation and durability.



PolyPro™ Plus Premium

This 100% Polypropylene material is Douglas's® most popular windscreen. Choose from OMP (Open Mesh) or CMP (Closed Mesh) fabric. This low-maintenance material offers classic good looks and highly durable performance. Polypropylene material is heat-set so your screens will never shrink or change shape. Weather and UV protection is extruded into every fiber of Douglas® Poly-Pro Plus Premium Windscreen for maximum performance and long life.



Black Open Mesh



Green Closed Mesh

Fabric:	100% polypropylene; OMP: Open Mesh - 28 x 14 leno weave CMP: Closed Mesh - 30 x 16 leno weave
Windbreak:	Open - 85% Closed - 95%
Weight per square yard:	Open - 7 oz. Closed - 8 oz.
Tensile Strength:	Open - 380 x 185 Closed - 450 x 215
Colors:	Dark Green or Black
Warranty:	4-year limited

○ Douglas® Polypropylene Features & Options

Windscreens are available in standard 6' and 9' heights although panels can be customized to any dimensions. Any screen length is available; however, 60' is the maximum recommended length per panel.



Douglas® 4-Ply Hems

PolyPro Plus is finished with 4-Ply reinforced hems. Finished hems are constructed with a double stitched 18 oz vinyl overlay to provide incredibly strong finished panels. Built-in #2 brass grommets are spaced every 12" on the sides and every 18" on the top and bottom.



Center Tab with Grommets

All 9' screens include a Center Tab with grommets for anti-billowing installation.



Center Reinforcement Tape

Optionally, 9' screens may substitute a Center Reinforcement Tape (CRT) with grommets that can be laced to the fence.




AVR Air Vents

If windscreens are planned for high wind areas and are over 6' high, reinforced air vents are recommended. These optional cut and sewn AVR's measure 10"h x 8"w and are placed at 10' intervals along the length of the screen.




Vinyl Coated Polyester (VCP)

This versatile and attractive windscreen fabric is durable and boasts great weather resistance. VCP screens are available in a variety of colors and custom digital printing and logos can be printed directly on the material.



Black



Dark Green



Yellow




White



Royal Blue



Red



Purple



Orange



Navy Blue



Burgundy



Gray



Brown



Bright Green



Open Blue


Fabric:	50% vinyl, 50% polyester; Open Mesh - 9 x 12 weave
Windbreak:	Open - 80%
Weight per square yard:	Open - 8.5 oz.
Tensile Strength:	Open - 230 x 200
Standard Colors:	Dark Green or Black
Other Colors:	Yellow, White, Royal Blue, Red, Purple, Orange, Navy Blue, Burgundy, Gray, Brown, Bright Green and Open Tournament Blue
Warranty:	3-year limited

VCP Max™


VCP Max™ goes one step further by offering maximum tensile strength and visual blockage. At 85% windbreak, VCP Max™ allows more airflow than closed mesh screens, but provides a better visual background than open mesh screens.



Black



Dark Green



Open Tournament Blue

Fabric:	16 x 17 weave
Windbreak:	85%
Weight per square yard:	Open - 10 oz.
Tensile Strength:	395 x 401
Colors:	Dark Green, Black or Open Tournament Blue
Warranty:	4-year limited

Douglas® Vinyl Coated Polyester Features

Windscreens are available in standard 6' and 9' heights although panels can be customized to any dimensions. Any screen length is available; however, 60' is the maximum recommended length per panel.



Douglas® 3-Ply Hems Vinyl Coated Polyester fabrics are finished with Douglas extra-strong 3-Ply hems. Finished hems are reinforced with solid vinyl inserts and double sewn to 1-1/2" wide. Built-in #2 brass grommets are spaced every 12" on the sides and every 18" on the top and bottom.



Center Tab with Grommets
All 9' screens include a Center Tab with grommets for anti-blowing installation.



Center Reinforcement Tape
Optionally, 9' screens may substitute a Center Reinforcement Tape (CRT) with grommets that can be laced to the fence.

Digital Printing

Customize our Vinyl Coated Polyester windscreen fabrics with a school name, logo, mascot or advertisement. Screens are printed with our high-quality UV digital printing process. Our elite printing method allows us to print directly on our materials eliminating the "white back" eye sore as used by other printing companies. We specialize in wide format, multi-color print completely treated for long lasting outdoor use. All print jobs include a complimentary artwork design proof for approval.



Vinyl Coated Polyester Air Vent Options

Air Vents allow wind to pass through your windscreen without damaging your fence or windscreen. If the screens are closed mesh, over 6' high or planned for high wind areas air vents are recommended. Standard Air Vents are placed every 10' along the length of the screen.



AV Air Vents
Die-cut and heat sealed half moon air vents are recommended and are only available on vinyl-coated polyester material. Air vents measure 8" w x 5" h.




AVR Air Vents
Reinforced air vents can be cut and sewn into any windscreen material. Reinforced air vents measure 10" w x 8" h.

Privacy Screen

This lightweight material is tear resistant and will not unravel. Privacy Screen is UV stabilized and will not fade or deteriorate from natural elements. Material is also resistant to mold and mildew. Privacy Screen is purchased by the roll and can be cut-on-site or can be purchased in prefinished hemmed and grommeted panels. Rolls feature reinforced top and bottom sides for attachment to any fence with tie-raps.



Black



Dark Green



Brown



Beige



Blue

Construction	85 – 90% Knit Raschel
Fiber Content	100% High Density Polyethylene
Colors:	Dark Green, Black, Blue, Brown and Beige
Warranty:	4-year limited

Douglas® Privacy Screen Options

Unfinished Rolls (Cut-on-site)

44" x 150', for 4' fence (Item # 36924)

68" x 150', for 6' fence (Item # 36928)

92" x 150', for 8' fence (Item # 36932)



Reinforced Hem

Optional reinforced hems with grommets can be applied to the top and bottom edges to maximize strength. Optional Hems will reduce the overall roll height.

Finished Panels

Panels are finished with perimeter hems and grommets for extra reinforcement.

68" x 50' Panels

Green (Item # 26928G)

Black (Item # 26928B)

92" x 50' Panels

Green (Item # 26932G)

Black (Item # 26932B)



Digital Printing

Customize your privacy screen with digital graphics to meet your project's needs.

Weathascreen



6'H x 120'L, Green (WS-72) (Item # 30006)

6'H x 120'L, Black (WS-72) (Item # 30006B)

What makes Weathascreen so unique is its locked-spring knitted construction -it's not woven! Weathascreen fabric is formulated of double-thick Monolon that's fray resistant. It distributes stress loads evenly, and is lightweight for easy storage and transportation. Material has a high tensile strength (15 times the tear resistance of woven cloth, won't unravel). Weathascreen has superior ultra-violet stability and is resistant to abrasion, mildew and chemicals. Choose from Dark Green or Black in 6' high rolls that are 120' in length. Easy-to-install -grommets are not necessary.

Installation Accessories

TR-50 (Item # 31650) 7" Tie wrap
50 lb. break strength with metal insert

TR-50XL (Item # 31651) 14-1/2" Tie wrap
50 lb. break strength with plastic insert

TR-50P (Item # 31656) 7" Tie wrap
50 lb. break strength with plastic insert

TR-120 (Item # 31654) 8.5" Tie wrap
120 lb. break strength with metal insert

TR-120XL (Item # 31655) Extra long 14" Tie wrap
120 lb. break strength with plastic insert

TR120P (Item # 31657) Tie wrap 8",
120 lb. break strength with plastic insert

SH-3 (Item # 31663)
3" galvanized "S" hooks

BNC (Item # 31600)
Braided lacing cord 600' reels

BLR (Item # 31601M)
Braided lacing rope black poly 3/16"
1000' reels 550 lb. break strength



C-3P (Item # 32675)
3" plastic C-snap

3"
S-Hook

Plastic
C-Snap

Braided
Lacing
Cord





USA MANUFACTURER

1-800-553-8907
douglas-sports.com