





# TENNIS POSTS & NETS

quality USA manufactured



# Tennis Nets and Accessories



## Consistent Quality

With Douglas® tennis nets, you get consistent, long-lasting performance. All Douglas® tennis nets meet USA requirements for official size -42' x 3'6". In addition, Douglas® nets carry a pro-rated warranty guaranteeing superior durability and longer net life. See for yourself why Douglas® nets are the brand of choice.

## Netting

Netting is 1-3/4" square mesh braided solid core polyethylene unsurpassed for durability and weather resistance. Championship nets are made from 3.5mm with 325# break strength, Tournament and Recreation nets are made from 3.0mm with 285# break strength.

## Headbands

Headbands are constructed using heavy-duty vinyl coated polyester or durable polyester webbing material that withstands the elements and won't shrink, rot or mold. Headbands are sewn to the netting with four rows of 32# white polyester thread -the heaviest in the industry.

## Bottom & Side Pocket Tapes

Bottom and side pocket tapes are made of heavy-duty vinyl coated polyester and won't shrink, mildew or rot when exposed to the elements. Fiberglass dowels in the side pockets keep the net taut and attractive. Heavy duty brass grommets and lacing cord lets you pull the net snugly up to each post.

## Cable

All Douglas® tennis nets come complete with a vinyl coated, 5/32" galvanized steel cable with break strength of 2300#. Both ends have double-swaged loops.



TN-45



TN-36T



TN-30



TN-28DM



TN-36DMT



TN-30DM

ITEM #	NET	HEADBAND		NETTING			WARRANTY
		MATERIAL	WEIGHT	SIZE	BREAK STRENGTH	TOP 6 ROWS DOUBLE MESH	
<b>Professional Nets</b> ————  USA Manufactured by Douglas®  ————							
20045	TN-45	Double thick 100% polyester	48 oz	3.5 mm	325 lb.	No	5 Year Warranty
20040	TN-40 (not pictured)	Vinyl Coated Polyester	36 oz.	3.5 mm	325 lb.	No	5 Year Warranty
<b>Championship Nets</b>							
30036T	TN-36 -tapered	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.5 mm	325 lb.	No	5 Year Warranty
30038TD	TN-36DMT -tapered	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.5 mm	325 lb.	Yes	5 Year Warranty
30060	TN-28DM	Durable Polyester Web	N/A	3.5 mm	325 lb.	Yes	5 Year Warranty
<b>Tournament Nets</b>							
30029	TN-30	Vinyl Coated Polyester	32 oz./sq. yd.	3.0 mm	285 lb.	No	4 Year Warranty
30030	TN-30DM -tapered	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	Yes	4 Year Warranty




**Specialty Tennis Nets**

All specialty nets are made with 1-3/4" square mesh 3.0 polyethylene netting. Headband is made from vinyl coated polyester. Vinyl bottom tape and side pockets are polyester based. 4 Year warranty.

**Singles Tennis Net (STN-30)**  
42" x 32'9"L (Item # 20305)

**Paddle Tennis Nets (PTN-28)**  
32" x 21'10" (Item # 20008)

**Platform Tennis Nets (PLTN-28)**  
36" x 23' (Item # 20009)



**Bottom Taper (Item # 20062)**

All tennis nets can be bottom fit by tapering the 42" end to 36" at center. This reduces the amount the net rubs on the court surface prolonging the life of the net.

**Center Pipe Anchor**

(Item # 63428)  
1.9" OD Galvanized Steel



**Adjustable Center Straps**

All straps are made from heavy-duty 2" polyester white web, nickel plated web slides and snaps.

**Velcro (Item # 20601)**  
Velcro adjustment, with swivel loop bolt snap

**Classic (Item # 20603)**  
Non-slip reverse web slide with double ended snap

**Deluxe (Item # 20600)**  
Non-slip reverse web slide with swivel loop bolt snap



**Singles Stick (Item # 34753)**

The portable Quik Stik tennis sticks keeps nets up to 42" regulation height. Sticks collapse down to 16" to easily fit into any tennis bag and stay collapsed with provided velcro strap. Sticks have a multi-purpose three-foot mark for placement at the center of the net for strap height. The stick can also be used as a measuring device in order to determine the correct placement on the net (3' from outside the singles court) by placing the top cable in the groove and rotating the stick vertically.



**Custom Net Signs**  
(Item # 39997)

Court Net Signs are perfect for defining your courts and enhancing the look of your facility. Feature your logo and your colors, or those of sponsors and donors, for a totally unique look. Made of very durable and fade resistant Polystyrene surface substrates. Minimum order requirement of 12 signs; facilities typically attach (4) signs per net.

**Replacement Accessories**

**Vinyl Replacement Headband Vinyl (HB-42V) (Item # 30040)**

Heavy-duty 28 oz vinyl coated polyester. Eyelets spaced on 6" centers. Includes lacing cord.



**Replacement Snaps**

**Loop Snap (Item # 10601)**  
2" replacement loop snap

**Double Snap (Item # 10604)**  
Double ended bolt replacement snap



**Replacement Cable (RVC-47) (Item # 20647)**  
47' galvanized steel cable. 5/32" vinyl coated to 1/4" looped each end.



**Lacing Cord**

**(TNLC) (Item # 10338)**  
Tennis net lacing cord; 2 pieces of 4 mm white polyester braided cord 4' long and 2 pieces 3 mm braided polyethylene 15' long.

**Cord 3mm (Item # 10337)**  
500' spool of 3 mm braided polyethylene

# Douglas® Tennis Posts

## ○ Premier™ XS Posts


Plated Gears	Green (Item # 63032) Black (Item # 63034)
Stainless Steel Gears	Open Blue (Item # 63033) Green (Item # 63032SS) Black (Item # 63034SS)
Brass Gears	Green (Item # 63032BR) Black (Item # 63034BR)

2 7/8"

*The Premier™ XS Series is the Cadillac of tennis posts; providing first-class looks and durability for both indoor and outdoor court applications.*

These 2-7/8" OD round posts are constructed of 8-gauge steel. Posts feature Allied's® superior Flo-coat® galvanization process and are then finished in forest green, black or open tournament blue baked-on polyester powder coat to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation.

Posts are internally wound and feature a jam-free cable tensioning hardware system. Choose from plated steel, stainless steel or brass gears. Gear housings and caps are made of die-cast zinc. Gear function is 30:1 to ensure a smooth, easy operation. Flush mounted gear plate cover and removable handle are offered in chrome or brass finish.



Plated


Stainless Steel

Brass

### Corresponding Ground Sleeves:

24" PVC Ground Sleeve  
(GS-24PVC) (Item # 63164)

24" Aluminum Ground Sleeve  
(GS-24RD) (Item # 63171)



POWDER COATING

CLEAR POLYMER

CONVERSION COATING

99.99% PURE ZINC

COLD FORMED STEEL

INTERIOR CORROSION RESISTANT COATING

Featuring  
Allied's® Flo-coat®  
A Superior  
Galvanization  
Process







○ Premier™ SQ  
Green (item # 63053)  
Black (item # 63054)



Premier™ RD  
Green (item # 63050)  
Black (item # 63051)

*These popular posts provide classic good looks and durability for either indoor or outdoor court applications.*

The Premier™ 3" OD round (RD) and 3" square (SQ) posts are constructed of heavy-duty 11-gauge steel. Posts are internally wound and feature a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Posts are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. Flush mounted gear plate cover and removable handle are chrome plated.

Corresponding  
Ground Sleeves:

24" Square Steel Ground Sleeve  
(GS-24SQ/ST) (Item # 63425)

24" Square Aluminum Ground Sleeve  
(GS-24SQ/AL) (Item # 63172)

24", 3" OD Steel Ground Sleeve  
(GS-24) (Item # 63424)



○ Douglas® PPS-SQ Heavy-Duty Portable Tennis Systems



**42' Standard Tennis Court**  
42" h x 42'1 PPS-42SQ (Item # 63100)

**Singles Tennis Courts:**  
42" h x 33'1, PPS-33SQ (Item # 63133)

Portable PPS-SQ systems are easy-to-assemble and offer the same long-lasting features as the classic Premier™ SQ tennis post. The 3" square tennis post is constructed from heavy-duty 11-gauge steel and are internally wound featuring a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Systems are finished with black baked-on polyester powder coat to resist rust and increase durability. Heavy-duty base frame is also constructed of 11-gauge 3" square steel and 3-1/2" square 3/16" heavy-wall steel. Net easily attaches with the top cable and to an eye-bolt on the base frame; no lacing rods are needed. Systems are complete with the 3.5mm TN-28 tennis net and a Velcro center strap. Flush mounted gear plate cover and removable handle are chrome plated. System is available in (2) sizes, 42' x 42" Standard Tennis and 33' x 42" h Singles Tennis. Custom sizes are available up to 42' long and 42" high. The transporter features heavy-duty non-scurf swivel casters; (2) End and (1) Center caster assembly. Casters allow unit to pivot one end at a time for smoother transportability.

*These portable systems raise the bar and are the gold standard when permanent installation is not desired for either indoor or outdoor court applications.*





○ Sidewinder

2-7/8"                      3-1/2"  
 Green (Item # 63001)    Green (Item # 63005)  
 Black (Item # 63003)    Black (Item # 63005B)

2 7/8"  
 3 1/2"

*These recreational workhorse posts are designed for tough wear making them ideal for parks or school tennis courts.*

These classic external wind posts are constructed of 8 gauge steel in either 2-7/8" or 3-1/2" OD. The posts, external gears and handle are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. The aluminum deluxe reel offers a smooth adjusting operation with a side mounted removable handle.



Corresponding Ground Sleeves:  
 24" PVC (GS-24PVC) (Item # 63164)  
 24" Aluminum (GS-24RD) (Item # 63171)  
 24" Steel (GS-24) (Item # 63174)



○ DTP-37

Green (item # 63007)  
 Black (item # 63008)

3"

*The dependable DTP-37 post is a sturdy design that has been a tennis court staple for decades.*

These 3" OD posts are comprised of extra-heavy 7-gauge steel. Posts are internally wound and feature a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear function is 30:1 to ensure a smooth, easy operation. The sleek gear housing and caps are made of cast aluminum alloy. Posts are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. The side mounted removable handle is chrome plated.

Corresponding Ground Sleeves:  
 24" Steel (GS-24) (Item # 63424)



# The Finest Courts In America Use Douglas® - Don't Settle for Less!

Douglas® offers a wide variety of tennis posts to meet each customer's specific needs and applications. Douglas® has been the leading American manufacturer of tennis posts for over 50 years. Whatever the situation Douglas® has the perfect fit.

## Compare Douglas® American Made Tennis Posts:

	OUTER DIAMETER	STEEL GAUGE	INTERNAL WIND	ALLIED® FLO-COAT®	COLOR OPTIONS	BRASS OPTION	LACING RODS	PICKLEBALL HEIGHT
Premier™ XS	2-7/8"	8 - gauge	✓	✓	Green, Black, Open Tournament Blue	✓	✓	✓
Premier™ RD	3"	11- gauge	✓	✗	Green, Black	✗	✓	✓
Premier™ SQ	3" Square	11- gauge	✓	✗	Green, Black	✗	✓	✗✓
DTP-37	3"	7- gauge	✓	✗	Green, Black	✗	✓	✗
Sidewinder 2-7/8	2-7/8"	8 - gauge	✗	✓	Green, Black	✗	✓	✓
Sidewinder 3-1/2	3-1/2"	8 - gauge	✗	✗	Green, Black	✗	✓	✗

✗✓ Premier SQ is available in Pickleball as a surface mount option

### Ground Sleeves All ground sleeves are sold per pair

#### Round Ground Sleeves

24" long. PVC end plugs are included.

**GS-24RD - 2-7/8" OD**  
(Item # 63171)  
Aluminum for all 2-7/8" OD round posts.

**GS-24PVC - 2-7/8" OD**  
(Item # 63164)  
PVC for all 2-7/8" OD round posts.


**GS-24**  
3" (Item # 63424)  
3-1/2" (Item # 63174)  
Round steel for all 3" and 3-1/2" OD round posts. PVC end plugs are not included with 3-1/2" OD.

#### Square Ground Sleeves

24" long for Premier™ SQ posts.

**GS-24SQ/ST** (Item # 63425)  
Steel construction

**GS-24SQ/AL** (Item # 63172)  
Aluminum construction



### Replacement Reels

Replacement reels for external wind tennis posts. All hardware is included and handles are removable. Finished with black or green powder coat finish.

**E-Z Reel**  
Green (Item # 53420)  
Black (Item # 53420B)  
Aluminum construction with a smooth operation. Holes are set 4-1/2" apart on centers.



**Deluxe Reel**  
Green (Item # 33435)  
Black (Item # 33435B)  
Aluminum construction with a smooth operation. Slotted to fit most posts.



**Reel-1**  
Green (Item # 53432)  
Black (Item # 53432B)  
Heavy-duty steel construction with a smooth operation. Slotted to fit most posts.



**Reel-SL**  
Green (Item # 63431)  
Steel construction with a self-locking gear mechanism. Slotted to fit most posts.



### Universal Replacement Caps

Baked on polyester powder coat finish

2-7/8" Green (Item # 53504)  
Black (Item # 53504B)

3-1/2" Green (Item # 53505)  
Black (Item # 53505B)




### T-Plugs

Steel t-plugs to cover and fit into Douglas® ground sleeves. Finished with a baked on polyester powder coat finish.



2-7/8" & 3" OD (Item # 63418)  
3.5" OD (Item # 63419)  
3" SQ (Item # 63420)  
3.5" SQ (Item # 68155)



USA MANUFACTURER

1-800-553-8907  
douglas-sports.com