

CU-30R



PROGUARD™ LOGGER SYSTEM COMBINES HEAD, FACE AND HEARING PROTECTION NON-VENTED CU-30-R
Ref. WELCU30R_



Product specifications

ProGuard™ Integrated Logger System non-vented combines three highly-functional components: head, face and hearing protection.

Increases on-the-job efficiency, delivers all-day comfort and maximum protection in one unit.

Features our award-winning Tectra™ safety cap, QuickSnap™ cap mount earmuffs and nylon visor.

Shell Material: Polypropylene

Suspension: Nylon

Ear Cups: ABS

Volume Ring: ABS

Slide Clip: PUR

Foam Absorber: Polyurethane

Ear Cushion: PVC

Visor: Nylon

COLOR

Orange

SIZE

No size

Product Use - Risks



Shock



Noise



Agriculture / Green areas
craftman



Construction / Civil engineering



Second work /



Services / Logistics



Oil / Gas



Mining



Wind/Energy

Product's highlights & user's benefits

Tectra™ non-vented safety cap with special contours on sides to accommodate cap mount ear muffs.

6 Point Ratchet hidden head-hugging suspension with nylon webbing for secure fit.

QuickSnap™ cap mount ear muffs with two rest positions: flip-out muffs for short term breaks or flip-up on top of safety cap.

Durable, lightweight nylon mesh screen is great for outdoor applications where ventilation is required.

Dielectric Construction.

Certifications and Standards

USA STANDARDS



ANSI S12.6 Hearing Protection Attenuation Standard - ANSI S12.6



ANSI S3.19 Instituto Nacional Estadounidense de Normas
27 NRR: NRR – (Noise Reduction Rating - Noise Reduction Rating)



ANSI Z87.1-2010 American National Standards Institute - Occupational and Educational
Personal Eye and Face Protection Devices
Basic impact (1" ball-drop): Impact resistance



ANSI Z89.1 Hard Hat Types and Class Standards
Type I Class: E, G, C: Additional special requirements

References

References	Bar code	COLOR	SIZE
WELCU30R	7292943130840	Orange	No size