

FS - 15 P



FS-15P CLEAR POLYCARBONATE FLAT FACE SHIELD

Ref. WELFS15P_



Product specifications

Our most economical flat option face shield FS-15P may be used with a broad spectrum of industry headgear.

Elvex® face shields fit to our HG-25 and HG-35 headgears.

Material: Flat Polycarbonate

COLOR

Clear

SIZE

No size

Product Use - Risks



Shock



Heat



UV / IR



Agriculture / Green areas
craftman



Construction / Civil engineering



Second work /
craftman



Heavy industry



Light industry



Services / Logistics



Hygiene environment



Oil / Gas



Mining



Wind/Energy

Product's highlights & user's benefits

Thickness: 0.040 inches

Die cut universal hole pattern fits most
competitive headgear options.

Heat Tolerance: up to 265 degrees

Dimensions: 8 in. x 15.5 in. x .04 in.

UV Protection: 99.9% between 180-380nm

Certifications and Standards



USA STANDARDS



ANSI Z87.1-2010(+) American National Standards Institute - Occupational and didactic Personal Eye and Face Protection Devices.

- .: High Velocity Impact
- .: High Mass Impact

References

| References | Bar code | COLOR | SIZE |  |  |
|------------|---------------|-------|---------|---|---|
| WELFS15P | 7292946153480 | Clear | No size | 100 | - |