

FS - 18 GL



FS-18GL GOLD COATED MOLDED CYLINDER LEXAN® FACE SHIELD SUPER HARD COAT

Ref. WELFS18GL_



Product specifications

FS-18GL Gold Coated Lexan® face shield is ideal for high temperature applications. The Lexan® provides a superior quality optical grade material that's highly impact resistant and heat tolerant with limited scratch resistance. Universal Hole Pattern on Elvex® face shields, also fit on the more popular headgear brands. Elvex® face shields fit to our HG-25 and HG-35 headgears.

Material: Molded Cylinder Lexan®

Coating: Gold Coated

COLOR

Gold

SIZE

No size

Product Use - Risks



Shock



Heat



UV / IR



Agriculture / Green areas
craftman



Construction / Civil engineering



Second work /
craftman



Heavy industry



Light industry



Services / Logistics



Hygiene environment



Oil / Gas



Mining



Wind/Energy

Product's highlights & user's benefits

Industry Leading Thickness: 0.078 inches

Die cut universal hole pattern fits most competitive headgear options.

Heat Tolerance: up to 1800 degrees

Dimensions: 10 in. x 18.5 in. x .078 in.

UV Protection: 99.9% between 180-380nm

Certifications and Standards



USA STANDARDS



ANSI Z87.1-2010(+) American National Standards Institute - Occupational and didactic Personal Eye and Face Protection Devices.

- .: High Velocity Impact
- .: High Mass Impact

References

References	Bar code	COLOR	SIZE		
WELFS18GL	7292946187210	Gold	No size	50	-
WELFS18GLPROT	00	Gold	No size	50	-