Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221 (800) 719-4619

Declaration #

BC0317100

Declaration Date

10/7/2021

Tested Item #

7087BFDM

FlowTech LTE Climbing Non-belted FBH Medium Alum 1D+FD QC Legs/QC Chest

Additional Items Conforming Under this Declaration:

7087BFD2X 7087BFDXL

7087BL

7087BXL

7087BQM

7087BFDL 7087B2X

7087BM 7087BQ2X

7087BQS

7087BFDS 7087B3X

7087BS 7087BQL

7087BQXL

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following product standard(s):

CSA Z259.10-2018

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Х

Level 3

Level 1: FallTech Lab Outside the Scope of ISO/IEC Standard 17025:2005 **Level 2**: FallTech Lab Within the Scope of ISO/IEC Standard 17025:2005 Level 3: Independent 3rd Party Lab accredited to ISO/IEC Standard 17025:2005

Supporting Documentation

PC-2365

Authorized Signature

Name

Zachary Winters

Title

Engineering Manager

Date

10/7/2021



International Accreditation Service, Inc 3060 Saturn St, Ste 100

Brea, CA 92821 +1 562-364-8201

FallTech Lab - TL-594

ISO/IEC 17025:2017

Alexander Andrew Inc dba FallTech





1306 S. Alameda Street, Compton, CA 90221-4803 Tel: (323) 752-0060 www.falltech.com

| FallTech Test Report | | | | | | | |
|----------------------|---|-----------|---|-------------|-----------|----------|--|
| Test Report No. | PC-2365 | Rpt. Date | 9/23/2021 | Rpt. Rev | | Rev Date | |
| Report Prepared For | FallTech | | | | | | |
| Initiated By | Dan Redden Test Specification(s) | | CSA Z259.10-18: 6.2.2.1, 6.2.2.4, 6.2.6 | | | | |
| Part No. | 7087BFDM | | | Part No. Re | evision | D | |
| Part Description | FlowTech LTE Climbing Non-belted FBH Medium Alum 1D + FD QC Legs/QC Chest | | | | | | |
| Test Request No. | PC-2365 | | Date Complete | | 9/21/2021 | | |
| Test Operator(s) | Yesbet Sierra / Jay Sponholz | | | | | | |

| Material/Sample Identification | | | | |
|--------------------------------|---|--|--|--|
| Sample ID | Description | | | |
| DPTFF1 | FlowTech LTE Climbing Non-belted FBH Medium Alum 1D + FD QC Legs/QC Chest | | | |
| DPTHF1 | FlowTech LTE Climbing Non-belted FBH Medium Alum 1D + FD QC Legs/QC Chest | | | |
| DPTLC1 | FlowTech LTE Climbing Non-belted FBH Medium Alum 1D + FD QC Legs/QC Chest | | | |
| SSTII1 | FlowTech LTE Climbing Non-belted FBH Medium Alum 1D + FD QC Legs/QC Chest | | | |

| Test Summary | | | | | |
|-----------------------------|---|---|-------------------------------------|-----------|--|
| Test Specification | Test Criteria | | Test Result | Pass/Fail | |
| | Drop Test Class A Dorsal D-ring (Feet First) | Peak Impact <u>></u> 3,600 Lbf or 39.4" Free Fall | 5211.0 lbs. Fall Height 30" | Pass | |
| | Drop Test Class A Dorsal D-ring (Feet First) | Test Mass Remain Suspended for: 2 Minutes ≥ 2 Minutes | | Pass | |
| CSA Z259.10-18 6.2.2.1.1 | Drop Test Class A Dorsal D-ring (Feet First) | All Connectors remain connected All Connected | | Pass | |
| 0.2.2.1.1 | Drop Test Class A Dorsal D-ring (Feet First) | Angle at Rest = ≤ 30° | 7.8° | Pass | |
| | Drop Test Class A Dorsal D-ring (Feet First) | Activate Fall Arrest Indicator | Visibly and Permanently Deployed | Pass | |
| | Drop Test Class A Dorsal D-ring (Feet First) | Harness Stretch ≤ Manufactures Stated Value (18") | 10.1" | Pass | |
| CSA Z259.10-18 6.2.2.1.2 | Drop Test Class A Dorsal D-ring (Head First) | Peak Impact <u>></u> 3,600 Lbf or 39.4" Free Fall | 3821.1 lbs. Fall Height 39.4" | Pass | |
| | Drop Test Class A Dorsal D-ring (Head First) | Test Mass Remain Suspended for: ≥ 2 Minutes | 2 Minutes | Pass | |
| | Drop Test Class A Dorsal D-ring (Head First) | All Connectors remain connected | All Connected | Pass | |
| | Drop Test Class A Dorsal D-ring (Head First) | Activate Fall Arrest Indicator | Visibly and Permanently Deployed | Pass | |



FallTech Testing Laboratory

1306 S. Alameda Street, Compton, CA 90221-4803 Tel: (323) 752-0060 www.falltech.com

| FallTech Test Report | | | | | | |
|----------------------|---|-----------------------|------------------|---|----------|--|
| Test Report No. | PC-2365 | Rpt. Date | 9/23/2021 | Rpt. Rev | Rev Date | |
| Report Prepared For | FallTech | | | | | |
| Initiated By | Dan Redden | Test Specification(s) | | CSA Z259.10-18: 6.2.2.1, 6.2.2.4, 6.2.6 | | |
| Part No. | 7087BFDM | | Part No. Revisio | n D | | |
| Part Description | FlowTech LTE Climbing Non-belted FBH Medium Alum 1D + FD QC Legs/QC Chest | | | | | |
| Test Request No. | PC-2365 | | Date Complete | 9/21/2021 | | |

| Test Summary (Continued) | | | | | |
|---------------------------|--|--|-------------------------------------|-----------|--|
| Test Specification | Test Criteria | | Test Result | Pass/Fail | |
| CSA Z259.10-18 6.2.2.4 | Drop Test Class L Ladder Climbing | Peak Impact ≥ 3,600 Lbf or 39.4" Free Fall | 3662.3 lbs. Fall Height 39.4" | Pass | |
| | Drop Test Class L Ladder Climbing Test Mass Remain Suspended for: ≥ 2 Minutes | | 2 Minutes | - Pass | |
| | Drop Test Class L Ladder Climbing | All Connectors remain connected | All Connected | Pass | |
| CSA Z259.10-18 6.2.6 | Fall Arrest Indicator Static | Load to 900 lbs. or Indicator deploys Whichever occurs first | 814.9 lbs. | Pass | |
| | Fall Arrest Indicator Static | Verify Fall Arrest Indicator has activated | Visibly and Permanently Deployed | Pass | |

Conclusion

Based upon the samples provided to the Lab: FallTech P/N 7087BFDM Rev. D meets the requirements of CSA Z259.10-18

| Report Signatories and Approval | | | | | |
|---------------------------------|---------------------|------|-----------|--|--|
| Lab Quality Manager | Jay Sponholz | Date | 9/23/2021 | | |
| Witnessed by | Bob Howey (Element) | Date | 10-1-21 | | |