

Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014



FALLTECH®

Fall Protection. Precision Engineered.

Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221

Declaration #

C0817058

Declaration Date

8.23.17

Tested Item #

8106

6' SAL Single Leg; ViewPack 5/8" Rope

Additional Items Conforming Under this Declaration:

8103

8104

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following performance standard(s):

ANSI Z359.13-2013

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Level 3

Level 1: FallTech Lab
Outside the Scope of
ISO/IEC Standard 17025:2005

Level 2: FallTech Lab
Within the Scope of
ISO/IEC Standard 17025:2005

Level 3: Independent 3rd Party Lab
accredited to
ISO/IEC Standard 17025:2005

Supporting
Documentation

PC-1177

Authorized Signature

Name

Martin Barila

Title

VP of Operations

Date

1.25.18

Exova
3883 East Eagle Drive
Anaheim
California
USA
92807

T: +1 (714) 630-3003
F: +1 (714) 630-4443
E: sales@exova.com
W: www.exova.com



Testing. Advising. Assuring.

September 5, 2017

FallTech Testing Laboratory
1306 S. Alameda Street
Compton, CA 90221

Attention: Jay Sponholz
Quality Manager

Subject: **Attestation of Witnessing Testing**
Exova OCM Job # 371174-21
FallTech P.O.: OPEN
Report No.: PC-1177
Base Part No. 8106
Description: 6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks

Dear Mr. Sponholz:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:

- Date of Testing:
 - August 22, 2017
- Exova OCM Test Witness:
 - 8/22/17 - Nolan Schatzle
- FallTech Test Operators:
 - Yesbet Sierra/Jay Sponholz
- Specification:

ANSI Z359.13-2013 Sections 4.5, 4.6, 4.13.1, 4.13.2, 4.13.3

- Equipment Calibration Interval
 - 1 year, except weights which are 5 years

Page 1 of 2


This attestation is issued in accordance with our terms and conditions, a copy of which is available on request.

Exova OCM 3883 East Eagle Drive Anaheim, CA 92807 USA

371174-21 FallTech, PC-1177, 8106 ANSI Z359.11 Witness test

Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-1177	8/22/17	7010E	6" SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks	4011007 4011007 4010999 4011007 4011001 4010999 4011004 4011000 4010997 4011008 4011005 4011003 4011002 4011011 4011009	Pass

Test Witness Signature: Nolan Schatzle Technician Mechanical Laboratory	(Signed for and on behalf of Exova-OCM) 	
Approval Signature: Victor Mendez Production Manager	(Signed for and on behalf of Exova-OCM) 	

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.



FallTech Test Report

Test Report No.	PC-1177	Rpt. Date	8/23/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.5, 4.6, 4.13.1, 4.13.2, 4.13.3				
Part No.	8106		Part No. Revision	A			
Part Description	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks						
Test Request No.	PC-1177		Date Complete	8/22/2017			
Test Operator(s)	Yesbet Sierra / Jay Sponholz						

Material/Sample Identification

Sample ID	Description
4011007	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks
4011001	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks
4010999	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks
4011007	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks
4011001	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks
4010999	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks
4011004	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks
4011000	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks
4010997	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks
4011008	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks
4011005	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks
4011003	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks
4011002	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks
4011011	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks
4011009	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks



ACCREDITED

Certificate# TL-594 Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005.

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC-IAF Communiqué dated January 2009).

FallTech Testing Laboratory allows for a +/- 5% tolerance on dynamic and static strength test results.

FLT-08 Rev. H

Page 1 of 8

FallTech Test Report

Test Report No.	PC-1177	Rpt. Date	8/23/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.5, 4.6, 4.13.1, 4.13.2, 4.13.3				
Part No.	8106		Part No. Revision	A			
Part Description	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks						
Test Request No.	PC-1177	Date Complete	8/22/2017				

Test Summary

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.13-2013 4.5	Arrest Distance	≤ 48"	43.5"	Pass
	Max Arrest Force	≤ 1800 Lbf	1120.4 Lbf	Pass
	Avg Arrest Force	≤ 900 Lbf	763.9 Lbf	Pass
ANSI Z359.13-2013 4.5	Arrest Distance	≤ 48"	42.0"	Pass
	Max Arrest Force	≤ 1800 Lbf	921.5 Lbf	Pass
	Avg Arrest Force	≤ 900 Lbf	760.1 Lbf	Pass
ANSI Z359.13-2013 4.5	Arrest Distance	≤ 48"	40.0"	Pass
	Max Arrest Force	≤ 1800 Lbf	1005.4 Lbf	Pass
	Avg Arrest Force	≤ 900 Lbf	762.6 Lbf	Pass
ANSI Z359.13-2013 4.6	Static Strength	≥ 5000 Lbf	5025.8 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.6	Static Strength	≥ 5000 Lbf	5034.3 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.6	Static Strength	≥ 5000 Lbf	5028.1 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 48"	40.6"	Pass
	Max Arrest Force	≤ 1800 Lbf	1001.5 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	795.1 Lbf	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 48"	39.5"	Pass
	Max Arrest Force	≤ 1800 Lbf	1014.1 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	785.9 Lbf	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 48"	40.0"	Pass
	Max Arrest Force	≤ 1800 Lbf	916.2 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	726.1 Lbf	Pass



ACCREDITED

Certificate# TL-594 Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005.

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC-IAF Communiqué dated January 2009).

FallTech Testing Laboratory allows for a +/- 5% tolerance on dynamic and static strength test results.

FLT-08 Rev. H

Page 2 of 8

FallTech Test Report

Test Report No.	PC-1177	Rpt. Date	8/23/2017	Rpt. Rev		Rev Date
Report Prepared For	FallTech					
Initiated By	Dan Redden	Test Specification(s)		ANSI Z359.13-2013 4.5, 4.6, 4.13.1, 4.13.2, 4.13.3		
Part No.	8106				Part No. Revision	A
Part Description	6' SAL Single Leg; ViewPack 5/8" Rope with Snap Hooks					
Test Request No.	PC-1177	Date Complete		8/22/2017		


Test Summary (Continued)

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.13-2013 4.13.2	Arrest Distance	$\leq 48"$	33.2"	Pass
	Max Arrest Force	≤ 1800 Lbf	1194.1 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	857.1 Lbf	Pass
ANSI Z359.13-2013 4.13.2	Arrest Distance	$\leq 48"$	32.0"	Pass
	Max Arrest Force	≤ 1800 Lbf	1272.3 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	894.5 Lbf	Pass
ANSI Z359.13-2013 4.13.2	Arrest Distance	$\leq 48"$	33.5"	Pass
	Max Arrest Force	≤ 1800 Lbf	1212.8 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	866.4 Lbf	Pass
ANSI Z359.13-2013 4.13.3	Arrest Distance	$\leq 48"$	45.0"	Pass
	Max Arrest Force	≤ 1800 Lbf	1256.4 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	770.8 Lbf	Pass
ANSI Z359.13-2013 4.13.3	Arrest Distance	$\leq 48"$	46.8"	Pass
	Max Arrest Force	≤ 1800 Lbf	1054.6 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	735.8 Lbf	Pass
ANSI Z359.13-2013 4.13.3	Arrest Distance	$\leq 48"$	43.9"	Pass
	Max Arrest Force	≤ 1800 Lbf	1121.9 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	756.2 Lbf	Pass

Conclusion

Based upon the samples provided to the Lab:
 FallTech P/N 8106 Rev. A meets the requirements of ANSI Z359.13-2013

Report Signatories and Approval

Lab Quality Manager		Date	8/23/2017
Witnessed by		Date	9.8.17

