

Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221

Declaration #

C0817064

Declaration Date

8.10.17

Tested Item #

8250LTW

24" Rebar Positioning Assembly, Web

Additional Items Conforming Under this Declaration:

8250LTWA

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following performance standard(s):

ANSI Z359.3-2016

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Level 3

Level 1: FallTech Lab
Outside the Scope of
ISO/IEC Standard 17025:2005

Level 2: FallTech Lab
Within the Scope of
ISO/IEC Standard 17025:2005

Level 3: Independent 3rd Party Lab
accredited to
ISO/IEC Standard 17025:2005

Supporting
Documentation

PC-1193

Authorized Signature

Name

Martin Barila

Title

VP of Operations

Date

1.29.18

Exova
3883 East Eagle Drive
Anaheim
California
USA
92807

T: +1 (714) 630-3003
F: +1 (714) 630-4443
E: sales@exova.com
W: www.exova.com



Testing. Advising. Assuring.

August 25, 2017

FallTech Testing Laboratory
1306 S. Alameda Street
Compton, CA 90221

Attention: Jay Sponholz
Quality Manager

Subject: **Attestation of Witnessing Testing**
Exova OCM Job # 371174-7
FallTech P.O.: OPEN
Report No.: PC-1193
Base Part No. 8250LTW
Description: Rebar Positioning Lanyard

Dear Mr. Sponholz:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:




- Date of Testing:
 - August 2 & 9, 2017
- Exova OCM Test Witness:
 - 8/2/17 & 8/9/17 - Nolan Schatzle
- FallTech Test Operators:
 - Yesbet Sierra/Jay Sponholz
- Specification:

ANSI Z359.3-2016 Sections 4.2.1 & 4.2.3

- Equipment Calibration Interval
 - 1 year, except weights which are 5 years

Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-1193	8/2/17 & 8/9/17	8250LTW	Rebar Positioning Lanyard	3973406 3973417 3973407 3973416 3973408 3973412 4028935 4028936 4028937	Pass

Test Witness Signature: Nolan Schatzle Technician Mechanical Laboratory	(Signed for and on behalf of Exova-OCM)  
Approval Signature: Victor Mendez Production Manager	(Signed for and on behalf of Exova-OCM) 

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.



FallTech Test Report

Test Report No.	PC-1193	Rpt. Date	8/10/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.3-2016, 4.2.1 & 4.2.3				
Part No.	8250LTW	Part No. Revision	A				
Part Description	Rebar Positioning Lanyard						
Test Request No.	PC-1193	Date Complete	8/9/2017				
Test Operator(s)	Yesbet Sierra / Jay Sponholz						

Material/Sample Identification

Sample ID	Description
3973406	Rebar Positioning Lanyard
3973417	Rebar Positioning Lanyard
3973407	Rebar Positioning Lanyard
3973416	Rebar Positioning Lanyard
3973408	Rebar Positioning Lanyard
3973412	Rebar Positioning Lanyard
4028935	Rebar Positioning Lanyard
4028936	Rebar Positioning Lanyard
4028937	Rebar Positioning Lanyard

Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.3-2016 4.2.1	Static Strength	≥ 5000 Lbf	5048.7 Lbf.	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.3-2016 4.2.1	Static Strength	≥ 5000 Lbf	5036.8 Lbf.	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.3-2016 4.2.1	Static Strength	≥ 5000 Lbf	5042.1 Lbf.	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.3-2016 4.2.3	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	5481.9 Lbf	Pass
	Hold	Remain Suspended for ≥ 1 Minutes	1 Minutes	Pass
ANSI Z359.3-2016 4.2.3	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	5451.9 Lbf	Pass
	Hold	Remain Suspended for ≥ 1 Minutes	1 Minutes	Pass
ANSI Z359.3-2016 4.2.3	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	5790.0 Lbf	Pass
	Hold	Remain Suspended for ≥ 1 Minutes	1 Minutes	Pass





FallTech Test Report

Test Report No.	PC-1193	Rpt. Date	8/10/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.3-2016, 4.2.1 & 4.2.3				
Part No.	8250LTW	Part No. Revision	A				
Part Description	Rebar Positioning Lanyard						
Test Request No.	PC-1193	Date Complete	8/9/2017				
ANSI Z359.3-2017 4.2.5	Static Strength	≥ 3600 Lbf	3640.1 Lbf	Pass			
	Hold	≥ 1 Minute	1 Minute	Pass			
ANSI Z359.3-2017 4.2.5	Static Strength	≥ 3600 Lbf	3631.2 Lbf	Pass			
	Hold	≥ 1 Minute	1 Minute	Pass			
ANSI Z359.3-2017 4.2.5	Static Strength	≥ 3600 Lbf	3636.2 Lbf	Pass			
	Hold	≥ 1 Minute	1 Minute	Pass			

Conclusion

FallTech P/N 8250LTW Rev. A meets the requirements of ANSI Z359.3-2017

Report Signatories and Approval

Lab Quality Manager		Date	8/10/2017
Witnessed by	Nolan Schatzle 	Date	9-5-17