## **Declaration of Conformity**

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221 (800) 719-4619

Declaration #	CC0520002a		Declaration Date		5/3/2020	
ested Item #	C8150	50' VLL Sn	ap Hook +	Back Splice 5/8	" White - Can	ada
Additional Items	Conforming Unc	ler this Declaratio	n:			
C8200 C	28125					
Alexander	-			listed above is in c	•	<u> </u>
	the requi			roduct standard(s):		
		CSA ZZ	59.2.5-1	/		
Co	nformity Assess	sment Method i	າ accordance	with ANSI/ISEA 125	-2014	
L	evel 1	Leve	12 X	Level 3		
	Level 1: FallTech Lab Leve				: Independent 3rd Party Lab	
Outside the Scope of ISO/IEC Standard 17025:2005			Within the Scope of O/IEC Standard 17025:2005		accredited to ISO/IEC Standard 17025:2005	
pporting ocumentation	269976					
Auth	norized Signat	ure	rak W.	tus		
ame Zacha	ry Winters	Title	Engineerin	g Manager	Date11/9/2	2020
International	International Accreditation Service, Inc			FallTech Lab - TL-594		
3060 Saturn	3060 Saturn St, Ste 100			ISO/IEC 17025:2005		
D Brea, CA 928	Brea, CA 92821 +1 562-364-8201			Alexander Andrew Inc dba FallTech		



# **Certificate of Compliance**

Certificate: 70208773 Master Contract: 269976

**Project:** 70208773 **Date Issued:** 2020-04-30

**Issued To:** FallTech Inc

1306 S. Alameda St

Compton, California, 90221

**United States** 

**Attention: John Aldrich** 

The products listed below are eligible to bear the CSA Mark shown

**Issued by:** Henry Tran Henry Tran



#### **PRODUCTS**

CLASS - C721707 - OCCUPATIONAL HEALTH AND SAFETY PRODUCTS-Fall Arresting Devices- Fall Arresters and Vertical Lifelines

The following Fall Arrest System complies with CSA Standard Z259.2.5-17:

'Synthetic Rope' Fall Arrest Systems: (see Note #1 for more details)

• Fall Arrest System, consists of Fall Arrester Model # C8388 with integral attached Energy Absorbing Lanyard Linkage and compatible Vertical Lifeline, Model # 301WTE, carrying Part # C81xx - Suffix 'xx' denotes the length of lifeline less than 100 ft; or C82yy – Suffix 'yy' denotes lifeline with 100 ft and in excess of 100 ft in length (example C8150 is 50 ft lifeline, C8190 is 90 ft lifeline, C8200 is 100 ft lifeline and C8250 is 150 ft lifeline).

Note #1: Fall Arresters must have an integral connecting means no longer than 750 mm (30 in) when designed for connection to a dorsal attachment.



**Certificate:** 70208773 **Project:** 70208773

Master Contract: 269976 Date Issued: 2020-04-30

#### **APPLICABLE REQUIREMENTS**

• CSA-Z259.2.5-17 - Fall Arresters and Vertical Lifelines



### Supplement to Certificate of Compliance

Certificate: 70208773 Master Contract: 269976

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

### **Product Certification History**

Project	Date	Description
70208773	2020-04-30	Class 7217-07; Original certification of Fall Arrester System, consisting of Fall Arrester # C8388 with integral attached EAL Linkage and Compatible Vertical Lifeline #301WTE as per CSA Standard Z259.2.5-17; This certification is carried out under WMTC Program.