

GTR-IA

Analog Tube Rotator



Analog Tube Rotator



Simple analog dial for easy speed adjustment

GTR-IA Specifications	
Motor type	DC motor
Speed range	0-80rpm
Tube capacity	Forty-eight 1.5/2.0mL tubes, sixteen 15mL tubes or eight 50mL tubes
Operation mode	Continuous
Voltage	100-240V, 50/60Hz
Power	20W
Dimensions [D×W×H]	300 × 220 × 310mm / 11.8 × 8.7 × 12.2in
Operating Temperature	5° - 40° C
Permissible Relative Humidity	80% RH (non-condensing)
Protection Class	IP21
Warranty	2 Years

ORDERING INFORMATION

ORDERING IN CRISTIAN		
Item#	Description	Unit
GTR-IA	Industrial Tube Rotator, analog, variable speed, fixed angle, 120-240v, 50/60Hz, (Includes:Configurable Disk with Tube Holder Clips, 12 each 1.5/2.0mL, 12 each 15mL and 12 each 50mL)	Each
GTR-IA-1.5	Tube Holder Clips, 12 each, for 1.5mL microcentrifuge tubes	Each
GTR-IA-15	Tube Holder Clips, 12 each, for 15mL centrifuge tubes	Each
GTR-IA-50	Tube Holder Clips, 12 each, for 50mL centrifuge tubes	Each



Tube clips are included for 1.5/2.0mL, 15mL and 50mL tubes



Customer Service, Sales and Technical Support:

Phone 1 (800) 394-4562 • 1 (201) 599-1400

1 (201) 599-1406 E-mail mail@globescientific.com

