

MATERIAL SAFETY DATA SHEET



Presto Restoration Products, Inc.
3095 Presidential Drive, Suite D
Atlanta, GA 30340
info@PrestoRestorationProducts.com
www.PrestoRestorationProducts.com

Product Name
Glass Defender® HD
(Heavy Duty)

SECTION I – EMERGENCY CONTACT

InfoTrac 1-800-535-5053

SECTION II – HAZARDOUS INGREDIENTS

Component	CAS #	TLV (ppm)	% (in prod.)
Petroleum distillate	64742-88-7	100	<92

SECTION III – HEALTH HAZARD

Acute Effects of Overexposure

Skin:	Hazardous in case of skin contact (irritant, sensitizer). Contact may cause irritation, redness and allergic reactions to certain individuals. Existing skin diseases may be aggravated by exposure.
Eyes:	Can be irritating upon contact.
Inhale:	Overexposure can cause dizziness, nausea, headaches and/or respiratory irritation.
Ingest:	Can cause nausea and be irritating to throat and stomach. Product dust can enter lungs and cause damage.

Chronic Effects of Overexposure

Repeated or prolonged exposure may produce defatting of the skin.

HMIS Codes

Health:	2	Pers Protection:	B
Flam:	2	Chronic Haz:	N/A
React:	0		

Carcinogenic Effects

None of the ingredients are listed as carcinogens by NTP, OSHA or IARC.

MATERIAL SAFETY DATA SHEET

SECTION IV – FIRST AID MEASURES

First Aid Procedures

Skin:	Wash contaminated area with soap or mild detergent. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation develops.
Eyes:	Check for and remove contact lenses. Immediately flush with plenty of water for at least 15 minutes. If irritation develops, consult a physician.
Inhale:	If symptoms occur, move affected person to fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical attention promptly.
Ingest:	If product is swallowed, do not induce vomiting. If vomiting occurs, keep head lower than hips to help prevent aspiration. Never give anything by mouth to an unconscious person. Get medical attention at once.

SECTION V – FIRE AND EXPLOSION DATA

Flash Point (F):	142	Fire Hazard:	Combustible liquid and vapor
Flammable Limits:	LEL: 1% UEL 7%		
Fire Fighting Procedure:	Use water vapor, foam or fog. Firefighters should wear proper protective equipment.		

SECTION VI – ACCIDENTAL RELEASE MEASURES

Spill Cleanup:	Wear appropriate protective equipment. Absorb with an inert material, and put spilled material in appropriate waste disposal. Eliminate all ignition sources.
----------------	---

SECTION VII – HANDLING AND STORAGE PROCEDURES

Handling:	Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists. Keep container closed. Wash thoroughly after handling. Keep away from heat and open flame.
Storage:	Keep container in cool, well-ventilated area. Keep container tightly closed. Store away from incompatible materials. Keep out of the reach of children.

SECTION VIII – EXPOSURE CONTROLS, PERSONAL PROTECTION

Eye Protection:	Tight-fitting safety goggles are recommended if splashing may occur.
Protective Clothing:	Use rubber, neoprene or nitrile protective gloves.
Respiratory:	Use with adequate ventilation. Wear appropriate respiratory protective equipment when ventilation is inadequate.

MATERIAL SAFETY DATA SHEET

SECTION IX – PHYSICAL AND CHEMICAL DATA

Boiling Point (F):	368	Specific Gravity:	0.8-0.85
VOC Content (%):	<92	pH:	N/A
Evaporation Rate (Bu acetate=1):	>1	Vap. Pressure (mm Hg):	N/A
Vap. Density:	N/A	Solubility in Water:	Not soluble
Appearance and Odor:	Clear liquid with petroleum odor		

SECTION X – REACTIVE DATA

Stability:	Stable	Polymerization:	Will not occur
Incompatibility:	Oxidizing agents, strong acids	Hazardous Decomposition:	Carbon monoxide, Carbon dioxide

SECTION XI – TOXOLOGICAL INFORMATION

Toxicity to Animals:	N/A	Dermal (LD50) Acute:	N/A
Oral (LD50) Acute:	N/A	Vapor (LC50) Acute:	N/A

SECTION XII – ECOLOGICAL INFORMATION

Ecological Information:	N/A	Biodegradable/OECD:	N/A
-------------------------	-----	---------------------	-----

SECTION XIII – DISPOSAL CONSIDERATIONS

Waste Disposal Method:	Liquid wastes are not permitted in landfills. Consult local, state and/or federal agencies for proper disposal in your area. Cap empty bottle tightly.
Classification:	Non-Hazardous Waste

SECTION XIV – TRANSPORT INFORMATION

Proper Shipping Name:	N/A	DOT Classification:	Not a DOT controlled material
UN Number:	N/A		

SECTION XV – REGULATORY INFORMATION

SARA 313 toxic chemical notification and release reporting - regulated substance:

Clean Water Act (CWA) Regulated Substance:	No product found
Clean Air Act (CAA) 112 Regulated Toxic Substance:	No product found

MATERIAL SAFETY DATA SHEET

SECTION XVI – OTHER INFORMATION

To the best of our knowledge, information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

To download this MSDS or obtain more information on Presto products, please visit www.PrestoRestorationProducts.com.