613 Pc. Master Mechanics Hand Tool Set Continued from previous page

Cat. No.	Description	Cat. No.	Description
80373	3/8" Drive 6 Point Deep SAE Socket 7/8"	80369S	3/8" Drive 6 Point Mid Length SAE Socket 5/8"
0388	3/8" Drive 6 Point Deep Metric Socket 6mm	80370S	3/8" Drive 6 Point Mid Length SAE Socket 11/16"
0389	3/8" Drive 6 Point Deep Metric Socket 7mm	80371S	3/8" Drive 6 Point Mid Length SAE Socket 3/4"
0390	3/8" Drive 6 Point Deep Metric Socket 8mm	80372S	3/8" Drive 6 Point Mid Length SAE Socket 13/16"
0391	3/8" Drive 6 Point Deep Metric Socket 9mm	80373S	3/8" Drive 6 Point Mid Length SAE Socket 7/8"
0392	3/8" Drive 6 Point Deep Metric Socket 10mm	80388S	3/8" Drive 6 Point Mid Length Metric Socket 6mm
0393D	3/8" Drive 6 Point Deep Metric Socket 11mm	80389S	3/8" Drive 6 Point Mid Length Metric Socket 7mm
0394D	3/8" Drive 6 Point Deep Metric Socket 12mm	80390S	3/8" Drive 6 Point Mid Length Metric Socket 8mm
0395	3/8" Drive 6 Point Deep Metric Socket 13mm	80391S	3/8" Drive 6 Point Mid Length Metric Socket 9mm
0396	3/8" Drive 6 Point Deep Metric Socket 14mm	80392S	3/8" Drive 6 Point Mid Length Metric Socket 10mm
0397	3/8" Drive 6 Point Deep Metric Socket 15mm	80393S	3/8" Drive 6 Point Mid Length Metric Socket 11mm
0398	3/8" Drive 6 Point Deep Metric Socket 16mm	80394S	3/8" Drive 6 Point Mid Length Metric Socket 12mm
0399	3/8" Drive 6 Point Deep Metric Socket 17mm	80395S	3/8" Drive 6 Point Mid Length Metric Socket 13mm
0400	3/8" Drive 6 Point Deep Metric Socket 18mm	80396S	3/8" Drive 6 Point Mid Length Metric Socket 14mm
0401	3/8" Drive 6 Point Deep Metric Socket 19mm	80397\$	3/8" Drive 6 Point Mid Length Metric Socket 15mm
0509	3/8 Drive 12 Point Deep SAE Socket 1/4"	80398S	3/8" Drive 6 Point Mid Length Metric Socket 16mm
0510D	3/8 Drive 12 Point Deep SAE Socket 5/16"	80399\$	3/8" Drive 6 Point Mid Length Metric Socket 17mm
0511	3/8 Drive 12 Point Deep SAE Socket 3/8"	80400S	3/8" Drive 6 Point Mid Length Metric Socket 18mm
0512	3/8 Drive 12 Point Deep SAE Socket 7/16"	80401S	3/8" Drive 6 Point Mid Length Metric Socket 19mm
0513	3/8 Drive 12 Point Deep SAE Socket 1/2"	80343	3/8" Drive 6 Point SAE Flex Socket 3/8"
0514	3/8 Drive 12 Point Deep SAE Socket 9/16"	80344	3/8" Drive 6 Point SAE Flex Socket 7/16"
0515D	3/8 Drive 12 Point Deep SAE Socket 5/8"	80345	3/8" Drive 6 Point SAE Flex Socket 1/2"
80516	3/8 Drive 12 Point Deep SAE Socket 11/16"	80346	3/8" Drive 6 Point SAE Flex Socket 9/16"
0517	3/8 Drive 12 Point Deep SAE Socket 3/4"	80347	3/8" Drive 6 Point SAE Flex Socket 5/8"
0518	3/8 Drive 12 Point Deep SAE Socket 13/16"	80348	3/8" Drive 6 Point SAE Flex Socket 11/16"
0519	3/8 Drive 12 Point Deep SAE Socket 7/8"	80349	3/8" Drive 6 Point SAE Flex Socket 3/4"
0520D	3/8 Drive 12 Point Deep Metric Socket 6mm	80333	3/8" Drive 6 Point Metric Flex Socket 10mm
0521	3/8 Drive 12 Point Deep Metric Socket 7mm	80334	3/8" Drive 6 Point Metric Flex Socket 11mm
0522	3/8 Drive 12 Point Deep Metric Socket 8mm	80335	3/8" Drive 6 Point Metric Flex Socket 12mm
0523	3/8 Drive 12 Point Deep Metric Socket 9mm	80336	3/8" Drive 6 Point Metric Flex Socket 13mm
80524	3/8 Drive 12 Point Deep Metric Socket 10mm	80337	3/8" Drive 6 Point Metric Flex Socket 14mm
0525	3/8 Drive 12 Point Deep Metric Socket 11mm	80338	3/8" Drive 6 Point Metric Flex Socket 15mm
0526	3/8 Drive 12 Point Deep Metric Socket 12mm	80339	3/8" Drive 6 Point Metric Flex Socket 16mm
0527	3/8 Drive 12 Point Deep Metric Socket 13mm	80340	3/8" Drive 6 Point Metric Flex Socket 17mm
0528	3/8 Drive 12 Point Deep Metric Socket 14mm	80341	3/8" Drive 6 Point Metric Flex Socket 18mm
0529	3/8 Drive 12 Point Deep Metric Socket 15mm	80342	3/8" Drive 6 Point Metric Flex Socket 19mm
0530	3/8 Drive 12 Point Deep Metric Socket 16mm	80602	1/2" Drive 6 Point Standard SAE Socket 7/16"
0531	3/8 Drive 12 Point Deep Metric Socket 17mm	80603	1/2" Drive 6 Point Standard SAE Socket 1/2"
0532	3/8 Drive 12 Point Deep Metric Socket 18mm	80604	1/2" Drive 6 Point Standard SAE Socket 9/16"
0533	3/8 Drive 12 Point Deep Metric Socket 19mm	80605	1/2" Drive 6 Point Standard SAE Socket 5/8"
0363S	3/8" Drive 6 Point Mid Length SAE Socket 1/4"	80606	1/2" Drive 6 Point Standard SAE Socket 11/16"
0364S	3/8" Drive 6 Point Mid Length SAE Socket 5/16"	80607D	1/2" Drive 6 Point Standard SAE Socket 3/4"
0365S	3/8" Drive 6 Point Mid Length SAE Socket 3/8"	80608	1/2" Drive 6 Point Standard SAE Socket 13/16"
0366S	3/8" Drive 6 Point Mid Length SAE Socket 7/16"	80609	1/2" Drive 6 Point Standard SAE Socket 7/8"
0367S	3/8" Drive 6 Point Mid Length SAE Socket 1/2"	80610D	1/2" Drive 6 Point Standard SAE Socket 15/16"
0368S	3/8" Drive 6 Point Mid Length SAE Socket 9/16"	80611	1/2" Drive 6 Point Standard SAE Socket 1"

Cat. No.	Description	Cat. No.	Description
80612	1/2" Drive 6 Point Standard SAE Socket 1-1/16"	80812	1/2" Drive 12 Point Standard Metric Socket 27mm
80613	1/2" Drive 6 Point Standard SAE Socket 1-1/8"	80682	1/2" Drive 12 Point Standard Metric Socket 28mm
80678	1/2" Drive 6 Point Standard SAE Socket 1-1/4"	80683	1/2" Drive 12 Point Standard Metric Socket 29mm
80679	1/2" Drive 6 Point Standard SAE Socket 1-1/2"	80813	1/2" Drive 12 Point Standard Metric Socket 30mm
80624	1/2" Drive 6 Point Standard Metric Socket 12mm	80814D	1/2" Drive 12 Point Standard Metric Socket 32mm
80625	1/2" Drive 6 Point Standard Metric Socket 13mm	80815D	1/2" Drive 12 Point Standard Metric Socket 36mm
80626D	1/2" Drive 6 Point Standard Metric Socket 14mm	80614	1/2" Drive 6 Point Deep SAE Socket 1/2"
80627	1/2" Drive 6 Point Standard Metric Socket 15mm	80615	1/2" Drive 6 Point Deep SAE Socket 9/16"
80628	1/2" Drive 6 Point Standard Metric Socket 16mm	80616	1/2" Drive 6 Point Deep SAE Socket 5/8"
80629	1/2" Drive 6 Point Standard Metric Socket 17mm	80617	1/2" Drive 6 Point Deep SAE Socket 11/16"
80630	1/2" Drive 6 Point Standard Metric Socket 18mm	80618	1/2" Drive 6 Point Deep SAE Socket 3/4"
80631	1/2" Drive 6 Point Standard Metric Socket 19mm	80619	1/2" Drive 6 Point Deep SAE Socket 13/16"
80632	1/2" Drive 6 Point Standard Metric Socket 20mm	80620	1/2" Drive 6 Point Deep SAE Socket 7/8"
			·
80633	1/2" Drive 6 Point Standard Metric Socket 21mm	80621	1/2" Drive 6 Point Deep SAE Socket 15/16"
80634	1/2" Drive 6 Point Standard Metric Socket 22mm	80674	1/2" Drive 6 Point Deep SAE Socket 1"
80635	1/2" Drive 6 Point Standard Metric Socket 23mm	80675	1/2" Drive 6 Point Deep SAE Socket 1-1/16"
80636D	1/2" Drive 6 Point Standard Metric Socket 24mm	80676	1/2" Drive 6 Point Deep SAE Socket 1-1/8"
80761	1/2" Drive 12 Point Standard SAE Socket 1/2"	80685	1/2" Drive 6 Point Deep SAE Socket 1-1/4"
80762	1/2" Drive 12 Point Standard SAE Socket 9/16"	80686	1/2" Drive 6 Point Deep SAE Socket 1-1/2"
80763	1/2" Drive 12 Point Standard SAE Socket 5/8"	80637	1/2" Drive 6 Point Deep Metric Socket 10mm
80764	1/2" Drive 12 Point Standard SAE Socket 11/16"	80638	1/2" Drive 6 Point Deep Metric Socket 11mm
80765	1/2" Drive 12 Point Standard SAE Socket 3/4"	80639	1/2" Drive 6 Point Deep Metric Socket 12mm
80766	1/2" Drive 12 Point Standard SAE Socket 13/16"	80640	1/2" Drive 6 Point Deep Metric Socket 13mm
80767	1/2" Drive 12 Point Standard SAE Socket 7/8"	80641	1/2" Drive 6 Point Deep Metric Socket 14mm
80768	1/2" Drive 12 Point Standard SAE Socket 15/16"	80642	1/2" Drive 6 Point Deep Metric Socket 15mm
80769	1/2" Drive 12 Point Standard SAE Socket 1"	80643	1/2" Drive 6 Point Deep Metric Socket 16mm
80770	1/2" Drive 12 Point Standard SAE Socket 1-1/16"	80644	1/2" Drive 6 Point Deep Metric Socket 17mm
80771	1/2" Drive 12 Point Standard SAE Socket 1-1/8"	80645	1/2" Drive 6 Point Deep Metric Socket 18mm
80806	1/2" Drive 12 Point Standard Metric Socket 9mm	80646D	1/2" Drive 6 Point Deep Metric Socket 19mm
80745	1/2" Drive 12 Point Standard Metric Socket 10mm	80773	1/2" Drive 12 Point Deep SAE Socket 1/2"
80746	1/2" Drive 12 Point Standard Metric Socket 11mm	80774	1/2" Drive 12 Point Deep SAE Socket 9/16"
80747	1/2" Drive 12 Point Standard Metric Socket 12mm	80775	1/2" Drive 12 Point Deep SAE Socket 5/8"
80748D	1/2" Drive 12 Point Standard Metric Socket 13mm	80776	1/2" Drive 12 Point Deep SAE Socket 11/16"
80749	1/2" Drive 12 Point Standard Metric Socket 14mm	80777D	1/2" Drive 12 Point Deep SAE Socket 3/4"
80750	1/2" Drive 12 Point Standard Metric Socket 15mm	80778	1/2" Drive 12 Point Deep SAE Socket 13/16"
80751	1/2" Drive 12 Point Standard Metric Socket 16mm	80779	1/2" Drive 12 Point Deep SAE Socket 7/8"
80752	1/2" Drive 12 Point Standard Metric Socket 17mm	80780	1/2" Drive 12 Point Deep SAE Socket 15/16"
80753	1/2" Drive 12 Point Standard Metric Socket 18mm	80785	1/2" Drive 12 Point Deep Metric Socket 14mm
80754	1/2" Drive 12 Point Standard Metric Socket 19mm	80786	1/2" Drive 12 Point Deep Metric Socket 15mm
80755D	1/2" Drive 12 Point Standard Metric Socket 20mm	80787	1/2" Drive 12 Point Deep Metric Socket 16mm
80756	1/2" Drive 12 Point Standard Metric Socket 21mm	80788	1/2" Drive 12 Point Deep Metric Socket 17mm
80757	1/2" Drive 12 Point Standard Metric Socket 22mm	80789	1/2" Drive 12 Point Deep Metric Socket 17mm
80758	1/2" Drive 12 Point Standard Metric Socket 22mm	80790	1/2" Drive 12 Point Deep Metric Socket 19mm
80759	1/2" Drive 12 Point Standard Metric Socket 25mm	80817D	1/2" Drive 12 Point Deep Metric Socket 1911111 1/2" Drive 12 Point Deep Metric Socket 20mm
		80818	·
80811	1/2" Drive 12 Point Standard Metric Socket 25mm		1/2" Drive 12 Point Deep Metric Socket 21mm
80681	1/2" Drive 12 Point Standard Metric Socket 26mm	80820	1/2" Drive 12 Point Deep Metric Socket 22mm

Continued on next page

RATCHETS | SOCKETS DRIVE TOOLS

9 Pc. 1/4" and 3/8" Drive Triple Square Bit Driver Set

- Short overall length provides better access in tight spaces
- S2 steel for strength and durability
- Hard stamped size markings

RATCHETS | SOCKETS DRIVE TOOLS

- Satin finish for corrosion protection and simple cleaning
- Compact design provides additional access compared to standard bit sockets
- Includes socket rail for storage and organization



Cat. No.	Included Storage	Product Weight			
81100	Socket Rail	0.72 lb			\bigcirc
Cat. No.	Description		Cat. No.	Description	
81090	1/4" Drive Stubby Triple	Square Bit Metric Driver Socket 4mm	81095	3/8" Drive Stubby Triple Square Bit Metric Driver Socket 12mm	
81091	1/4" Drive Stubby Triple	Square Bit Metric Driver Socket 5mm	81096	3/8" Drive Stubby Triple Square Bit Metric Driver Socket 14mm	
81092	1/4" Drive Stubby Triple	Square Bit Metric Driver Socket 6mm	81097	3/8" Drive Stubby Triple Square Bit Metric Driver Socket 16mm	
81093	3/8" Drive Stubby Triple	Square Bit Metric Driver Socket 8mm	81098	3/8" Drive Stubby Triple Square Bit Metric Driver Socket 18mm	
81094	3/8" Drive Stubby Triple	Square Bit Metric Driver Socket 10mm			
01034	3/6 brive Stubby risple	Square bit weare briver socket rolling			

10 Pc. 1/4" and 3/8" Drive 6 Point 10MM Socket Set

- 5 different styles of sockets ensure you can reach any fastener quickly and easily
- Set includes flex, deep, mid-length, standard and magnetic sockets of the same size
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Magnetic sockets are chrome molybdenum with manganese phosphate coating to resist corrosion
- Includes socket rail for storage and organization



Cat. No.	Included Storage	Product Weight			
80319	Socket Rail	0.985 lb			6
Cat. No.	Description		Cat. No.	Description	
80333	3/8" Drive 6 Point Metric I	Flex Socket 10mm	80256	1/4" Drive 6 Point Standard Metric Flex Socket 10mm	
80392	3/8" Drive 6 Point Deep M	letric Socket 10mm	80145	1/4" Drive 6 Point Deep Metric Socket 10mm	
80392S	3/8" Drive 6 Point Mid Ler	ngth Metric Socket 10mm	80145S	1/4" Drive 6 Point Mid Length Metric Socket 10mm	
80378	3/8" Drive 6 Point Standar	rd Metric Socket 10mm	80132	1/4" Drive 6 Point Standard Metric Socket 10mm	
-	1/4" Drive 6 Point Magnet	ic Standard Impact Socket 10mm	-	1/4" Drive 6 Point Magnetic Standard Impact Socket 10mm	

10 Pc. 1/4" and 3/8" Drive 6 Point 12MM Socket Set


- 5 different styles of sockets ensure you can reach any fastener quickly and easily
- Set includes flex, deep, mid-length, standard and magnetic sockets of the same size
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Magnetic sockets are chrome molybdenum with manganese phosphate coating to resist corrosion
- Includes socket rail for storage and organization



Cat. No.	included Storage	Product Weight			
80576	Socket Rail	1.190 lb			6
Cat. No.	Description		Cat. No.	Description	
80134	1/4" Drive 6 Point Standard	Metric Socket 12mm	80380	3/8" Drive 6 Point Standard Metric Socket 12mm	
80147S	1/4" Drive 6 Point Mid Leng	th Metric Socket 12mm	80394\$	3/8" Drive 6 Point Mid Length Metric Socket 12mm	
80147	1/4" Drive 6 Point Deep Me	tric Socket 12mm	80394D	3/8" Drive 6 Point Deep Metric Socket 12mm	
80258	1/4" Drive 6 Point Standard	Metric Flex Socket 12mm	80335	3/8" Drive 6 Point Metric Flex Socket 12mm	
-	1/4" Drive 6 Point Magnetic	Standard Impact Socket 12mm	-	1/4" Drive 6 Point Magnetic Standard Impact Socket 12mm	

3 Pc. 1/4", 3/8" and 1/2" Drive 120XP™ Full Polish **Teardrop Ratchet Set**





- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Highly visible markings on the head
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications

Cat. No.	Included Storage	Product Weight		
81206P	Tray	3.20 lb		
Cat. No.	Description			
81011P	1/4" Drive 120XP™ Teardrop Ratchet 5"			
81211P	3/8" Drive 120XP™ Teardro	pp Ratchet 8-1/4"		
81304P	1/2" Drive 120XP™ Teardro	pp Ratchet 11"		



7 Pc. 3/8" Drive 6 Point SAE Flex Socket Set

- Universal socket design allows for greater angled access to fasteners
- Off-corner loading design reduces fastener rounding
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Hard stamped size markings

Cat. No

RATCHETS | SOCKETS DRIVE TOOLS

Includes socket rail for storage and organization



lo.	Included Storage	Product Weight			SAE
	Socket Rail	2.20 lb			6
lo.	Description		Cat. No.	Description	
3	3/8" Drive 6 Point SAE Flex Socket	3/8"	80347	3/8" Drive 6 Point SAE Flex Socket 5/8"	
1	3/8" Drive 6 Point SAE Flex Socket	7/16"	80348	3/8" Drive 6 Point SAE Flex Socket 11/16"	
i	3/8" Drive 6 Point SAE Flex Socket	1/2"	80349	3/8" Drive 6 Point SAE Flex Socket 3/4"	
ì	3/8" Drive 6 Point SAE Flex Socket	9/16"			

10 Pc. 3/8" Drive 6 Point Metric Flex Socket Set

- Universal socket design allows for greater angled access to fasteners
- Off-corner loading design reduces fastener rounding
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Hard stamped size markings
- Includes socket rail for storage and organization



Included Storage	Product Weight			
Socket Rail	2.20 lb			
Description		Cat. No.	Description	
3/8" Drive 6 Point Metric Fl	ex Socket 10mm	80338	3/8" Drive 6 Point Metric Flex Socket 15mm	
3/8" Drive 6 Point Metric Fl	ex Socket 11mm	80339	3/8" Drive 6 Point Metric Flex Socket 16mm	
3/8" Drive 6 Point Metric Flo	ex Socket 12mm	80340	3/8" Drive 6 Point Metric Flex Socket 17mm	
3/8" Drive 6 Point Metric Fl	ex Socket 13mm	80341	3/8" Drive 6 Point Metric Flex Socket 18mm	
3/8" Drive 6 Point Metric Fl	ex Socket 14mm	80342	3/8" Drive 6 Point Metric Flex Socket 19mm	
	Socket Rail Description 3/8" Drive 6 Point Metric Flat 3/8" Drive 6 Point Metric Flat 3/8" Drive 6 Point Metric Flat 3/8" Drive 6 Point Metric Flat	Socket Rail 2.20 lb	Description Cat. No. 3/8" Drive 6 Point Metric Flex Socket 10mm 80338 3/8" Drive 6 Point Metric Flex Socket 11mm 80339 3/8" Drive 6 Point Metric Flex Socket 12mm 80340 3/8" Drive 6 Point Metric Flex Socket 13mm 80341	Socket Rail 2.20 lb Description Cat. No. Description 3/8" Drive 6 Point Metric Flex Socket 10mm 80338 3/8" Drive 6 Point Metric Flex Socket 15mm 80339 3/8" Drive 6 Point Metric Flex Socket 11mm 80339 3/8" Drive 6 Point Metric Flex Socket 16mm 3/8" Drive 6 Point Metric Flex Socket 12mm 80340 3/8" Drive 6 Point Metric Flex Socket 17mm 3/8" Drive 6 Point Metric Flex Socket 13mm 80341 3/8" Drive 6 Point Metric Flex Socket 18mm

11 Pc. 3/8" Drive SAE Ratcheting Crowfoot Wrench Set

- Allows access to fasteners in confined spaces where a wrench or socket will not fit
- Quickly ratchet nuts and bolts without removing the fastener from the wrench
- Size markings laser etched on both sides of the head for easy identification
- Arrow stamped on the head clearly identifies the direction of rotation
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME requirements
- Included blow mold case for storage and organization



Cat. No.	Included Storage	Product Weight			
89118	Blow Mold Case	2.20 lb			SAE
Cat. No.	Description		Cat. No.	Description	
89120	3/8" Drive Ratcheting Crowfo	ot SAE Wrench 3/8"	89126	3/8" Drive Ratcheting Crowfoot SAE Wrench 3/4"	
89121	3/8" Drive Ratcheting Crowfo	ot SAE Wrench 7/16"	89127	3/8" Drive Ratcheting Crowfoot SAE Wrench 13/16"	
89122	3/8" Drive Ratcheting Crowfo	ot SAE Wrench 1/2"	89128	3/8" Drive Ratcheting Crowfoot SAE Wrench 7/8"	
89123	3/8" Drive Ratcheting Crowfo	ot SAE Wrench 9/16"	89129	3/8" Drive Ratcheting Crowfoot SAE Wrench 15/16"	
89124	3/8" Drive Ratcheting Crowfo	ot SAE Wrench 5/8"	89130	3/8" Drive Ratcheting Crowfoot SAE Wrench 1"	
89125	3/8" Drive Ratcheting Crowfo	ot SAE Wrench 11/16"			

10 Pc. 3/8" Drive Metric Ratcheting Crowfoot Wrench Set

- Allows access to fasteners in confined spaces where a wrench or socket will not fit
- Quickly ratchet nuts and bolts without removing the fastener from the wrench
- Size markings laser etched on both sides of the head for easy identification
- Arrow stamped on the head clearly identifies the direction of rotation
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME requirements
- Included blow mold case for storage and organization



oat. No.	iliciaaca Storage	i iouuct weight			
89119	Blow Mold Case	1.30 lb			
Cat. No.	Description		Cat. No.	Description	
89140	3/8" Drive Ratcheting Crowfo	oot Metric Wrench 10mm	89145	3/8" Drive Ratcheting Crowfoot Metric Wrench 15mm	
89141	3/8" Drive Ratcheting Crowfo	oot Metric Wrench 11mm	89146	3/8" Drive Ratcheting Crowfoot Metric Wrench 16mm	
89142	3/8" Drive Ratcheting Crowfo	oot Metric Wrench 12mm	89147	3/8" Drive Ratcheting Crowfoot Metric Wrench 17mm	
89143	3/8" Drive Ratcheting Crowfo	oot Metric Wrench 13mm	89148	3/8" Drive Ratcheting Crowfoot Metric Wrench 18mm	
89144	3/8" Drive Ratcheting Crowfo	oot Metric Wrench 14mm	89149	3/8" Drive Ratcheting Crowfoot Metric Wrench 19mm	

FORGE AHEAD

3/8" Drive 6 Point Flex Sockets

- Universal socket design allows for greater angled access to fasteners
- Off-corner loading design reduces fastener rounding
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Hard stamped size markings

RATCHETS | SOCKETS DRIVE TOOLS





Cat. No.	SAE/Metric	Fastener Size	Dim. A: Drive End	Dim. B: Wrench End	Dim. C: Overall Length	Dim. E: Wrench Depth	Product Weight
80343	SAE	3/8 in	0.748 in	0.571 in	1.732 in	0.220 in	0.11 lb
80344	SAE	7/16 in	0.748 in	0.610 in	1.811 in	0.270 in	0.12 lb
80345	SAE	1/2 in	0.748 in	0.748 in	1.85 in	0.350 in	0.13 lb
80346	SAE	9/16 in	0.748 in	0.787 in	1.89 in	0.320 in	0.13 lb
80347	SAE	5/8 in	0.748 in	0.866 in	1.89 in	0.400 in	0.14 lb
80348	SAE	11/16 in	0.748 in	0.957 in	1.89 in	0.400 in	0.16 lb
80349	SAE	3/4 in	0.748 in	1.016 in	2.008 in	0.450 in	0.16 lb
80333	Metric	10 mm	0.748 in	0.331 in	1.772 in	0.280 in	0.12 lb
80334	Metric	11 mm	0.748 in	0.337 in	1.772 in	0.300 in	0.12 lb
80335	Metric	12 mm	0.748 in	0.378 in	1.85 in	0.320 in	0.12 lb
80336	Metric	13 mm	0.748 in	0.425 in	1.89 in	0.290 in	0.13 lb
80337	Metric	14 mm	0.748 in	0.465 in	1.89 in	0.350 in	0.13 lb
80338	Metric	15 mm	0.748 in	0.500 in	1.89 in	0.370 in	0.13 lb
80339	Metric	16 mm	0.748 in	0.543 in	1.969 in	0.400 in	0.13 lb
80340	Metric	17 mm	0.748 in	0.598 in	1.969 in	0.400 in	0.16 lb
80341	Metric	18 mm	0.748 in	0.646 in	1.969 in	0.400 in	0.16 lb
80342	Metric	19 mm	0.748 in	0.677 in	1.969 in	0.450 in	0.16 lb

3/8" Drive Ratcheting Crowfoot Wrenches

- Allows access to fasteners in confined spaces where a wrench or socket will not fit
- Quickly ratchet nuts and bolts without removing the fastener from the wrench
- Size markings laser etched for easy identification
- Arrow stamped on the head clearly identifies the direction of rotation
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME requirements





Cat. No.	SAE/Metric	Fastener Size	End A Width	End A Thickness	End A Length	Product Weight
89120	SAE	3/8 in	0.909 in	0.224 in	1.378 in	0.04 lb
89121	SAE	7/16 in	0.988 in	0.252 in	1.417 in	0.05 lb
89122	SAE	1/2 in	1.134 in	0.319 in	1.575 in	0.09 lb
89123	SAE	9/16 in	1.244 in	0.327 in	1.654 in	0.10 lb
89124	SAE	5/8 in	1.35 in	0.346 in	1.772 in	0.12 lb
89125	SAE	11/16 in	1.476 in	0.362 in	1.89 in	0.14 lb
89126	SAE	3/4 in	1.602 in	0.374 in	2.047 in	0.19 lb
89127	SAE	13/16 in	1.803 in	0.425 in	2.205 in	0.24 lb
89128	SAE	7/8 in	1.866 in	0.449 in	2.283 in	0.29 lb
89129	SAE	15/16 in	1.992 in	0.465 in	2.362 in	0.32 lb

Cat. No.	SAE/Metric	Fastener Size	End A Width	End A Thickness	End A Length	Product Weight
89130	SAE	1 in	2.087 in	0.476 in	2.441 in	0.32 lb
89140	Metric	10 mm	0.909 in	0.224 in	1.378 in	0.04 lb
89141	Metric	11 mm	0.988 in	0.252 in	1.417 in	0.05 lb
89142	Metric	12 mm	1.094 in	0.291 in	1.496 in	0.09 lb
89143	Metric	13 mm	1.134 in	0.319 in	1.575 in	0.10 lb
89144	Metric	14 mm	1.244 in	0.327 in	1.654 in	0.12 lb
89145	Metric	15 mm	1.331 in	0.327 in	1.693 in	0.14 lb
89146	Metric	16 mm	1.35 in	0.346 in	1.772 in	0.19 lb
89147	Metric	17 mm	1.476 in	0.362 in	1.89 in	0.24 lb
89148	Metric	18 mm	1.539 in	0.37 in	1.969 in	0.29 lb
89149	Metric	19 mm	1.602 in	0.374 in	2.047 in	0.32 lb

3/8" Drive Crowfoot Wrenches

- Allows access to fasteners in confined spaces where a wrench or socket will not fit
- Size markings are stamped on head for easy identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion





Cat. No.	SAE/Metric	Fastener Size	End A Width	End A Thickness	End B Width	End B Thickness	Overall Length	Product Weight
81603	SAE	3/8 in	0.885 in	.187 in	.731 in	.431 in	1.345 in	0.09 lb
81604	SAE	7/16 in	.963 in	.195 in	.728 in	.435 in	1.362 in	0.09 lb
81605	SAE	1/2 in	1.045 in	.215 in	.74 in	.436 in	1.44 in	0.09 lb
81606	SAE	9/16 in	1.2 in	.248 in	.73 in	.423 in	1.526 in	0.09 lb
81607	SAE	5/8 in	1.32 in	.29 in	.734 in	.415 in	1.656 in	0.13 lb
81608	SAE	11/16 in	1.44 in	.305 in	.735 in	.44 in	1.752 in	0.13 lb
81609	SAE	3/4 in	1.605 in	.312 in	.742 in	.445 in	1.883 in	0.15 lb
81610	SAE	13/16 in	1.794 in	.325 in	.887 in	.445 in	2.068 in	0.22 lb
81611D	SAE	7/8 in	1.865 in	.335 in	.899 in	.445 in	2.085 in	0.22 lb
81612D	SAE	15/16 in	1.928 in	.344 in	.901 in	.443 in	2.172 in	0.29 lb
81613	SAE	1 in	1.916 in	.345 in	.881 in	.44 in	2.148 in	0.29 lb
81614	Metric	10 mm	.885 in	.194 in	.729 in	.427 in	1.331 in	0.09 lb
81615	Metric	11 mm	.958 in	.197 in	.728 in	.436 in	1.372 in	0.09 lb
81616	Metric	12 mm	1.065 in	.2 in	.733 in	.439 in	1.442 in	0.09 lb
81617	Metric	13 mm	1.063 in	.221 in	.732 in	.438 in	1.447 in	0.09 lb
81618	Metric	14 mm	1.2 in	.224 in	.723 in	.424 in	1.547 in	0.09 lb
81619	Metric	15 mm	1.325 in	.275 in	.735 in	.414 in	1.653 in	0.12 lb
81620	Metric	16 mm	1.318 in	.3 in	.735 in	.412 in	1.658 in	0.12 lb
81621	Metric	17 mm	1.454 in	.299 in	.749 in	.432 in	1.776 in	0.12 lb
81622	Metric	18 mm	1.438 in	.295 in	.732 in	.428 in	1.775 in	0.13 lb
81623	Metric	19 mm	1.6 in	.314 in	.736 in	.446 in	1.9 in	0.16 lb