

**613 Pc. Master Mechanics Hand Tool Set** ■ *Continued from previous page*

Cat. No.	Description	Cat. No.	Description
80822	1/2" Drive 12 Point Deep Metric Socket 24mm	80436D	3/8" Drive Long Ball End Hex Bit SAE Socket 3/16"
80824	1/2" Drive 12 Point Deep Metric Socket 27mm	80437	3/8" Drive Long Ball End Hex Bit SAE Socket 7/32"
80826	1/2" Drive 12 Point Deep Metric Socket 30mm	80438	3/8" Drive Long Ball End Hex Bit SAE Socket 1/4"
80827	1/2" Drive 12 Point Deep Metric Socket 32mm	80439	3/8" Drive Long Ball End Hex Bit SAE Socket 5/16"
80151D	1/4" Drive Hex Bit SAE Socket 1/16"	80440	3/8" Drive Long Ball End Hex Bit SAE Socket 3/8"
80152	1/4" Drive Hex Bit SAE Socket 5/64"	80441	3/8" Drive Long Ball End Hex Bit Metric Socket 3mm
80153	1/4" Drive Hex Bit SAE Socket 3/32"	80442	3/8" Drive Long Ball End Hex Bit Metric Socket 4mm
80154	1/4" Drive Hex Bit SAE Socket 7/64"	80443	3/8" Drive Long Ball End Hex Bit Metric Socket 5mm
80155	1/4" Drive Hex Bit SAE Socket 1/8"	80444	3/8" Drive Long Ball End Hex Bit Metric Socket 6mm
80156	1/4" Drive Hex Bit SAE Socket 9/64"	80445	3/8" Drive Long Ball End Hex Bit Metric Socket 7mm
80157	1/4" Drive Hex Bit SAE Socket 5/32"	80446	3/8" Drive Long Ball End Hex Bit Metric Socket 8mm
80158	1/4" Drive Hex Bit SAE Socket 3/16"	80447	3/8" Drive Long Ball End Hex Bit Metric Socket 9mm
80159	1/4" Drive Hex Bit SAE Socket 7/32"	80448	3/8" Drive Long Ball End Hex Bit Metric Socket 10mm
80160	1/4" Drive Hex Bit SAE Socket 1/4"	80467	3/8" Drive Phillips® Bit Socket #1
80161	1/4" Drive Hex Bit Metric Socket 2mm	80468	3/8" Drive Phillips® Bit Socket #2
80162	1/4" Drive Hex Bit Metric Socket 2.5mm	80469	3/8" Drive Phillips® Bit Socket #3
80163	1/4" Drive Hex Bit Metric Socket 3mm	80464	3/8" Drive Slotted Bit Socket 4mm
80164	1/4" Drive Hex Bit Metric Socket 4mm	80465	3/8" Drive Slotted Bit Socket 5mm
80165	1/4" Drive Hex Bit Metric Socket 5mm	80466	3/8" Drive Slotted Bit Socket 6mm
80166	1/4" Drive Hex Bit Metric Socket 6mm	80470	3/8" Drive Pozidriv® Bit Socket #2
80410	3/8" Drive Hex Bit SAE Socket 1/16"	80651	1/2" Drive Hex Bit SAE Socket 5/16"
80411	3/8" Drive Hex Bit SAE Socket 5/64"	80652	1/2" Drive Hex Bit SAE Socket 3/8"
80412D	3/8" Drive Hex Bit SAE Socket 3/32"	80653	1/2" Drive Hex Bit SAE Socket 7/16"
80413	3/8" Drive Hex Bit SAE Socket 7/64"	80654	1/2" Drive Hex Bit SAE Socket 1/2"
80414	3/8" Drive Hex Bit SAE Socket 1/8"	80655	1/2" Drive Hex Bit SAE Socket 9/16"
80415D	3/8" Drive Hex Bit SAE Socket 9/64"	80656	1/2" Drive Hex Bit SAE Socket 5/8"
80416	3/8" Drive Hex Bit SAE Socket 5/32"	80657	1/2" Drive Hex Bit SAE Socket 3/4"
80417	3/8" Drive Hex Bit SAE Socket 3/16"	80658	1/2" Drive Hex Bit Metric Socket 6mm
80418	3/8" Drive Hex Bit SAE Socket 7/32"	80659	1/2" Drive Hex Bit Metric Socket 8mm
80419	3/8" Drive Hex Bit SAE Socket 1/4"	80660	1/2" Drive Hex Bit Metric Socket 10mm
80420	3/8" Drive Hex Bit SAE Socket 5/16"	80661	1/2" Drive Hex Bit Metric Socket 12mm
80421	3/8" Drive Hex Bit SAE Socket 3/8"	80662	1/2" Drive Hex Bit Metric Socket 14mm
80422	3/8" Drive Hex Bit Metric Socket 2mm	80663	1/2" Drive Hex Bit Metric Socket 17mm
80423	3/8" Drive Hex Bit Metric Socket 2.5mm	80664	1/2" Drive Hex Bit Metric Socket 19mm
80424	3/8" Drive Hex Bit Metric Socket 3mm	82063	10" Straight Jaw Tongue and Groove Pliers
80425	3/8" Drive Hex Bit Metric Socket 4mm	82065	12" Straight Jaw Tongue and Groove Pliers
80426	3/8" Drive Hex Bit Metric Socket 5mm	82069	8" Slip Joint Pliers
80427	3/8" Drive Hex Bit Metric Socket 6mm	82071	7" Heavy-Duty Diagonal Cutting Pliers
80428D	3/8" Drive Hex Bit Metric Socket 7mm	82073	7-1/2" Long Nose Side Cutting Pliers
80429	3/8" Drive Hex Bit Metric Socket 8mm	82075	8" Lineman's Side Cutting Pliers
80430	3/8" Drive Hex Bit Metric Socket 9mm	82076	7" End Cutting Nipper Pliers
80431	3/8" Drive Hex Bit Metric Socket 10mm	80000	Dual Material Phillips® Screwdriver #0 x 2-1/2"
80432	3/8" Drive Hex Bit Metric Socket 11mm	80001	Dual Material Phillips® Screwdriver #1 x 3"
80433	3/8" Drive Hex Bit Metric Socket 12mm	80004	Dual Material Phillips® Screwdriver #1 x 6"
80434	3/8" Drive Long Ball End Hex Bit SAE Socket 1/8"	80005	Dual Material Phillips® Screwdriver #2 x 1-1/2"
80435	3/8" Drive Long Ball End Hex Bit SAE Socket 5/32"	80007	Dual Material Phillips® Screwdriver #2 x 4"

Cat. No.	Description	Cat. No.	Description
80011	Dual Material Phillips® Screwdriver #3 x 6"	80014	Dual Material Slotted Screwdriver 1/4" x 6"
80018D	Dual Material Slotted Screwdriver 3/16" x 6"	80023	Dual Material Slotted Screwdriver 5/16" x 6"
80012D	Dual Material Slotted Screwdriver 1/4" x 1-1/2"	80022	Dual Material Slotted Screwdriver 3/8" x 8"
80013	Dual Material Slotted Screwdriver 1/4" x 4"		

**243 Pc. 1/4", 3/8", and 1/2" Drive 6 Point SAE/Metric Mechanics Tool Set**

- Full polish chrome SAE and metric 1/4, 3/8" and 1/2" standard sockets, and 1/4" and 3/8" deep sockets
- 84 tooth full polish chrome teardrop ratchets, with flush mounted on/off lever
- Contains 6 point full polish long pattern combination wrenches and sockets
- Combination wrenches feature a 15° offset box end for added knuckle clearance
- Sockets and wrenches feature off-corner loading design to reduce fastener rounding
- Universal joints provide additional access to hard to reach fasteners
- Magnetic bit driver with 30 bits including Torx®, hex, slotted and Phillips®
- Extension bars feature a knurled grip, providing a non slip surface
- 3-drawer storage box with independent sliding drawers, locking side flaps, a steel hinged lid and a durable handle
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
80966	3 Drawer Storage Box	48.000 lb

Cat. No.	Description	Cat. No.	Description
81011F	1/4" Drive 84 Tooth Teardrop Ratchet 5"	80600D	1/2" Drive Universal Joint
81211F	3/8" Drive 84 Tooth Teardrop Ratchet 8-1/4"	81768	1/4" 6 Point Combination Wrench
81304F	1/2" Drive 84 Tooth Teardrop Ratchet 11"	81769	5/16" 6 Point Combination Wrench
82783	1/4" Magnetic Bit Holding Screwdriver Handle	81771	3/8" 6 Point Combination Wrench
81101	1/4" Drive Extension 2"	81772	7/16" 6 Point Combination Wrench
81113D	1/4" Drive Extension 3"	81773	1/2" 6 Point Combination Wrench
81114D	1/4" Drive Extension 4"	81774	9/16" 6 Point Combination Wrench
81116	1/4" Drive Extension 6"	81775	5/8" 6 Point Combination Wrench
81240	3/8" Drive Extension 1-1/2"	81776	11/16" 6 Point Combination Wrench
81241	3/8" Drive Extension 3"	81777	3/4" 6 Point Combination Wrench
81242	3/8" Drive Extension 6"	81754	6mm 6 Point Combination Wrench
81243	3/8" Drive Extension 10"	81755	7mm 6 Point Combination Wrench
81340	1/2" Drive Extension 3"	81756	8mm 6 Point Combination Wrench
81341	1/2" Drive Extension 5"	81757	9mm 6 Point Combination Wrench
81342	1/2" Drive Extension 10"	81758	10mm 6 Point Combination Wrench
80480	1/4" Bit Adapter 1/4" Drive	81759	11mm 6 Point Combination Wrench
81127	1/4" Drive 1/4" F x 3/8" M Adapter	81760D	12mm 6 Point Combination Wrench
81277	3/8" Drive 3/8" F x 1/4" M Adapter	81761	13mm 6 Point Combination Wrench
81278	3/8" Drive 3/8" F x 1/2" M Adapter	81762	14mm 6 Point Combination Wrench
81354	1/2" Drive 1/2" F x 3/8" M Adapter	81763	15mm 6 Point Combination Wrench
80100	1/4" Drive Universal Joint	81764	16mm 6 Point Combination Wrench
80549	3/8" Drive Universal Joint		

■ *Continued on next page*

### 7 Pc. 3/8" Drive Bit Socket Set

- Heat treated for maximum durability
- Bits made of S2 steel for strength and durability
- Hard stamped size markings
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes socket rail for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
80577	Socket Rail	0.70 lb

Cat. No.	Description	Cat. No.	Description
80467	3/8" Drive Phillips® Bit Socket #1	80464	3/8" Drive Slotted Bit Socket 4mm
80468	3/8" Drive Phillips® Bit Socket #2	80465	3/8" Drive Slotted Bit Socket 5mm
80469	3/8" Drive Phillips® Bit Socket #3	80466	3/8" Drive Slotted Bit Socket 6mm
80470	3/8" Drive Pozidriv® Bit Socket #2		

### 9 Pc. 3/8" Drive Universal External Torx® Socket Set

- Universal joint allows for greater access
- Hard stamped size markings
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes socket rail for storage and organization



Cat. No.	Included Storage	Product Weight
80985	Socket Rail	1.34 lb

Cat. No.	Description	Cat. No.	Description
80976	3/8" Drive Universal External Torx® Sockets E4	80981	3/8" Drive Universal External Torx® Sockets E10
80977	3/8" Drive Universal External Torx® Sockets E5	80982	3/8" Drive Universal External Torx® Sockets E12
80978	3/8" Drive Universal External Torx® Sockets E6	80983	3/8" Drive Universal External Torx® Sockets E14
80979	3/8" Drive Universal External Torx® Sockets E7	80984	3/8" Drive Universal External Torx® Sockets E16
80980	3/8" Drive Universal External Torx® Sockets E8		

### 18 Pc. 3/8" Drive Ratchet and Drive Tool Set

- 84 tooth ratchets need as little as 4.3° to move fasteners for tighter turns
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish wipes easily clean to resist rust and corrosion
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81254	None	7.710 lb

Cat. No.	Description	Cat. No.	Description
81211F	3/8" Drive 84 Tooth Teardrop Ratchet 8-1/4"	81243	3/8" Drive Extension 10"
81209F	3/8" Drive 84 Tooth Stubby Teardrop Ratchet 4-3/4"	81244	3/8" Drive Extension 12"
81264	3/8" Drive 84 Tooth Long Handle Teardrop Ratchet 11"	81245	3/8" Drive Wobble Extension 1.5"
81215F	3/8" Drive 84 Tooth Flex Head Teardrop Ratchet 11-1/2"	81246	3/8" Drive Wobble Extension 3"
81221	3/8" Drive Breaker Bar 12"	81247	3/8" Drive Wobble Extension 6"
80549	3/8" Drive Universal Joint	81250	3/8" Drive Locking Extension 3"
81240	3/8" Drive Extension 1-1/2"	81251	3/8" Drive Locking Extension 6"
81241	3/8" Drive Extension 3"	81277	3/8" Drive 3/8" F x 1/4" M Adapter
81242	3/8" Drive Extension 6"	81278	3/8" Drive 3/8" F x 1/2" M Adapter

### 3/8" Drive 120XP™ Teardrop Ratchet

- 120XP™ ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Highly visible on/off markings on the head
- Enclosed head design for extreme resistance to dirt infiltration
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81211P	8.386 in	1.22 in	0.55 in	120XP	81227P	0.79 lb

### 3/8" Drive External Torx® Sockets

- For use with external torx fasteners
- Black oxide finish is corrosion resistant
- Heat treated socket for durability
- Hard stamped size markings
- For use with manual drive tools only



Cat. No.	Fastener Size	Dim. A: Drive End	Dim. B: Nose Diameter	Dim. C: Overall Length	Dim. D: Bolt Clearance	Product Weight
80460	E10	0.750 in	0.750 in	1.24 in	0.196 in	0.12 lb
80461	E12	0.750 in	0.750 in	1.24 in	0.314 in	0.14 lb
80462	E14	0.750 in	0.750 in	1.24 in	0.314 in	0.16 lb
80463	E16	0.750 in	0.750 in	1.24 in	0.314 in	0.18 lb

### 3/8" Drive Universal External Torx® Sockets


- Universal joint allows for greater access
- Hard stamped size markings
- Bright, full polish chrome finish easily wipes clean and resists corrosion



Cat. No.	Fastener Size	Dim. A: Drive End	Dim. C: Overall Length	Product Weight
80976	E4	0.740 in	2.05 in	0.13 lb
80977	E5	0.740 in	2.05 in	0.13 lb
80978	E6	0.740 in	2.05 in	0.13 lb
80979	E7	0.740 in	2.05 in	0.13 lb
80980	E8	0.740 in	2.05 in	0.13 lb
80981	E10	0.740 in	2.05 in	0.14 lb
80982	E12	0.740 in	2.05 in	0.14 lb
80983	E14	0.740 in	2.05 in	0.14 lb
80984	E16	0.740 in	2.05 in	0.14 lb

### 3/8" Drive Triple Square Bit Sockets

- Heat-treated socket base for durability
- S2 steel insert bits offer maximum strength
- Double line (SAE) and knurled (metric) ring help easily identify standard and metric sockets
- Hard stamped size markings
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Fastener Size	Dim. A: Drive End	Dim. B: Nose Diameter	Dim. C: Overall Length	Dim. D: Bit Length	Product Weight
80449	6 mm	0.690 in	0.313 in	3.15 in	2.48 in	0.15 lb
80736	8 mm	0.700 in	0.618 in	1.89 in	1.181 in	0.09 lb
80450	8 mm	0.690 in	0.313 in	3.66 in	3.66 in	0.15 lb
80868	8 mm	0.700 in	0.618 in	3.94 in	3.228 in	0.14 lb

### 3/8" Drive Stubby Triple Square Bit Drivers


- Short overall length provides better access in tight spaces
- S2 steel for strength and durability
- Hard stamped size markings
- Satin finish for corrosion protection and simple cleaning
- Compact design provides additional access compared to standard bit sockets



Cat. No.	SAE/Metric	Fastener Size	Dim. A: Drive End	Dim. C: Overall Length	Dim. D: Bit Length	Exposed Bit Length	Product Weight
81093	Metric	8 mm	0.701 in	0.98 in	.346 in	.346 in	0.07 lb
81094	Metric	10 mm	0.701 in	1.44 in	.346 in	.346 in	0.07 lb
81095	Metric	12 mm	0.701 in	1.44 in	.401 in	.401 in	0.07 lb
81096	Metric	14 mm	0.701 in	1.44 in	.427 in	.427 in	0.09 lb
81097	Metric	16 mm	0.701 in	1.44 in	.553 in	.553 in	0.10 lb
81098	Metric	18 mm	0.701 in	1.44 in	.56 in	.56 in	0.11 lb

### 3/8" Drive Bit Sockets

- Heat-treated socket base for durability
- S2 steel insert bits offer maximum strength
- Double line (SAE) and knurled (metric) ring help easily identify standard and metric sockets
- Hard stamped size markings
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Drive Type	Fastener Size	Dim. A: Drive End	Dim. B: Nose Diameter	Dim. C: Overall Length	Dim. D: Bit Length	Product Weight
80464	Slotted	4 mm	0.688 in	0.590 in	1.653 in	0.984 in	0.09 lb
80465	Slotted	5 mm	0.688 in	0.590 in	1.653 in	0.984 in	0.10 lb
80466	Slotted	6 mm	0.688 in	0.590 in	1.653 in	0.984 in	0.10 lb
80467	Phillips®	#1	0.688 in	0.590 in	1.653 in	0.984 in	0.09 lb
80468	Phillips®	#2	0.688 in	0.590 in	1.653 in	0.984 in	0.09 lb
80469	Phillips®	#3	0.688 in	0.590 in	1.653 in	0.984 in	0.10 lb
80470	Pozidriv®	#2	0.688 in	0.590 in	1.653 in	0.984 in	0.09 lb