GU GEARWRENCH

14 Pc. 12 Point SAE/Metric Reversible Combination Ratcheting Wrench Set

- **7**2 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench

Product Weight

- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Meets or exceeds ASME and ANSI specifications
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Included tray for storage and organization

Included Storage



85142	Tray	5.500 lb	0.			(12)
Cat. No.	Description		Cat. No.	Description		
9526ND	3/8" 12 Point Reversible Rate	cheting Combination Wrench	9610N	10mm 12 Poi	nt Reversible Ratcheting Combination Wrench	
9527N	7/16" 12 Point Reversible Ra	tcheting Combination Wrench	9612N	12mm 12 Poi	nt Reversible Ratcheting Combination Wrench	
9528N	1/2" 12 Point Reversible Rate	cheting Combination Wrench	9613N	13mm 12 Poi	nt Reversible Ratcheting Combination Wrench	
9529N	9/16" 12 Point Reversible Ra	tcheting Combination Wrench	9614N	14mm 12 Poi	nt Reversible Ratcheting Combination Wrench	
9530ND	5/8" 12 Point Reversible Rate	cheting Combination Wrench	9615N	15mm 12 Poi	nt Reversible Ratcheting Combination Wrench	
9531ND	11/16" 12 Point Reversible F	Ratcheting Combination Wrench	9617N	17mm 12 Poi	nt Reversible Ratcheting Combination Wrench	
9532N	3/4" 12 Point Reversible Rate	cheting Combination Wrench	9619N	19mm 12 Poi	nt Reversible Ratcheting Combination Wrench	

13 Pc. 12 Point SAE Reversible Combination Ratcheting Wrench Sets

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME and ANSI specifications

Included Storage

Tool Roll

Included tool roll or rack for storage and organization



Cat. No.	Included Storage	Product Weight		
9509N	Wrench Rack	6.65 lb		
Cat. No.	Description		Cat. No.	Description
9525ND	5/16" 12 Point Reversible	e Ratcheting Combination Wrench	9531ND	11/16" 12 Po
9521ND	11/32" 12 Point Reversib	le Ratcheting Combination Wrench	9532N	3/4" 12 Point
9526ND	3/8" 12 Point Reversible	Ratcheting Combination Wrench	9534N	13/16" 12 Po
9527N	7/16" 12 Point Reversible	e Ratcheting Combination Wrench	9538N	7/8" 12 Point
9528N	1/2" 12 Point Reversible	Ratcheting Combination Wrench	9539N	15/16" 12 Po
9529N	9/16" 12 Point Reversible	e Ratcheting Combination Wrench	9540N	1" 12 Point R
9530ND	5/8" 12 Point Reversible	Ratcheting Combination Wrench		

Product Weight

6.680 lb

11/16" 12 Point Reversible Ratcheting Combination Wrench
3/4" 12 Point Reversible Ratcheting Combination Wrench
13/16" 12 Point Reversible Ratcheting Combination Wrench
7/8" 12 Point Reversible Ratcheting Combination Wrench
15/16" 12 Point Reversible Ratcheting Combination Wrench
1" 12 Point Reversible Ratcheting Combination Wrench

10 Pc. 12 Point SAE Reversible Combination Ratcheting Wrench Set with Roll

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for guick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME and ANSI specifications
- Included tool roll for storage and organization

Cat. No.	Included Storage	Product Weight		
85891	Tool Roll	4.630 lb		
Cat. No.	Description		Cat. No.	Description
9525ND	5/16" 12 Point Reversible	Ratcheting Combination Wrench	9530ND	5/8" 12 Point Reversible Ratcheting Combination Wrench
9526ND	3/8" 12 Point Reversible F	atcheting Combination Wrench	9531ND	11/16" 12 Point Reversible Ratcheting Combination Wrench
9527N	7/16" 12 Point Reversible	Ratcheting Combination Wrench	9532N	3/4" 12 Point Reversible Ratcheting Combination Wrench
9528N	1/2" 12 Point Reversible F	atcheting Combination Wrench	9534N	13/16" 12 Point Reversible Ratcheting Combination Wrench
9529N	9/16" 12 Point Reversible	Ratcheting Combination Wrench	9538N	7/8" 12 Point Reversible Ratcheting Combination Wrench

8 Pc. 12 Point SAE Reversible Combination Ratcheting Wrench Set

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists rust and corrosion
- Meets or exceeds ASME and ANSI specifications
- Included rack for storage and organization

Cat. No.	Included Storage	Product Weight		
9533N	Wrench Rack	2.71 lb		
Cat. No.	Description			
9525ND	5/16" 12 Point Reversible Ratche	eting Combination Wrench		
9526ND	3/8" 12 Point Reversible Ratcheting Combination Wrend			
9527N	7/16" 12 Point Reversible Ratche	eting Combination Wrench		
9528N	1/2" 12 Point Reversible Ratchet	ing Combination Wrench		

Cat. No.

Cat. No.

9509RN

RATCHETING







Cat. No.	Description
9529N	9/16" 12 Point Reversible Ratcheting Combination Wrench
9530ND	5/8" 12 Point Reversible Ratcheting Combination Wrench
9531ND	11/16" 12 Point Reversible Ratcheting Combination Wrench
9532N	3/4" 12 Point Reversible Ratcheting Combination Wrench

FORGE AHEAD

GU GEARWRENCH

10 Pc. 12 Point Metric Reversible Combination Ratcheting Wrench Set with Roll

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for guick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists rust and corrosion

Product Weight

- Meets or exceeds ASME and ANSI specifications
- Included tool roll for storage and organization

Included Storage



9601RN	Tool Roll	3.60 lb		
Cat. No.	Description		Cat. No.	Description
9610N	10mm 12 Point Rever	sible Ratcheting Combination Wrench	9615N	15mm 12 Point Reversible Ratcheting Combination Wrench
9611N	11mm 12 Point Rever	sible Ratcheting Combination Wrench	9616N	16mm 12 Point Reversible Ratcheting Combination Wrench
9612N	12mm 12 Point Rever	sible Ratcheting Combination Wrench	9617N	17mm 12 Point Reversible Ratcheting Combination Wrench
9613N	13mm 12 Point Rever	sible Ratcheting Combination Wrench	9618N	18mm 12 Point Reversible Ratcheting Combination Wrench
9614N	14mm 12 Point Rever	sible Ratcheting Combination Wrench	9619N	19mm 12 Point Reversible Ratcheting Combination Wrench

8 Pc. 12 Point Metric Reversible Combination Ratcheting Wrench Set

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME and ANSI specifications
- Included tray for storage and organization

Cat. No. **Included Storage Product Weight** 2.71 lb 9543 Tray Cat. No. 9608N 9610N



III)		
2)		

12 Point Reversible Combination Ratcheting Wrenches

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME and ANSI specifications

Cat. No.	SAE/Metric	Fastener Size	End A Width	End A Thickness	End B Width	End B Thickness	Overall Length	Product Weight
9525ND	SAE	5/16 in	0.768 in	0.197 in	0.665 in	0.272 in	5.433 in	0.11 lb
9521ND	SAE	11/32 in	0.768 in	0.213 in	0.701 in	0.272 in	5.795 in	0.12 lb
9526ND	SAE	3/8 in	0.862 in	0.224 in	0.78 in	0.303 in	6.169 in	0.14 lb
9527N	SAE	7/16 in	0.953 in	0.252 in	0.854 in	0.323 in	6.413 in	0.16 lb
9528N	SAE	1/2 in	1.146 in	0.319 in	0.984 in	0.339 in	6.902 in	0.22 lb
9529N	SAE	9/16 in	1.228 in	0.327 in	1.035 in	0.37 in	7.398 in	0.27 lb
9530ND	SAE	5/8 in	1.358 in	0.346 in	1.201 in	0.406 in	8.087 in	0.34 lb
9531ND	SAE	11/16 in	1.492 in	0.362 in	1.272 in	0.421 in	8.74 in	0.40 lb
9532N	SAE	3/4 in	1.626 in	0.374 in	1.339 in	0.441 in	9.594 in	0.53 lb
9534N	SAE	13/16 in	1.811 in	0.39 in	1.535 in	0.512 in	11.476 in	0.91 lb
9538N	SAE	7/8 in	1.811 in	0.39 in	1.535 in	0.512 in	11.476 in	1.17 lb
9539N	SAE	15/16 in	2.055 in	0.429 in	1.791 in	0.571 in	14 in	1.27 lb
9540N	SAE	1 in	2.055 in	0.429 in	1.791 in	0.571 in	14 in	1.32 lb
9608N	Metric	8 mm	0.768 in	0.197 in	0.665 in	0.272 in	5.433 in	0.10 lb
9609N	Metric	9 mm	0.768 in	0.213 in	0.701 in	0.272 in	5.795 in	0.11 lb
9610N	Metric	10 mm	0.862 in	0.224 in	0.78 in	0.303 in	6.169 in	0.14 lb
9611N	Metric	11 mm	0.953 in	0.252 in	0.854 in	0.323 in	6.413 in	0.15 lb
9612N	Metric	12 mm	1.047 in	0.291 in	0.906 in	0.339 in	6.657 in	0.37 lb
9613N	Metric	13 mm	1.146 in	0.319 in	0.984 in	0.339 in	6.902 in	0.23 lb
9614N	Metric	14 mm	1.228 in	0.327 in	1.035 in	0.37 in	7.398 in	0.26 lb
9615N	Metric	15 mm	1.327 in	0.327 in	1.13 in	0.39 in	7.748 in	0.30 lb
9616N	Metric	16 mm	1.358 in	0.346 in	1.201 in	0.406 in	8.087 in	0.40 lb
9617N	Metric	17 mm	1.492 in	0.362 in	1.272 in	0.421 in	8.74 in	0.42 lb
9618N	Metric	18 mm	1.583 in	0.37 in	1.307 in	0.441 in	9.169 in	0.45 lb
9619N	Metric	19 mm	1.626 in	0.374 in	1.339 in	0.441 in	9.594 in	0.54 lb
9621N	Metric	21 mm	1.811 in	0.39 in	1.535 in	0.512 in	11.476 in	0.88 lb
9622N	Metric	22 mm	1.811 in	0.39 in	1.535 in	0.512 in	11.476 in	1.01 lb
9624N	Metric	24 mm	2.055 in	0.429 in	1.791 in	0.571 in	14 in	1.15 lb
9625N	Metric	25 mm	2.055 in	0.429 in	1.791 in	0.571 in	14 in	1.27 lb

Description	Cat. No.	Description	
8mm 12 Point Reversible Ratcheting Combination Wrench	9614N	14mm 12 Point Reversible Ratcheting Combination Wrench	
10mm 12 Point Reversible Ratcheting Combination Wrench	9615N	15mm 12 Point Reversible Ratcheting Combination Wrench	
12mm 12 Point Reversible Ratcheting Combination Wrench	9617N	17mm 12 Point Reversible Ratcheting Combination Wrench	
13mm 12 Point Reversible Ratcheting Combination Wrench	9619N	19mm 12 Point Reversible Ratcheting Combination Wrench	

9612N 9613N

Cat. No.

RATCHETING



mm	
3	

WRENCHES

FORGE AHEAD