GEARWRENCH

27 Pc. Punch and Chisel Set

- Precision hardened chisels for cutting metal rivets, bolts, and nuts
- Pin punches for driving out pins and rivets during final removal
- Center punches for marking center lines or pilot drill locations
- Long taper punch lets you install or remove pins and shafts, and aligns holes with ease
- Starter punches for both starting and installing pins or rivets
- Includes tool roll for storage and organization

Included Storage



82306	Tool Roll	9.29 lb	_	
02000	IOOI IIOII	5.23 ID		
Cat. No.	Description		Cat. No.	Description
82261	1/4" x 4-3/4" Cold Chisel		82275	3/16" x 5-1/2" Pin Punch
82262	3/8" x 5" Cold Chisel		82276	1/4" x 7" Pin Punch
82263	7/16" x 5-1/2" Cold Chisel		82277	5/16" x 7" Pin Punch
82264	1/2" x 6" Cold Chisel		82278	1/8" x 8" Long Taper Punch
82265	5/8" x 6-1/2" Cold Chisel		82279	5/32" x 8-1/2" Long Taper Punch
82266	3/4" x 7" Cold Chisel		82280	3/16" x 9" Long Taper Punch
82267	7/8" x 7-1/2" Cold Chisel		82281	1/4" x 11" Long Taper Punch
82268	1" x 8" Cold Chisel		82282	5/32" x 5" Starter Punch
82269	15/16" x 4-1/4" Center Punch		82283	3/16" x 5" Starter Punch
82270	5/32" x 5" Center Punch		82284	1/4" x 6" Starter Punch
82271	1/4" x 5-1/2" Center Punch		82285	1/8" x 4-1/2" Starter Punch
82272	3/32" x 4-3/4" Pin Punch		82286	5/16" x 7" Starter Punch
82273	1/8" x 5" Pin Punch		82287	3/8" x 8" Starter Punch
82274	5/32" x 5-1/4" Pin Punch			

Product Weight

19 Pc. Punch and Chisel Set

- Manufactured from high alloy steel for incredible strength
- Heat treated for long lasting durability
- Cutting edges and tips ground to a precise angle for improved performance and a longer
- Black oxide finish with a visible "We

Included Storag

- Hex stock fits securely into a punch doesn't roll on work surfaces
- Made in the USA

Cat. No.

Includes tool roll for storage and org

	goggles" reminder sel holder and			
ge	Product Weight			
	9.100 lb			
		Cat. No.	Description	
el Holder		70-197G	1/4" x 11" Drift Punch	

70-567G	Tool Roll 9.10	0 lb		
Cat. No.	Description	Cat. No.	Description	
70-000G	Punch and Chisel Holder	70-197G	1/4" x 11" Drift Punch	
70-103G	3/32" x 4-3/4" Pin Punch	70-199G	5/16" x 11" Drift Punch	
70-105G	1/8" x 5" Pin Punch	70-201G	3/8" x 15" Drift Punch	
70-109G	3/16" x 5-1/4" Pin Punch	70-239G	5/16" x 6" Center Punch	
70-131G	1/4" x 7" Pin Punch	70-309G	1/2" x 6" Cold Chisel	
70-155G	3/32" x 4-1/2" Starting Punch	70-311G	5/8" x 6-1/2" Cold Chisel	
70-157G	1/8" x 4-1/2" Starting Punch	70-313G	3/4" x 7" Cold Chisel	
70-161G	3/16" x 5" Starting Punch	70-315G	7/8" x 7-1/2" Cold Chisel	
70-165G	1/4" x 6" Starting Punch	70-317G	1" x 8" Cold Chisel	
70-193G	3/16" x 9" Drift Punch			

12 Pc. Punch and Chisel Set

- Precision hardened chisels for cutting metal rivets, bolts, and nuts
- Pin punches for driving out pins and rivets during final removal
- Center punch for marking center lines or pilot drill locations
- Long taper punch lets you install or remove pins and shafts, and aligns holes with ease
- Starter punches for both starting and installing pins or rivets
- Meets or exceeds ASME B107.47
- Includes tool roll for storage and organization



Cat. No.	Included Storage	Product Weight	
82305	Tool Roll	1.97 lb	
Cat. No.	Description		Cat. No.
82261	1/4" x 4-3/4" Cold Chisel		82273
82262	3/8" x 5" Cold Chisel		82274
82264	1/2" x 6" Cold Chisel		82275
82265	5/8" x 6-1/2" Cold Chisel		82278
82270	5/32" x 5" Center Punch		82283
82272	3/32" x 4-3/4" Pin Punch		82285

GEARWRENCH

Pin Punches

- Used to drive out pins and rivets during final removal
- Softened and tapered striking end reduces the potential to chip
- Ground surface for improved ease of identification
- Precision hardened working end
- Meets or exceeds ASME B107.47



Cat. No.	Point Diameter	Stock Size	Overall Length	Product Weight
82272	.093 in	.312 in	4.75 in	0.09 lb
82273	.125 in	.312 in	5 in	0.09 lb
82274	.156 in	.312 in	5.25 in	0.10 lb
82275	.187 in	.312 in	5.5 in	0.09 lb
82276	.25 in	.375 in	7 in	0.19 lb
82277	.312 in	.5 in	7 in	0.32 lb

Pin Punches

- Manufactured from high alloy steel for incredible strength
- Heat treated for long lasting durability
- Pin area has been precision ground to prevent binding
- Black oxide finish inscribed with a visible "Wear safety goggles" reminder
- Hex stock fits securely into a punch and chisel holder and reduces rolling on work surfaces
- Made in the USA



70-101G .062 in .25 in 4.25 in 0.080 lb 70-103G .093 in .312 in 4.75 in 0.100 lb 70-105G .125 in .312 in 5 in 0.150 lb 70-107G .156 in .312 in 5.25 in 0.095 lb 70-109G .187 in .375 in 5.25 in 0.140 lb 70-129G .218 in .375 in 7 in 0.175 lb	Cat. No.	Point Diameter	Stock Size	Overall Length	Product Weight
70-105G .125 in .312 in 5 in 0.150 lb 70-107G .156 in .312 in 5.25 in 0.095 lb 70-109G .187 in .375 in 5.25 in 0.140 lb 70-129G .218 in .375 in 7 in 0.175 lb	70-101G	.062 in	.25 in	4.25 in	0.080 lb
70-107G .156 in .312 in 5.25 in 0.095 lb 70-109G .187 in .375 in 5.25 in 0.140 lb 70-129G .218 in .375 in 7 in 0.175 lb	70-103G	.093 in	.312 in	4.75 in	0.100 lb
70-109G .187 in .375 in 5.25 in 0.140 lb 70-129G .218 in .375 in 7 in 0.175 lb	70-105G	.125 in	.312 in	5 in	0.150 lb
70-129G .218 in .375 in 7 in 0.175 lb	70-107G	.156 in	.312 in	5.25 in	0.095 lb
	70-109G	.187 in	.375 in	5.25 in	0.140 lb
	70-129G	.218 in	.375 in	7 in	0.175 lb
70-131G .25 in .375 in 7 in 0.190 lb	70-131G	.25 in	.375 in	7 in	0.190 lb
70-133G .312 in .437 in 7 in 0.330 lb	70-133G	.312 in	.437 in	7 in	0.330 lb

10 Pc. Tool Steel Pin Punch Set

- Manufactured from shock-resistant tool steel for unequalled strength, toughness, and durability without brittleness
- Full shank is heat treated, hardened, and tempered to extend the life of
- Pin area is precision ground to prevent binding in the work area
- Modified parabolic head directs striking force to the center of the tool to resist mushrooming or chipping
- Black oxide finish inscribed with a visible "Wear safety goggles" reminder
- Hex stock fits securely into a punch and chisel holder and reduces rolling on work surfaces
- Made in the USA
- Includes tool roll for storage and organization



7 Pc. Tool Steel Pin Punch Set

- Manufactured from shock-resistant tool steel for unequalled strength, toughness, and durability without brittleness
- Full shank is heat treated, hardened, and tempered to extend the life of the tool
- Pin area is precision ground to prevent binding in the work area

Included Storage

- Modified parabolic head directs striking force to the center of the tool to resist mushrooming and chipping
- Black oxide finish inscribed with a visible "Wear safety goggles" reminder

5/32" x 5" Tool Steel Pin Punch

- Hex stock fits securely into a punch and chisel holder and reduces rolling on work surfaces
- Made in the USA

Cat. No.

Includes tool roll for storage and organization

I			1			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	THE PERSON NAMED IN COLUMN	BELLEVIS OF STREET	, talks a varieties	Water Colored W	社に特別ないのかだ	ALMAN SANDARANA
A spire	II DAN	Charles S.				Y

70-553G	Tool Roll	1.035 lb		
Cat. No.	Description		Cat. No.	Descriptio
70-110G	1/16" x 4" Tool Steel Pin	Punch	70-118G	3/16" x 5-
70-112G	3/32" x 4-1/2" Tool Stee	l Pin Punch	70-120G	7/32" x 5-
70-114G	1/8" x 4-3/4" Tool Steel	Pin Punch	70-122G	1/4" x 5-3/

Product Weight



FORGE AHEAD

GEARWRENCH

121 Pc. Auto TEP Introductory Set continued from previous page

	Add TET Introductory Cot -		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Cat. No.	Description	Cat. No.	Description
80105	1/4" Drive 6 Point Standard SAE Socket 3/16"	80353	3/8" Drive 6 Point Standard SAE Socket 7/16"
80106	1/4" Drive 6 Point Standard SAE Socket 7/32"	80354	3/8" Drive 6 Point Standard SAE Socket 1/2"
80107	1/4" Drive 6 Point Standard SAE Socket 1/4"	80355	3/8" Drive 6 Point Standard SAE Socket 9/16"
80108	1/4" Drive 6 Point Standard SAE Socket 9/32"	80356	3/8" Drive 6 Point Standard SAE Socket 5/8"
80109	1/4" Drive 6 Point Standard SAE Socket 5/16"	80357	3/8" Drive 6 Point Standard SAE Socket 11/16"
80110	1/4" Drive 6 Point Standard SAE Socket 11/32"	80358	3/8" Drive 6 Point Standard SAE Socket 3/4"
80111	1/4" Drive 6 Point Standard SAE Socket 3/8"	80359	3/8" Drive 6 Point Standard SAE Socket 13/16"
80112	1/4" Drive 6 Point Standard SAE Socket 7/16"	80360	3/8" Drive 6 Point Standard SAE Socket 7/8"
80113D	1/4" Drive 6 Point Standard SAE Socket 1/2"	80361	3/8" Drive 6 Point Standard SAE Socket 15/16"
80114D	1/4" Drive 6 Point Standard SAE Socket 9/16"	80362	3/8" Drive 6 Point Standard SAE Socket 1"
80125	1/4" Drive 6 Point Standard Metric Socket 4mm	80374	3/8" Drive 6 Point Standard Metric Socket 6mm
80126	1/4" Drive 6 Point Standard Metric Socket 5mm	80375	3/8" Drive 6 Point Standard Metric Socket 7mm
80127	1/4" Drive 6 Point Standard Metric Socket 5.5mm	80376	3/8" Drive 6 Point Standard Metric Socket 8mm
80128	1/4" Drive 6 Point Standard Metric Socket 6mm	80377	3/8" Drive 6 Point Standard Metric Socket 9mm
80129	1/4" Drive 6 Point Standard Metric Socket 7mm	80378	3/8" Drive 6 Point Standard Metric Socket 10mm
80130	1/4" Drive 6 Point Standard Metric Socket 8mm	80379	3/8" Drive 6 Point Standard Metric Socket 11mm
80131D	1/4" Drive 6 Point Standard Metric Socket 9mm	80380	3/8" Drive 6 Point Standard Metric Socket 12mm
80132	1/4" Drive 6 Point Standard Metric Socket 10mm	80381	3/8" Drive 6 Point Standard Metric Socket 13mm
80133	1/4" Drive 6 Point Standard Metric Socket 11mm	80382	3/8" Drive 6 Point Standard Metric Socket 14mm
80134	1/4" Drive 6 Point Standard Metric Socket 12mm	80383	3/8" Drive 6 Point Standard Metric Socket 15mm
80135D	1/4" Drive 6 Point Standard Metric Socket 13mm	80384	3/8" Drive 6 Point Standard Metric Socket 16mm
80136	1/4" Drive 6 Point Standard Metric Socket 14mm	80385	3/8" Drive 6 Point Standard Metric Socket 17mm
80137	1/4" Drive 6 Point Standard Metric Socket 15mm	80386	3/8" Drive 6 Point Standard Metric Socket 18mm
80350	3/8" Drive 6 Point Standard SAE Socket 1/4"	80387	3/8" Drive 6 Point Standard Metric Socket 19mm
80351	3/8" Drive 6 Point Standard SAE Socket 5/16"		
80352	3/8" Drive 6 Point Standard SAE Socket 3/8"		

238 Pc. Career Builder TEP Starter Set

- 84 tooth 1/4", 3/8" and 1/2" drive ratchets
- Extensions 1/4", 3/8" and 1/2" drive
- Universal Joints 1/4", 3/8" and 1/2" drive
- Sockets 1/4" and 3/8" drive in standard and deep, SAE and metric, 1/2" drive in standard length SAE and metric
- Wrenches long pattern combination in SAE and metric
- Screwdrivers 12 piece set, Files 4 piece set
- Pliers 4 pieces set, Punches and Chisels 12 piece set
- Hex Keys 22 pieces long arm
- General Purpose Tools pry bar, hammers, utility knife, flashlight, locking pliers, safety glasses, tape measure
- Automotive Specialty Tools low voltage circuit tester, feeler gauge, gasket scraper and more



* Please Note: Most tools GEARWRENCH branded. May include other leading Apex Tool Group brands.

Cat. No.	Included Storage	Product Weight		
83091	None	63.000 lb		
Cat. No.	Description		Cat. No.	Description
129D	6 & 12 Volt Low Voltage (Circuit Tester	83122	125 Lumen Rechargeable Penlight
162D	15 Blade SAE/Metric Fee	ler Gauge	84083	1" Wide Scraper Long
84086	2-1/4" Round Telescopin	g Inspection Mirror	C10CVN	10" Curved Jaw Locking Plier With Wire Cutter
80965	12" Cushion Grip High Te	nsion Hacksaw Frame	C6NVN	Long Nose Locking Plier
82011	9-1/2" Dual Material Ton	gue and Groove Pliers	-	Safety Glasses
82012	7" Dual Material Diagona	l Cutting Pliers	PHV1316N	3/4" x 16' Hi-Viz® Orange P1000 Tape Measure
82013	8" Dual Material Long No	se Pliers	80000	Dual Material Phillips® Screwdriver #0 x 2-1/2"
82014	8" Dual Material Slip Joir	nt Pliers	80001	Dual Material Phillips® Screwdriver #1 x 3"
82216	3/8" x 16" Indexing Pry E	3ar	80004	Dual Material Phillips® Screwdriver #1 x 6"
82251	16 oz. Ball Pein Hammer	with Fiberglass Handle	80005	Dual Material Phillips® Screwdriver #2 x 1-1/2"
82255	3 lb. Drilling Hammer wit	h Fiberglass Handle	80007	Dual Material Phillips® Screwdriver #2 x 4"
82259	16 oz. Rubber Mallet with	n Hickory Handle	80011	Dual Material Phillips® Screwdriver #3 x 6"
82260	12 oz. Soft Face Hammer	with Black Comfort Grip Handle	80012D	Dual Material Slotted Screwdriver 1/4" x 1-1/2"
82261	1/4" x 4-3/4" Cold Chise	I	80013	Dual Material Slotted Screwdriver 1/4" x 4"
82262	3/8" x 5" Cold Chisel		80014	Dual Material Slotted Screwdriver 1/4" x 6"
82264	1/2" x 6" Cold Chisel		80018D	Dual Material Slotted Screwdriver 3/16" x 6"
82265	5/8" x 6-1/2" Cold Chise	I	80022	Dual Material Slotted Screwdriver 3/8" x 8"
82270	5/32" x 5" Center Punch		80023	Dual Material Slotted Screwdriver 5/16" x 6"
82272	3/32" x 4-3/4" Pin Punch	1	2282D	5-5/8" Slotted Screw Starter
82273	1/8" x 5" Pin Punch		56612G	13 Piece Long Arm SAE Ball-Plus® Hex Key Set
82274	5/32" x 5-1/4" Pin Punch	1	56615G	9 Piece Long Arm Metric Ball-Plus® Hex Key Set
82275	3/16" x 5-1/2" Pin Punch	1	81650	1/4" 12 Point Long Pattern Combination Wrench
82278	1/8" x 8" Long Taper Pur	nch	81651D	9/32" 12 Point Long Pattern Combination Wrench
82283	3/16" x 5" Starter Punch		81652D	5/16" 12 Point Long Pattern Combination Wrench
82285	1/8" x 4-1/2" Starter Pur	nch	81653	11/32" 12 Point Long Pattern Combination Wrench
82822D	8" Flat Bastard File		81654	3/8" 12 Point Long Pattern Combination Wrench
82823	8" Round Bastard File		81655	7/16" 12 Point Long Pattern Combination Wrench
82824	8" Half Round Bastard Fi	le	81656	1/2" 12 Point Long Pattern Combination Wrench
82825	8" Triangle Bastard File		81657	9/16" 12 Point Long Pattern Combination Wrench
WKF2	Quick-Change Folding Bl	ade Utility Knife		continued on next