GEARWRENCH

2 Pc. 1/4" and 3/8" Drive 120XP™ Extra Long Handle Full Polish Teardrop Ratchet Set

- 120XP[™] ratchets have two double stacked 60-tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Extra-long handles for additional access, 9-inch 1/4" drive and 18-inch 3/8" drive
- Highly visible markings on the head
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes tray for storage and organization
- Meets or exceeds ASME specifications

Cat. No.	Included Storage	Product Weight
81271	Tray	4.620 lb
Cat. No.	Description	
81034	1/4" Drive 120XP [™] Extra	a Long Handle Teardrop Ratchet 9"
81269	3/8" Drive 120XP [™] Extra	a Long Handle Teardrop Ratchet 18"

4 Pc. 1/4", 3/8", and 1/2" Drive 120XP™ Full Polish **Flex Handle Teardrop Ratchet Set**

- 120XP[™] ratchets have two double stacked 60-tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Flexible head provides access for hard to reach fasteners
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Highly visible markings on the head
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion

Product Weight

Includes tray for storage and organization

Included Storage

Meets or exceeds ASME specifications

Cat. No

1				
	· To You			
	1.31			
		Y		
	ľ	Ē	Ť	
	Ĭ	V	Į.	

81230P	Tray	4.83 lb		w)	ι.	
Cat. No.	Description		Cat. No.	Description		
81012P	1/4" Drive 120XP [™] Flex Head Tea	rdrop Ratchet 6-3/4"	81215P	3/8" Drive 120)	KP™ Flex I	Head Teardrop Ratchet 11-1/2
81212P	3/8" Drive 120XP [™] Stubby Flex H	ead Teardrop Ratchet 5"	81306P	1/2" Drive 120	KP [™] Flex I	Head Teardrop Ratchet 17"

2 Pc. 1/4" and 3/8" Drive 120XP™ Dual Material Flex Handle Teardrop Ratchet Set

- 120XP[™] ratchets have two double stacked 60-tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Flexible head provides access for hard to reach fasteners
- Enclosed head design for extreme resistance to dirt infiltration
- Highly visible markings on the head
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Dual material comfort grip handle
- Meets or exceeds ASME specifications

Cat. No.	Included Storage	Product Weight
81204P	Tray	1.76 lb
Cat. No.	Description	
81009P	1/4" Drive 120XP™ Dual N	Material Flex Head Teardrop Ratche
81210P	3/8" Drive 120XP™ Dual M	Material Flex Head Teardrop Ratche

3 Pc. 1/4", 3/8" and 1/2" 90-Tooth Teardrop Ratchet Set

- 90-tooth gear delivers a 4° swing arc to turn a fastener in tight confines
- Precision engineered high strength pawl for increased durability
- Highly visible on/off markings on the head
- Enclosed head design for extreme resistance to dirt infiltration
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications

Cat. No.	Included Storage	Product Weight
81206T	Tray	3.000 lb
Cat. No.	Description	
81011T	1/4" Drive 90-Tooth Tearc	Irop Ratchet 5"
81211T	3/8" Drive 90-Tooth Tearc	Irop Ratchet 8"
81304T	1/2" Drive 90-Tooth Tearc	Irop Ratchet 11"

MULTI-DRIVE



et 8" et 13-1/2"




RATCHETS | SOCKETS DRIVE TOOLS

FORGE AHEAD

GU GEARWRENCH

3/8" Drive 120XP™ Extra Long Handle Teardrop Ratchet



- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- 18-inch extra-long handle for additional access
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Enclosed head design with extreme resistance to dirt infiltration
- Highly visible on/off markings on the head
- Bright, full polish chrome finish easily wipes clean and resists corrosion

Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81269	18 in	1.25 in	.55 in	120XP	81227P	1.080 lb

3/8" Drive 120XP™ Flex Head Teardrop Ratchet

- 120XP[™] ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Flexible head provides access for hard to reach fasteners
- Highly visible on/off markings on the head
- Enclosed head design for extreme resistance to dirt infiltration
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications

Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81215P	11.47 in	1.30 in	0.55 in	120XP	81227P	1.10 lb

120XP [™] r. providing Double-st exception Highly vis Enclosed Teardrop, access in Longer re Bright, ful	atchets have two dou a 3° swing arc so you tacked pawls alternate hal strength ible on/off markings o head design for extre low-profile head and tight spaces ach handle to access	ble stacked 60 too u can turn fastener ely engage the 60 in the head ime resistance to c flush-mounted on, hard-to-reach fas easily wipes clean	tooth gear, providing dirt infiltration /off switch allow better				
at. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight	
120XP [™] r. providing		ble stacked 60 too	Head Teardro			120xp	
exception Flexible h Highly vis Enclosed Teardrop, access in Bright, ful	tight spaces	for hard to reach fa in the head ime resistance to c flush-mounted on, easily wipes clean	tooth gear, providing asteners		R The	L. S.	
exception Flexible h Highly vis Enclosed Teardrop, access in Bright, ful Meets or	al strength ead provides access ible on/off markings o head design for extre low-profile head and tight spaces I polish chrome finish exceeds ASME speci	for hard to reach fa in the head ime resistance to c flush-mounted on, easily wipes clean fications	tooth gear, providing asteners dirt infiltration /off switch allow better and resists corrosion				
exception Flexible h Highly vis Enclosed Teardrop, access in Bright, ful Meets or	al strength ead provides access ible on/off markings o head design for extre low-profile head and tight spaces I polish chrome finish	for hard to reach fa in the head ime resistance to c flush-mounted on, easily wipes clean	tooth gear, providing asteners dirt infiltration /off switch allow better	Tooth Count 120XP	Repair Kit 81227P	Product Weight 0.55 lb	
exception Flexible h Highly vis Enclosed Teardrop, access in Bright, ful Meets or t. No. 212P 8" Driv 90-tooth Precision Highly vis Enclosed Teardrop, access in Bright, ful	al strength ead provides access f ible on/off markings o head design for extre low-profile head and tight spaces I polish chrome finish exceeds ASME speci Overall Length 5 in ye 90-Tooth gear delivers a 4° swi engineered high strer ible on/off markings o head design for extre low-profile head and tight spaces	for hard to reach fa in the head ime resistance to c flush-mounted on/ easily wipes clean fications Head Width 1.30 in Teardrop R ng arc to turn a fas ngth pawl for increa- on the head eme resistance to c flush-mounted on easily wipes clean	tooth gear, providing asteners dirt infiltration /off switch allow better and resists corrosion Head Thickness 0.55 in Catchet stener in tight confines ased durability	Tooth Count 120XP	Repair Kit	Product Weight	
exception Flexible h Highly vis Enclosed Teardrop, access in Bright, ful Meets or at. No. 1212P /8" Driv 90-tooth Precision Highly vis Enclosed Teardrop, access in Bright, fu	al strength ead provides access f ible on/off markings o head design for extre low-profile head and tight spaces I polish chrome finish exceeds ASME speci Overall Length 5 in ve 90-Tooth gear delivers a 4° swi engineered high strer ible on/off markings o head design for extre low-profile head and tight spaces Il polish chrome finish	for hard to reach fa in the head ime resistance to c flush-mounted on/ easily wipes clean fications Head Width 1.30 in Teardrop R ng arc to turn a fas ngth pawl for increa- on the head eme resistance to c flush-mounted on easily wipes clean	tooth gear, providing asteners dirt infiltration /off switch allow better and resists corrosion Head Thickness 0.55 in Catchet stener in tight confines ased durability dirt infiltration /off switch allow better	Tooth Count 120XP	Repair Kit 81227P	Product Weight	

200P 13.58 in 1.3 in 0.55 in 120XP 81227P 0.9 Control Colspan="4">Control Colspan="4"Colspan="4">Control Colspan="4"Colspan="4">Control Co		exceeds ASME speci	<i>y</i> 1	teners and resists corrosion			
8" Drive 120XP TM Stubby Flex Head Teardrop Ratchet. 120XP TM ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3" swing arc so you can turn fasteners in tighter confines Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength Flexible head provides access for hard to reach fasteners Highly visible on/off markings on the head Enclosed head design for extreme resistance to dirt infiltration Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces Bright, full polish chrome finish easily wipes clean and resists corrosion Meets or exceeds ASME specifications No. Queral Length Head Width Head Thickness Tooth Count Repair KI Product H2P 5 in 1.30 in 0.55 in 120XP 81227P 0.5	No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
120XP [™] ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength Flexible head provides access for hard to reach fasteners Highly visible con/off markings on the head Enclosed head design for extreme resistance to dirt infiltration Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces Bright, full polish chrome finish easily wipes clean and resists corrosion Meets or exceeds ASME specifications No. <u>Overall Length Head Width Head Thickness Tooth Count Repair Kit Product</u> 120 5 in 1.30 in 0.55 in 120XP 81227P 0.5 8" Drive 90-Tooth Teardrop Ratchet 90-tooth gear delivers a 4° swing arc to turn a fastener in tight confines Precision engineered high strength pawl for increased durability Highly visible on/off markings on the head Enclosed head design for extreme resistance to dirt infiltration Teacerson, how-profile head and flush-mounted on/off switch allow better access in tight spaces	10P	-	1.3 in	0.55 in	120XP	-	0.99 lb
2P 5 in 1.30 in 0.55 in 120XP 81227P 0.5 8" Drive 90-Tooth Teardrop Ratchet 90-tooth gear delivers a 4° swing arc to turn a fastener in tight confines Precision engineered high strength pawl for increased durability Highly visible on/off markings on the head Enclosed head design for extreme resistance to dirt infiltration Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces	exception: Flexible he Highly visi Enclosed Teardrop, access in Bright, full Meets or e	al strength ead provides access ble on/off markings of head design for extre low-profile head and tight spaces I polish chrome finish exceeds ASME speci	for hard to reach fa on the head eme resistance to c I flush-mounted on, n easily wipes clean ifications	asteners lirt infiltration 'off switch allow better and resists corrosion			Product Weight
B" Drive 90-Tooth Teardrop Ratchet 90-tooth gear delivers a 4° swing arc to turn a fastener in tight confines Precision engineered high strength pawl for increased durability Highly visible on/off markings on the head Enclosed head design for extreme resistance to dirt infiltration Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces		, and the second s					0.55 lb
Bright, full polish chrome linish easily wipes clean and resists corrosion			Toordrop D	atchet			90 7
Meets or exceeds ASME specifications	90-tooth g Precision Highly visi Enclosed Teardrop, access in	gear delivers a 4° swi engineered high strei ible on/off markings of head design for extre low-profile head and tight spaces	ring arc to turn a fas angth pawl for increa on the head eme resistance to o d flush-mounted on	ased durability dirt infiltration /off switch allow bette			
	90-tooth g Precision Highly visi Enclosed Teardrop, access in Bright, ful	gear delivers a 4° swi engineered high strei ible on/off markings of head design for extre low-profile head and tight spaces I polish chrome finish	ving arc to turn a fast ength pawl for increa on the head eme resistance to c d flush-mounted on n easily wipes clean	ased durability dirt infiltration /off switch allow bette		· ·	
No. Overall Length Head Width Head Thickness Tooth Count Repair Kit Produc	90-tooth g Precision Highly visi Enclosed Teardrop, access in Bright, ful	gear delivers a 4° swi engineered high strei ible on/off markings of head design for extre low-profile head and tight spaces I polish chrome finish	ving arc to turn a fast ength pawl for increa on the head eme resistance to c d flush-mounted on n easily wipes clean	ased durability dirt infiltration /off switch allow bette			

	exceeds ASME speci			T. II. A	D	
t. No. 210P	Overall Length 13.58 in	Head Width 1.3 in	0.55 in	Tooth Count 120XP	Repair Kit 81227P	0.99 lb
providing Double-s exception Flexible h Highly vis Enclosec	a 3° swing arc so you stacked pawls alternat nal strength nead provides access sible on/off markings of I head design for extre	u can turn fastener ely engage the 60 for hard to reach fa on the head	tooth gear, providing asteners		1 A ME	
access ir Bright, fu Meets or	, low-profile head and n tight spaces Ill polish chrome finish exceeds ASME speci	flush-mounted on easily wipes clean ifications	/off switch allow bette		8 Ju	
ccess ir right, fu eets or	, low-profile head and n tight spaces Ill polish chrome finish	l flush-mounted on	/off switch allow bette	r Tooth Count 120XP	Repair Kit 81227P	Product Weight 0.55 lb
" Dri O-tooth Precision Pr	, low-profile head and h tight spaces III polish chrome finish exceeds ASME specie Overall Length 5 in Ve 90-Tooth gear delivers a 4° sw h engineered high stre sible on/off markings of head design for extra h, low-profile head and h tight spaces	I flush-mounted on easily wipes clean ifications Head Width 1.30 in Teardrop R ing arc to turn a fa ngth pawl for incre on the head eme resistance to d d flush-mounted on	/off switch allow better and resists corrosion Head Thickness 0.55 in Ratchet stener in tight confine: ased durability dirt infiltration /off switch allow better	Tooth Count 120XP	Repair Kit	Product Weight
" Dri O-tooth recisior lighly vis nclosec eardrop ccess ir	, low-profile head and h tight spaces III polish chrome finish exceeds ASME specie Overall Length 5 in Ve 90-Tooth gear delivers a 4° sw h engineered high stre sible on/off markings of head design for extra h, low-profile head and h tight spaces	I flush-mounted on easily wipes clean ifications Head Width 1.30 in Teardrop R ing arc to turn a fa ngth pawl for incre on the head eme resistance to o d flush-mounted on n easily wipes clear	/off switch allow better and resists corrosion Head Thickness 0.55 in Ratchet stener in tight confine: ased durability dirt infiltration	Tooth Count 120XP	Repair Kit 81227P	Product Weight
Detooth recision Detooth recision ghly vis anclosect androp ccess ir ight, fu	, low-profile head and h tight spaces III polish chrome finish exceeds ASME specie Overall Length 5 in Ve 90-Tooth gear delivers a 4° sw h engineered high stree sible on/off markings of d head design for extree h, low-profile head and h tight spaces III polish chrome finish	I flush-mounted on easily wipes clean ifications Head Width 1.30 in Teardrop R ing arc to turn a fa ngth pawl for incre on the head eme resistance to o d flush-mounted on n easily wipes clear	/off switch allow better and resists corrosion Head Thickness 0.55 in Ratchet stener in tight confine: ased durability dirt infiltration /off switch allow better	Tooth Count 120XP	Repair Kit 81227P	Product Weight



3/8" DRIVE

FORGE AHEAD

GEARWRENCH

3/8" Drive 72 Tooth Gimbal Ratchet

- Gimbal design allows ratchet to pivot in two directions for easier access
- 72 tooth ratcheting mechanism with a 5° swing arc
- Anodized aluminum finish
- Easy to use forward/reverse lever
- Meets or exceeds ASME specifications



Cat. No.	Tooth Count	Product Weight
81270	72	0.21 lb
81270		0.21 lb

3/8" Drive 72 Tooth Thumbwheel Ratchet

- 72 tooth gear for 5° ratchet angle
- Easy to adjust reversing lever for improved functionality
- Contoured handle offers maximum grip force



Cat. No.	Tooth Count	Product Weight
81226	72	0.25 lb

3/8" Drive Non-Quick Release Ratchet Repair Kits

For non-quick release and non-roto ratchets



Cat. No.	Description	Fits Product Number	Tooth Count	Product Weight
81227F	3/8" Drive 84 Tooth Non-Quick Release Ratchet Repair Kit	81211, 81215, 81209, 81212, 81214, 81210F, 81211F, 81215F, 81209F, 81212F, 81214F	84	0.08 lb
81227T	3/8" Drive 90-tooth Non-Quick Release Ratchet Repair Kit	81211T 81208T 81264T 81265T 81209T 81215T 81210T 81212T 81266T 81267T	90	0.095 lb
81227P	3/8" Drive 120XP™ Non-Quick Release Dual Pawl Ratchet Repair Kit	81211P 81269 81215P 81210P 81212P	120XP	0.12 lb

3/8" Drive Full Polish Flex Handle/Breaker Bars

- 180° flex tang for greater access
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Ergonomic handle for reduced user fatigue
- Meets or exceeds ASME specifications

Cat. No.	Overall Length
81221	12 in
87802	18 in

3/8" Drive Speeder Handle

- Free rotating top handle grip delivers ultra-fast action for tightening and removing fasteners
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion

Cat. No.	Overall Length
81239	16.75 in

3/8" Drive Universal Joint

- Universal joint allows for greater access
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion


Cat. No. Overall Length	
80549	2 in

3/8" Drive Adapters

- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion

Cat. No.	Overall Length	Female Drive
81277	1 in	3/8"
81278	1.44 in	3/8"

3/8" DRIVE



FORGE AHEAD