

613 Pc. Master Mechanics Hand Tool Set

- Comprehensive 613 piece set mix of mechanics hand tools including drive tools, sockets, bit sockets, wrenches, ratcheting wrenches, pliers and screwdrivers
- 84 tooth full polish chrome ratchets with slim head design provides additional access to hard to reach fasteners
- 72 tooth ratcheting wrenches with a 5° swing arc with off-corner loading design on box end provides better grip and reduces fastener rounding
- Flex head ratcheting wrenches with flex head that tilts up to 180 degrees at any interval
- Reversible ratcheting wrenches with compact reversing lever allows for quick changes without removing ratcheting box end from fastener
- Tri-lobe ergonomic dual material handle Phillips® and slotted screwdrivers for optimal balance of strength and comfort
- Precision engineered hex and ball-end hex bit sockets with bits made of S2 steel for added strength and better fastener fit
- Professional assortment of ergonomic dipped grip handle pliers with tongue and groove, slip joint, lineman's, diagonal, long nose, and end nippers included



| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 89060 | None | 167.892 lb |

| Cat. No. | Description | Cat. No. | Description |
|----------|--|----------|---|
| 81011F | 1/4" Drive 84 Tooth Teardrop Ratchet 5" | 81278 | 3/8" Drive 3/8" F x 1/2" M Adapter |
| 81012F | 1/4" Drive 84 Tooth Flex Head Teardrop Ratchet 7" | 81354 | 1/2" Drive 1/2" F x 3/8" M Adapter |
| 81027 | 1/4" Drive 72 Tooth Gimbal Ratchet | 9008 | 1/4" 12 Point Ratcheting Combination Wrench |
| 81211F | 3/8" Drive 84 Tooth Teardrop Ratchet 8-1/4" | 9010D | 5/16" 12 Point Ratcheting Combination Wrench |
| 81215F | 3/8" Drive 84 Tooth Flex Head Teardrop Ratchet 11-1/2" | 9012D | 3/8" 12 Point Ratcheting Combination Wrench |
| 81212F | 3/8" Drive 84 Tooth Stubby Flex Head Teardrop Ratchet 5" | 9014 | 7/16" 12 Point Ratcheting Combination Wrench |
| 81270 | 3/8" Drive 72 Tooth Gimbal Ratchet | 9016D | 1/2" 12 Point Ratcheting Combination Wrench |
| 81304F | 1/2" Drive 84 Tooth Teardrop Ratchet 11" | 9018D | 9/16" 12 Point Ratcheting Combination Wrench |
| 81306F | 1/2" Drive 84 Tooth Flex Head Teardrop Ratchet 17" | 9020 | 5/8" 12 Point Ratcheting Combination Wrench |
| 80100 | 1/4" Drive Universal Joint | 9022 | 11/16" 12 Point Ratcheting Combination Wrench |
| 80549 | 3/8" Drive Universal Joint | 9024 | 3/4" 12 Point Ratcheting Combination Wrench |
| 80600D | 1/2" Drive Universal Joint | 9026D | 13/16" 12 Point Ratcheting Combination Wrench |
| 81101 | 1/4" Drive Extension 2" | 9108D | 8mm 12 Point Ratcheting Combination Wrench |
| 81113D | 1/4" Drive Extension 3" | 9109 | 9mm 12 Point Ratcheting Combination Wrench |
| 81114D | 1/4" Drive Extension 4" | 9110D | 10mm 12 Point Ratcheting Combination Wrench |
| 81116 | 1/4" Drive Extension 6" | 9111 | 11mm 12 Point Ratcheting Combination Wrench |
| 81118 | 1/4" Drive Extension 14" | 9112 | 12mm 12 Point Ratcheting Combination Wrench |
| 81240 | 3/8" Drive Extension 1-1/2" | 9113D | 13mm 12 Point Ratcheting Combination Wrench |
| 81241 | 3/8" Drive Extension 3" | 9114D | 14mm 12 Point Ratcheting Combination Wrench |
| 81242 | 3/8" Drive Extension 3" | 9115D | 15mm 12 Point Ratcheting Combination Wrench |
| 81244 | 3/8" Drive Extension 12" | 9116D | 16mm 12 Point Ratcheting Combination Wrench |
| 81341 | 1/2" Drive Extension 5" | 9117D | 17mm 12 Point Ratcheting Combination Wrench |
| 81342 | 1/2" Drive Extension 10" | - | 5/16" 12 Point Stubby Ratcheting Combination Wrench |
| 81343 | 1/2" Drive Extension 15" | 9500DD | 3/8" 12 Point Stubby Ratcheting Combination Wrench |
| 81127 | 1/4" Drive 1/4" F x 3/8" M Adapter | 9501DD | 7/16" 12 Point Stubby Ratcheting Combination Wrench |
| 81277 | 3/8" Drive 3/8" F x 1/4" M Adapter | 9502D | 1/2" 12 Point Stubby Ratcheting Combination Wrench |

| Cat. No. | Description | Cat. No. | Description |
|----------|--|----------|--|
| 9503D | 9/16" 12 Point Stubby Ratcheting Combination Wrench | 81662 | 7/8" 12 Point Long Pattern Combination Wrench |
| 9504D | 5/8" 12 Point Stubby Ratcheting Combination Wrench | 81663 | 15/16" 12 Point Long Pattern Combination Wrench |
| 9510DD | 10mm 12 Point Stubby Ratcheting Combination Wrench | 81664 | 1" 12 Point Long Pattern Combination Wrench |
| 9511D | 11mm 12 Point Stubby Ratcheting Combination Wrench | 81733 | 1-1/16" 12 Point Long Pattern Combination Wrench |
| 9512D | 12mm 12 Point Stubby Ratcheting Combination Wrench | 81734 | 1-1/8" 12 Point Long Pattern Combination Wrench |
| 9513D | 13mm 12 Point Stubby Ratcheting Combination Wrench | 81735 | 1-1/4" 12 Point Long Pattern Combination Wrench |
| 9514D | 14mm 12 Point Stubby Ratcheting Combination Wrench | 81749 | 1-5/16" 12 Point Long Pattern Combination Wrench |
| 9515D | 15mm 12 Point Stubby Ratcheting Combination Wrench | 81750 | 1-1/2" 12 Point Long Pattern Combination Wrench |
| 9526ND | 3/8" 12 Point Reversible Ratcheting Combination Wrench | 81736 | 6mm 12 Point Long Pattern Combination Wrench |
| 9527N | 7/16" 12 Point Reversible Ratcheting Combination Wrench | 81737 | 7mm 12 Point Long Pattern Combination Wrench |
| 9528N | 1/2" 12 Point Reversible Ratcheting Combination Wrench | 81665 | 8mm 12 Point Long Pattern Combination Wrench |
| 9529N | 9/16" 12 Point Reversible Ratcheting Combination Wrench | 81666 | 9mm 12 Point Long Pattern Combination Wrench |
| 9530ND | 5/8" 12 Point Reversible Ratcheting Combination Wrench | 81667 | 10mm 12 Point Long Pattern Combination Wrench |
| 9531ND | 11/16" 12 Point Reversible Ratcheting Combination Wrench | 81668 | 11mm 12 Point Long Pattern Combination Wrench |
| 9532N | 3/4" 12 Point Reversible Ratcheting Combination Wrench | 81669 | 12mm 12 Point Long Pattern Combination Wrench |
| 9610N | 10mm 12 Point Reversible Ratcheting Combination Wrench | 81670 | 13mm 12 Point Long Pattern Combination Wrench |
| 9612N | 12mm 12 Point Reversible Ratcheting Combination Wrench | 81671 | 14mm 12 Point Long Pattern Combination Wrench |
| 9613N | 13mm 12 Point Reversible Ratcheting Combination Wrench | 81672 | 15mm 12 Point Long Pattern Combination Wrench |
| 9614N | 14mm 12 Point Reversible Ratcheting Combination Wrench | 81673 | 16mm 12 Point Long Pattern Combination Wrench |
| 9615N | 15mm 12 Point Reversible Ratcheting Combination Wrench | 81674 | 17mm 12 Point Long Pattern Combination Wrench |
| 9617N | 17mm 12 Point Reversible Ratcheting Combination Wrench | 81675 | 18mm 12 Point Long Pattern Combination Wrench |
| 9619N | 19mm 12 Point Reversible Ratcheting Combination Wrench | 81676 | 19mm 12 Point Long Pattern Combination Wrench |
| 9706 | 3/8" 12 Point Flex Ratcheting Combination Wrench | 81677 | 20mm 12 Point Long Pattern Combination Wrench |
| 9707 | 7/16" 12 Point Flex Ratcheting Combination Wrench | 81678 | 21mm 12 Point Long Pattern Combination Wrench |
| 9708 | 1/2" 12 Point Flex Ratcheting Combination Wrench | 81679 | 22mm 12 Point Long Pattern Combination Wrench |
| 9709 | 9/16" 12 Point Flex Ratcheting Combination Wrench | 81741 | 23mm 12 Point Long Pattern Combination Wrench |
| 9710 | 5/8" 12 Point Flex Ratcheting Combination Wrench | 81742 | 24mm 12 Point Long Pattern Combination Wrench |
| 9711 | 11/16" 12 Point Flex Ratcheting Combination Wrench | 81751 | 25mm 12 Point Long Pattern Combination Wrench |
| 9712 | 3/4" 12 Point Flex Ratcheting Combination Wrench | 81752 | 26mm 12 Point Long Pattern Combination Wrench |
| 9910D | 10mm 12 Point Flex Ratcheting Combination Wrench | 81743 | 27mm 12 Point Long Pattern Combination Wrench |
| 9912D | 12mm 12 Point Flex Ratcheting Combination Wrench | 81753 | 28mm 12 Point Long Pattern Combination Wrench |
| 9913D | 13mm 12 Point Flex Ratcheting Combination Wrench | 81744 | 30mm 12 Point Long Pattern Combination Wrench |
| 9914D | 14mm 12 Point Flex Ratcheting Combination Wrench | 81745D | 32mm 12 Point Long Pattern Combination Wrench |
| 9915D | 15mm 12 Point Flex Ratcheting Combination Wrench | 80105 | 1/4" Drive 6 Point Standard SAE Socket 3/16" |
| 9917 | 17mm 12 Point Flex Ratcheting Combination Wrench | 80106 | 1/4" Drive 6 Point Standard SAE Socket 7/32" |
| 9919D | 19mm 12 Point Flex Ratcheting Combination Wrench | 80107 | 1/4" Drive 6 Point Standard SAE Socket 1/4" |
| 81650 | 1/4" 12 Point Long Pattern Combination Wrench | 80108 | 1/4" Drive 6 Point Standard SAE Socket 9/32" |
| 81652D | 5/16" 12 Point Long Pattern Combination Wrench | 80109 | 1/4" Drive 6 Point Standard SAE Socket 5/16" |
| 81653 | 11/32" 12 Point Long Pattern Combination Wrench | 80110 | 1/4" Drive 6 Point Standard SAE Socket 11/32" |
| 81654 | 3/8" 12 Point Long Pattern Combination Wrench | 80111 | 1/4" Drive 6 Point Standard SAE Socket 3/8" |
| 81655 | 7/16" 12 Point Long Pattern Combination Wrench | 80112 | 1/4" Drive 6 Point Standard SAE Socket 7/16" |
| 81656 | 1/2" 12 Point Long Pattern Combination Wrench | 80113D | 1/4" Drive 6 Point Standard SAE Socket 1/2" |
| 81657 | 9/16" 12 Point Long Pattern Combination Wrench | 80114D | 1/4" Drive 6 Point Standard SAE Socket 9/16" |
| 81658 | 5/8" 12 Point Long Pattern Combination Wrench | 80125 | 1/4" Drive 6 Point Standard Metric Socket 4mm |
| 81659 | 11/16" 12 Point Long Pattern Combination Wrench | 80126 | 1/4" Drive 6 Point Standard Metric Socket 5mm |
| 81660 | 3/4" 12 Point Long Pattern Combination Wrench | 80127 | 1/4" Drive 6 Point Standard Metric Socket 5.5mm |
| 81661 | 13/16" 12 Point Long Pattern Combination Wrench | 80128 | 1/4" Drive 6 Point Standard Metric Socket 6mm |

Continued on next page

14 Pc. 12 Point SAE/Metric Reversible Combination Ratcheting Wrench Set

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Meets or exceeds ASME and ANSI specifications
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Included tray for storage and organization



| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 85142 | Tray | 5.500 lb |

| Cat. No. | Description | Cat. No. | Description |
|----------|--|----------|--|
| 9526ND | 3/8" 12 Point Reversible Ratcheting Combination Wrench | 9610N | 10mm 12 Point Reversible Ratcheting Combination Wrench |
| 9527N | 7/16" 12 Point Reversible Ratcheting Combination Wrench | 9612N | 12mm 12 Point Reversible Ratcheting Combination Wrench |
| 9528N | 1/2" 12 Point Reversible Ratcheting Combination Wrench | 9613N | 13mm 12 Point Reversible Ratcheting Combination Wrench |
| 9529N | 9/16" 12 Point Reversible Ratcheting Combination Wrench | 9614N | 14mm 12 Point Reversible Ratcheting Combination Wrench |
| 9530ND | 5/8" 12 Point Reversible Ratcheting Combination Wrench | 9615N | 15mm 12 Point Reversible Ratcheting Combination Wrench |
| 9531ND | 11/16" 12 Point Reversible Ratcheting Combination Wrench | 9617N | 17mm 12 Point Reversible Ratcheting Combination Wrench |
| 9532N | 3/4" 12 Point Reversible Ratcheting Combination Wrench | 9619N | 19mm 12 Point Reversible Ratcheting Combination Wrench |

13 Pc. 12 Point SAE Reversible Combination Ratcheting Wrench Sets

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME and ANSI specifications
- Included tool roll or rack for storage and organization



| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 9509RN | Tool Roll | 6.680 lb |

| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 9509N | Wrench Rack | 6.65 lb |

| Cat. No. | Description | Cat. No. | Description |
|----------|--|----------|--|
| 9525ND | 5/16" 12 Point Reversible Ratcheting Combination Wrench | 9531ND | 11/16" 12 Point Reversible Ratcheting Combination Wrench |
| 9521ND | 11/32" 12 Point Reversible Ratcheting Combination Wrench | 9532N | 3/4" 12 Point Reversible Ratcheting Combination Wrench |
| 9526ND | 3/8" 12 Point Reversible Ratcheting Combination Wrench | 9534N | 13/16" 12 Point Reversible Ratcheting Combination Wrench |
| 9527N | 7/16" 12 Point Reversible Ratcheting Combination Wrench | 9538N | 7/8" 12 Point Reversible Ratcheting Combination Wrench |
| 9528N | 1/2" 12 Point Reversible Ratcheting Combination Wrench | 9539N | 15/16" 12 Point Reversible Ratcheting Combination Wrench |
| 9529N | 9/16" 12 Point Reversible Ratcheting Combination Wrench | 9540N | 1" 12 Point Reversible Ratcheting Combination Wrench |
| 9530ND | 5/8" 12 Point Reversible Ratcheting Combination Wrench | | |

10 Pc. 12 Point SAE Reversible Combination Ratcheting Wrench Set with Roll

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME and ANSI specifications
- Included tool roll for storage and organization



| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 85891 | Tool Roll | 4.630 lb |

| Cat. No. | Description | Cat. No. | Description |
|----------|---|----------|--|
| 9525ND | 5/16" 12 Point Reversible Ratcheting Combination Wrench | 9530ND | 5/8" 12 Point Reversible Ratcheting Combination Wrench |
| 9526ND | 3/8" 12 Point Reversible Ratcheting Combination Wrench | 9531ND | 11/16" 12 Point Reversible Ratcheting Combination Wrench |
| 9527N | 7/16" 12 Point Reversible Ratcheting Combination Wrench | 9532N | 3/4" 12 Point Reversible Ratcheting Combination Wrench |
| 9528N | 1/2" 12 Point Reversible Ratcheting Combination Wrench | 9534N | 13/16" 12 Point Reversible Ratcheting Combination Wrench |
| 9529N | 9/16" 12 Point Reversible Ratcheting Combination Wrench | 9538N | 7/8" 12 Point Reversible Ratcheting Combination Wrench |

8 Pc. 12 Point SAE Reversible Combination Ratcheting Wrench Set

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists rust and corrosion
- Meets or exceeds ASME and ANSI specifications
- Included rack for storage and organization



| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 9533N | Wrench Rack | 2.71 lb |

| Cat. No. | Description | Cat. No. | Description |
|----------|---|----------|--|
| 9525ND | 5/16" 12 Point Reversible Ratcheting Combination Wrench | 9529N | 9/16" 12 Point Reversible Ratcheting Combination Wrench |
| 9526ND | 3/8" 12 Point Reversible Ratcheting Combination Wrench | 9530ND | 5/8" 12 Point Reversible Ratcheting Combination Wrench |
| 9527N | 7/16" 12 Point Reversible Ratcheting Combination Wrench | 9531ND | 11/16" 12 Point Reversible Ratcheting Combination Wrench |
| 9528N | 1/2" 12 Point Reversible Ratcheting Combination Wrench | 9532N | 3/4" 12 Point Reversible Ratcheting Combination Wrench |

7 Pc. 12 Point SAE Reversible Combination Ratcheting Wrench Set with Roll

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME and ANSI specifications
- Included tool roll for storage and organization



| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 9567RN | Tool Roll | 2.30 lb |

| Cat. No. | Description | Cat. No. | Description |
|----------|---|----------|--|
| 9526ND | 3/8" 12 Point Reversible Ratcheting Combination Wrench | 9530ND | 5/8" 12 Point Reversible Ratcheting Combination Wrench |
| 9527N | 7/16" 12 Point Reversible Ratcheting Combination Wrench | 9531ND | 11/16" 12 Point Reversible Ratcheting Combination Wrench |
| 9528N | 1/2" 12 Point Reversible Ratcheting Combination Wrench | 9532N | 3/4" 12 Point Reversible Ratcheting Combination Wrench |
| 9529N | 9/16" 12 Point Reversible Ratcheting Combination Wrench | | |

16 Pc. 12 Point Metric Reversible Combination Ratcheting Wrench Set

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME and ANSI specifications
- Included rack or roll for storage and organization



| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 9602N | Wrench Rack | 7.54 lb |

| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 9602RN | Tool Roll | 7.85 lb |

| Cat. No. | Description | Cat. No. | Description |
|----------|--|----------|--|
| 9608N | 8mm 12 Point Reversible Ratcheting Combination Wrench | 9616N | 16mm 12 Point Reversible Ratcheting Combination Wrench |
| 9609N | 9mm 12 Point Reversible Ratcheting Combination Wrench | 9617N | 17mm 12 Point Reversible Ratcheting Combination Wrench |
| 9610N | 10mm 12 Point Reversible Ratcheting Combination Wrench | 9618N | 18mm 12 Point Reversible Ratcheting Combination Wrench |
| 9611N | 11mm 12 Point Reversible Ratcheting Combination Wrench | 9619N | 19mm 12 Point Reversible Ratcheting Combination Wrench |
| 9612N | 12mm 12 Point Reversible Ratcheting Combination Wrench | 9621N | 21mm 12 Point Reversible Ratcheting Combination Wrench |
| 9613N | 13mm 12 Point Reversible Ratcheting Combination Wrench | 9622N | 22mm 12 Point Reversible Ratcheting Combination Wrench |
| 9614N | 14mm 12 Point Reversible Ratcheting Combination Wrench | 9624N | 24mm 12 Point Reversible Ratcheting Combination Wrench |
| 9615N | 15mm 12 Point Reversible Ratcheting Combination Wrench | 9625N | 25mm 12 Point Reversible Ratcheting Combination Wrench |

12 Pc. 12 Point Metric Reversible Combination Ratcheting Wrench Set

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME and ANSI specifications
- Included tray for storage and organization



| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 9620N | Tray | 3.75 lb |

| Cat. No. | Description | Cat. No. | Description |
|----------|--|----------|--|
| 9608N | 8mm 12 Point Reversible Ratcheting Combination Wrench | 9614N | 14mm 12 Point Reversible Ratcheting Combination Wrench |
| 9609N | 9mm 12 Point Reversible Ratcheting Combination Wrench | 9615N | 15mm 12 Point Reversible Ratcheting Combination Wrench |
| 9610N | 10mm 12 Point Reversible Ratcheting Combination Wrench | 9616N | 16mm 12 Point Reversible Ratcheting Combination Wrench |
| 9611N | 11mm 12 Point Reversible Ratcheting Combination Wrench | 9617N | 17mm 12 Point Reversible Ratcheting Combination Wrench |
| 9612N | 12mm 12 Point Reversible Ratcheting Combination Wrench | 9618N | 18mm 12 Point Reversible Ratcheting Combination Wrench |
| 9613N | 13mm 12 Point Reversible Ratcheting Combination Wrench | 9619N | 19mm 12 Point Reversible Ratcheting Combination Wrench |

10 Pc. 12 Point Metric Reversible Combination Ratcheting Wrench Set with Roll

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME and ANSI specifications
- Included tool roll for storage and organization



| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 85892 | Tool Roll | 3.960 lb |

| Cat. No. | Description | Cat. No. | Description |
|----------|--|----------|--|
| 9608N | 8mm 12 Point Reversible Ratcheting Combination Wrench | 9615N | 15mm 12 Point Reversible Ratcheting Combination Wrench |
| 9610N | 10mm 12 Point Reversible Ratcheting Combination Wrench | 9616N | 16mm 12 Point Reversible Ratcheting Combination Wrench |
| 9612N | 12mm 12 Point Reversible Ratcheting Combination Wrench | 9617N | 17mm 12 Point Reversible Ratcheting Combination Wrench |
| 9613N | 13mm 12 Point Reversible Ratcheting Combination Wrench | 9618N | 18mm 12 Point Reversible Ratcheting Combination Wrench |
| 9614N | 14mm 12 Point Reversible Ratcheting Combination Wrench | 9619N | 19mm 12 Point Reversible Ratcheting Combination Wrench |

10 Pc. 12 Point Metric Reversible Combination Ratcheting Wrench Set with Roll

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists rust and corrosion
- Meets or exceeds ASME and ANSI specifications
- Included tool roll for storage and organization



| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 9601RN | Tool Roll | 3.60 lb |

| Cat. No. | Description | Cat. No. | Description |
|----------|--|----------|--|
| 9610N | 10mm 12 Point Reversible Ratcheting Combination Wrench | 9615N | 15mm 12 Point Reversible Ratcheting Combination Wrench |
| 9611N | 11mm 12 Point Reversible Ratcheting Combination Wrench | 9616N | 16mm 12 Point Reversible Ratcheting Combination Wrench |
| 9612N | 12mm 12 Point Reversible Ratcheting Combination Wrench | 9617N | 17mm 12 Point Reversible Ratcheting Combination Wrench |
| 9613N | 13mm 12 Point Reversible Ratcheting Combination Wrench | 9618N | 18mm 12 Point Reversible Ratcheting Combination Wrench |
| 9614N | 14mm 12 Point Reversible Ratcheting Combination Wrench | 9619N | 19mm 12 Point Reversible Ratcheting Combination Wrench |

8 Pc. 12 Point Metric Reversible Combination Ratcheting Wrench Set

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME and ANSI specifications
- Included tray for storage and organization



| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 9543 | Tray | 2.71 lb |

| Cat. No. | Description | Cat. No. | Description |
|----------|--|----------|--|
| 9608N | 8mm 12 Point Reversible Ratcheting Combination Wrench | 9614N | 14mm 12 Point Reversible Ratcheting Combination Wrench |
| 9610N | 10mm 12 Point Reversible Ratcheting Combination Wrench | 9615N | 15mm 12 Point Reversible Ratcheting Combination Wrench |
| 9612N | 12mm 12 Point Reversible Ratcheting Combination Wrench | 9617N | 17mm 12 Point Reversible Ratcheting Combination Wrench |
| 9613N | 13mm 12 Point Reversible Ratcheting Combination Wrench | 9619N | 19mm 12 Point Reversible Ratcheting Combination Wrench |

12 Point Reversible Combination Ratcheting Wrenches

- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- 15° offset offers increased clearance
- Thin head and beam provide greater access in confined work areas
- Size conveniently stamped on the head and beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME and ANSI specifications



| Cat. No. | SAE/Metric | Fastener Size | End A Width | End A Thickness | End B Width | End B Thickness | Overall Length | Product Weight |
|----------|------------|---------------|-------------|-----------------|-------------|-----------------|----------------|----------------|
| 9525ND | SAE | 5/16 in | 0.768 in | 0.197 in | 0.665 in | 0.272 in | 5.433 in | 0.11 lb |
| 9521ND | SAE | 11/32 in | 0.768 in | 0.213 in | 0.701 in | 0.272 in | 5.795 in | 0.12 lb |
| 9526ND | SAE | 3/8 in | 0.862 in | 0.224 in | 0.78 in | 0.303 in | 6.169 in | 0.14 lb |
| 9527N | SAE | 7/16 in | 0.953 in | 0.252 in | 0.854 in | 0.323 in | 6.413 in | 0.16 lb |
| 9528N | SAE | 1/2 in | 1.146 in | 0.319 in | 0.984 in | 0.339 in | 6.902 in | 0.22 lb |
| 9529N | SAE | 9/16 in | 1.228 in | 0.327 in | 1.035 in | 0.37 in | 7.398 in | 0.27 lb |
| 9530ND | SAE | 5/8 in | 1.358 in | 0.346 in | 1.201 in | 0.406 in | 8.087 in | 0.34 lb |
| 9531ND | SAE | 11/16 in | 1.492 in | 0.362 in | 1.272 in | 0.421 in | 8.74 in | 0.40 lb |
| 9532N | SAE | 3/4 in | 1.626 in | 0.374 in | 1.339 in | 0.441 in | 9.594 in | 0.53 lb |
| 9534N | SAE | 13/16 in | 1.811 in | 0.39 in | 1.535 in | 0.512 in | 11.476 in | 0.91 lb |
| 9538N | SAE | 7/8 in | 1.811 in | 0.39 in | 1.535 in | 0.512 in | 11.476 in | 1.17 lb |
| 9539N | SAE | 15/16 in | 2.055 in | 0.429 in | 1.791 in | 0.571 in | 14 in | 1.27 lb |
| 9540N | SAE | 1 in | 2.055 in | 0.429 in | 1.791 in | 0.571 in | 14 in | 1.32 lb |
| 9608N | Metric | 8 mm | 0.768 in | 0.197 in | 0.665 in | 0.272 in | 5.433 in | 0.10 lb |
| 9609N | Metric | 9 mm | 0.768 in | 0.213 in | 0.701 in | 0.272 in | 5.795 in | 0.11 lb |
| 9610N | Metric | 10 mm | 0.862 in | 0.224 in | 0.78 in | 0.303 in | 6.169 in | 0.14 lb |
| 9611N | Metric | 11 mm | 0.953 in | 0.252 in | 0.854 in | 0.323 in | 6.413 in | 0.15 lb |
| 9612N | Metric | 12 mm | 1.047 in | 0.291 in | 0.906 in | 0.339 in | 6.657 in | 0.37 lb |
| 9613N | Metric | 13 mm | 1.146 in | 0.319 in | 0.984 in | 0.339 in | 6.902 in | 0.23 lb |
| 9614N | Metric | 14 mm | 1.228 in | 0.327 in | 1.035 in | 0.37 in | 7.398 in | 0.26 lb |
| 9615N | Metric | 15 mm | 1.327 in | 0.327 in | 1.13 in | 0.39 in | 7.748 in | 0.30 lb |
| 9616N | Metric | 16 mm | 1.358 in | 0.346 in | 1.201 in | 0.406 in | 8.087 in | 0.40 lb |
| 9617N | Metric | 17 mm | 1.492 in | 0.362 in | 1.272 in | 0.421 in | 8.74 in | 0.42 lb |
| 9618N | Metric | 18 mm | 1.583 in | 0.37 in | 1.307 in | 0.441 in | 9.169 in | 0.45 lb |
| 9619N | Metric | 19 mm | 1.626 in | 0.374 in | 1.339 in | 0.441 in | 9.594 in | 0.54 lb |
| 9621N | Metric | 21 mm | 1.811 in | 0.39 in | 1.535 in | 0.512 in | 11.476 in | 0.88 lb |
| 9622N | Metric | 22 mm | 1.811 in | 0.39 in | 1.535 in | 0.512 in | 11.476 in | 1.01 lb |
| 9624N | Metric | 24 mm | 2.055 in | 0.429 in | 1.791 in | 0.571 in | 14 in | 1.15 lb |
| 9625N | Metric | 25 mm | 2.055 in | 0.429 in | 1.791 in | 0.571 in | 14 in | 1.27 lb |

5 Pc. 12 Point Metric Reversible S-Shape Double Box Ratcheting Wrench Set

- Save weight in your toolbox by combining 2 sizes on one wrench
- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- Slim S-shape design allows for easy access around obstructions
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Size conveniently stamped on both ends of the beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Included tray for storage and organization



| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 85299 | Tray | 2.73 lb |

| Cat. No. | Description | Cat. No. | Description |
|----------|--|----------|--|
| 85222 | 10mm x 12mm 12 Pt S-Shaped Reversible Double Box Ratcheting Wrench | 85232 | 15mm x 17mm 12 Pt S-Shaped Reversible Double Box Ratcheting Wrench |
| 85224 | 11mm x 13mm 12 Pt S-Shaped Reversible Double Box Ratcheting Wrench | 85241D | 19mm x 22mm 12 Pt S-Shaped Reversible Double Box Ratcheting Wrench |
| 85230 | 14mm x 16mm 12 Pt S-Shaped Reversible Double Box Ratcheting Wrench | | |

12 Point Reversible S-Shape Double Box Ratcheting Wrenches

- Save weight in your toolbox by combining 2 sizes on one wrench
- 72 tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- Slim S-shape design allows for easy access around obstructions
- Flush mounted reversing lever allows you to change direction without removing the wrench
- Size conveniently stamped on both ends of the beam for quick identification
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion



| Cat. No. | SAE/Metric | End A Fastener Size | End A Width | End A Thickness | End B Fastener Size | End B Width | End B Thickness | Overall Length | Product Weight |
|----------|------------|---------------------|-------------|-----------------|---------------------|-------------|-----------------|----------------|----------------|
| 85326 | SAE | 3/8 in | 1.535 in | 0.512 in | 7/16 in | 1.339 in | 0.441 in | 8.811 in | 0.18 lb |
| 85334 | SAE | 1/2 in | 0.984 in | 0.37 in | 9/16 in | 1.035 in | 0.339 in | 6.268 in | 0.29 lb |
| 85342 | SAE | 5/8 in | 1.307 in | 0.421 in | 11/16 in | 1.201 in | 0.406 in | 8.114 in | 0.56 lb |
| 85352 | SAE | 3/4 in | 1.535 in | 0.512 in | 7/8 in | 1.339 in | 0.441 in | 8.811 in | 0.81 lb |
| 85222 | Metric | 10mm | 0.906 in | 0.339 in | 12mm | 0.78 in | 0.303 in | 5.217 in | 0.18 lb |
| 85224 | Metric | 11mm | 0.984 in | 0.339 in | 13mm | 0.854 in | 0.323 in | 5.65 in | 0.23 lb |
| 85230 | Metric | 14mm | 1.272 in | 0.406 in | 16mm | 1.035 in | 0.37 in | 6.906 in | 0.40 lb |
| 85232 | Metric | 15mm | 1.307 in | 0.421 in | 17mm | 1.201 in | 0.39 in | 8.114 in | 0.55 lb |
| 85241D | Metric | 19mm | 1.535 in | 0.512 in | 22mm | 1.339 in | 0.441 in | 8.811 in | 1.00 lb |

37 Pc. Access Bit Set with 1/2" Reversible Ratcheting Wrench

- Designed to provide better access to restricted fasteners
- Bits manufactured from S2 steel for maximum strength
- Includes a 1/2" reversible ratcheting wrench with 2 bit adapters
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Bits and adapters housed in plastic tray for convent storage and tool retention



| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| 9537NN | Bit Holder | 1.020 lb |

| Cat. No. | Description | Cat. No. | Description |
|----------|--|----------|-------------------|
| 9528N | 1/2" 12 Point Reversible Ratcheting Combination Wrench | - | 6mm Hex Bit |
| - | Socket Adapter | - | 7mm Hex Bit |
| - | 1/4" Bit Holder | - | 8mm Hex Bit |
| - | 5/16" Bit Holder | - | 10mm Hex Bit |
| - | 3/32" Hex Bit | - | #1 Phillips® Bit |
| - | 7/64" Hex Bit | - | #2 Phillips® Bit |
| - | 1/8" Hex Bit | - | #3 Phillips® Bit |
| - | 9/64" Hex Bit | - | 1/4" Slotted Bit |
| - | 5/32" Hex Bit | - | 9/32" Slotted Bit |
| - | 3/16" Hex Bit | - | T10 Torx® Bit |
| - | 7/32" Hex Bit | - | T15 Torx® Bit |
| - | 1/4" Hex Bit | - | T20 Torx® Bit |
| - | 5/16" Hex Bit | - | T25 Torx® Bit |
| - | 3/8" Hex Bit | - | T27 Torx® Bit |
| - | 2mm Hex Bit | - | T30 Torx® Bit |
| - | 2.5mm Hex Bit | - | T40 Torx® Bit |
| - | 3mm Hex Bit | - | T45 Torx® Bit |
| - | 4mm Hex Bit | - | T50 Torx® Bit |
| - | 5mm Hex Bit | - | |

General Mechanics Tool Kit

- Kit includes lifetime warranted GEARWRENCH tools
- Explorer Case is proven to function in environments from desert to arctic
- Removable drawers with foam inserts for tool control
- Rugged wheel construction and a wide wheelbase provide durability and stability
- Impact resistant - drop tested at 2.5 meters
- Waterproof - up to 1 meter for 30 minutes
- Exterior Dimensions 23" L x 15" W x 18" H



| Cat. No. | Included Storage | Product Weight |
|----------|------------------|----------------|
| GWSGMTK3 | Explorer Case | 110 lb |

| Cat. No. | Description | Cat. No. | Description |
|----------|--|----------|---|
| - | Top Tray A | 80748D | 1/2" Drive 12 Point Standard Metric Socket 13mm |
| 9525ND | 5/16" 12 Point Reversible Ratcheting Combination Wrench | 80749 | 1/2" Drive 12 Point Standard Metric Socket 14mm |
| 9526ND | 3/8" 12 Point Reversible Ratcheting Combination Wrench | 80750 | 1/2" Drive 12 Point Standard Metric Socket 15mm |
| 9527N | 7/16" 12 Point Reversible Ratcheting Combination Wrench | 80751 | 1/2" Drive 12 Point Standard Metric Socket 16mm |
| 9528N | 1/2" 12 Point Reversible Ratcheting Combination Wrench | 80752 | 1/2" Drive 12 Point Standard Metric Socket 17mm |
| 9529N | 9/16" 12 Point Reversible Ratcheting Combination Wrench | 80753 | 1/2" Drive 12 Point Standard Metric Socket 18mm |
| 9530ND | 5/8" 12 Point Reversible Ratcheting Combination Wrench | 80754 | 1/2" Drive 12 Point Standard Metric Socket 19mm |
| 9531ND | 11/16" 12 Point Reversible Ratcheting Combination Wrench | 80756 | 1/2" Drive 12 Point Standard Metric Socket 21mm |
| 9532N | 3/4" 12 Point Reversible Ratcheting Combination Wrench | 80757 | 1/2" Drive 12 Point Standard Metric Socket 22mm |
| 9608N | 8mm 12 Point Reversible Ratcheting Combination Wrench | 80759 | 1/2" Drive 12 Point Standard Metric Socket 24mm |
| 9609N | 9mm 12 Point Reversible Ratcheting Combination Wrench | - | Safety Glasses |
| 9610N | 10mm 12 Point Reversible Ratcheting Combination Wrench | - | Top Tray B |
| 9611N | 11mm 12 Point Reversible Ratcheting Combination Wrench | 81011T | 1/4" Drive 90 Tooth Teardrop Ratchet 5" |
| 9612N | 12mm 12 Point Reversible Ratcheting Combination Wrench | 81124 | 1/4" Drive Locking Extension 3" |
| 9613N | 13mm 12 Point Reversible Ratcheting Combination Wrench | 81126 | 1/4" Drive Locking Extension 6" |
| 9614N | 14mm 12 Point Reversible Ratcheting Combination Wrench | 81127 | 1/4" Drive 1/4" F x 3/8" M Adapter |
| 9615N | 15mm 12 Point Reversible Ratcheting Combination Wrench | 81128 | 1/4" Drive Spinner Handle 7-3/4" |
| 9616N | 16mm 12 Point Reversible Ratcheting Combination Wrench | 80100 | 1/4" Drive Universal Joint |
| 9617N | 17mm 12 Point Reversible Ratcheting Combination Wrench | 80173 | 1/4" Drive Torx® Bit Socket T15 |
| 9618N | 18mm 12 Point Reversible Ratcheting Combination Wrench | 80175 | 1/4" Drive Torx® Bit Socket T25 |
| 9619N | 19mm 12 Point Reversible Ratcheting Combination Wrench | 80210 | 1/4" Drive 12 Point Standard SAE Socket 3/16" |
| 80772 | 1/2" Drive 12 Point Deep SAE Socket 7/16" | 80211 | 1/4" Drive 12 Point Standard SAE Socket 7/32" |
| 80773 | 1/2" Drive 12 Point Deep SAE Socket 1/2" | 80212 | 1/4" Drive 12 Point Standard SAE Socket 1/4" |
| 80774 | 1/2" Drive 12 Point Deep SAE Socket 9/16" | 80213 | 1/4" Drive 12 Point Standard SAE Socket 9/32" |
| 80775 | 1/2" Drive 12 Point Deep SAE Socket 5/8" | 80214 | 1/4" Drive 12 Point Standard SAE Socket 5/16" |
| 80776 | 1/2" Drive 12 Point Deep SAE Socket 11/16" | 80215D | 1/4" Drive 12 Point Standard SAE Socket 11/32" |
| 80777D | 1/2" Drive 12 Point Deep SAE Socket 3/4" | 80216 | 1/4" Drive 12 Point Standard SAE Socket 3/8" |
| 80778 | 1/2" Drive 12 Point Deep SAE Socket 13/16" | 80217 | 1/4" Drive 12 Point Standard SAE Socket 7/16" |
| 80779 | 1/2" Drive 12 Point Deep SAE Socket 7/8" | 80218 | 1/4" Drive 12 Point Standard SAE Socket 1/2" |
| 80780 | 1/2" Drive 12 Point Deep SAE Socket 15/16" | 80760 | 1/2" Drive 12 Point Standard SAE Socket 7/16" |
| 80795 | 1/2" Drive 12 Point Deep SAE Socket 1" | 80761 | 1/2" Drive 12 Point Standard SAE Socket 1/2" |
| 80796 | 1/2" Drive 12 Point Deep SAE Socket 1-1/16" | 80762 | 1/2" Drive 12 Point Standard SAE Socket 9/16" |
| 80797 | 1/2" Drive 12 Point Deep SAE Socket 1-1/8" | 80763 | 1/2" Drive 12 Point Standard SAE Socket 5/8" |
| 80747 | 1/2" Drive 12 Point Standard Metric Socket 12mm | 80764 | 1/2" Drive 12 Point Standard SAE Socket 11/16" |

| Cat. No. | Description | Cat. No. | Description |
|----------|--|----------|---|
| 80765 | 1/2" Drive 12 Point Standard SAE Socket 3/4" | 82071 | 7" Heavy-Duty Diagonal Cutting Pliers |
| 80766 | 1/2" Drive 12 Point Standard SAE Socket 13/16" | 82073 | 7-1/2" Long Nose Side Cutting Pliers |
| 80767 | 1/2" Drive 12 Point Standard SAE Socket 7/8" | C10CVN | 10" Curved Jaw Locking Plier With Wire Cutter |
| 80768 | 1/2" Drive 12 Point Standard SAE Socket 15/16" | C6NVN | Long Nose Locking Plier |
| 80769 | 1/2" Drive 12 Point Standard SAE Socket 1" | - | Drawer #3 |
| 80770 | 1/2" Drive 12 Point Standard SAE Socket 1-1/16" | 81211T | 3/8" Drive 90 Tooth Teardrop Ratchet 8" |
| 80771 | 1/2" Drive 12 Point Standard SAE Socket 1-1/8" | 81221 | 3/8" Drive Breaker Bar 12" |
| 80793 | 1/2" Drive 12 Point Standard SAE Socket 1-3/16" | 81239 | 3/8" Drive Speeder Handle 16-3/4" |
| 80794 | 1/2" Drive 12 Point Standard SAE Socket 1-1/4" | 81250 | 3/8" Drive Locking Extension 3" |
| 80198 | 1/4" Drive 12 Point Standard Metric Socket 5mm | 81251 | 3/8" Drive Locking Extension 6" |
| 80200 | 1/4" Drive 12 Point Standard Metric Socket 6mm | 80549 | 3/8" Drive Universal Joint |
| 80201 | 1/4" Drive 12 Point Standard Metric Socket 7mm | 80497D | 3/8" Drive 12 Point Standard SAE Socket 5/16" |
| 80202 | 1/4" Drive 12 Point Standard Metric Socket 8mm | 80498 | 3/8" Drive 12 Point Standard SAE Socket 3/8" |
| 80204 | 1/4" Drive 12 Point Standard Metric Socket 10mm | 80499 | 3/8" Drive 12 Point Standard SAE Socket 7/16" |
| - | 6" Machinist's Rule | 80500D | 3/8" Drive 12 Point Standard SAE Socket 1/2" |
| - | Multi-Tool | 80501 | 3/8" Drive 12 Point Standard SAE Socket 9/16" |
| - | Sash & Trim Brush | 80502 | 3/8" Drive 12 Point Standard SAE Socket 5/8" |
| 83122 | 125 Lumen Rechargeable Penlight | 80503 | 3/8" Drive 12 Point Standard SAE Socket 11/16" |
| PHV1012N | 1/2" x 12" Hi-Viz® Orange P1000 Tape Measure | 80504 | 3/8" Drive 12 Point Standard SAE Socket 3/4" |
| 161D | 32 Blade Deluxe SAE/Metric Feeler Gauge | 80505 | 3/8" Drive 12 Point Standard SAE Socket 13/16" |
| 1711D | 18" Flexible Magnetic Pickup Tool | 80506D | 3/8" Drive 12 Point Standard SAE Socket 7/8" |
| 2840D | 1-1/4" Round Telescopic Magnifying Mirror with Pocket Clip | 80512 | 3/8" Drive 12 Point Deep SAE Socket 7/16" |
| - | Drawer # 1 | 80513 | 3/8" Drive 12 Point Deep SAE Socket 1/2" |
| 82200 | 18" Rolling Wedge Bar | 80514 | 3/8" Drive 12 Point Deep SAE Socket 9/16" |
| 82266 | 3/4" x 7" Cold Chisel | 80515D | 3/8" Drive 12 Point Deep SAE Socket 5/8" |
| 82270 | 5/32" x 5" Center Punch | 80516 | 3/8" Drive 12 Point Deep SAE Socket 11/16" |
| 82273 | 1/8" x 5" Pin Punch | 80517 | 3/8" Drive 12 Point Deep SAE Socket 3/4" |
| 82276 | 1/4" x 7" Pin Punch | 80416 | 3/8" Drive Hex Bit SAE Socket 5/32" |
| 82277 | 5/16" x 7" Pin Punch | 80417 | 3/8" Drive Hex Bit SAE Socket 3/16" |
| 82280 | 3/16" x 9" Long Taper Punch | 80418 | 3/8" Drive Hex Bit SAE Socket 7/32" |
| 70-049G | 3/8" x 8" Tool Steel Long Pin Punch | 80419 | 3/8" Drive Hex Bit SAE Socket 1/4" |
| 70-291G | 3/4" x 8" Brass Drift Punch | 80420 | 3/8" Drive Hex Bit SAE Socket 5/16" |
| 70-293G | 1/2" x 7" Brass Drift Punch | 80421 | 3/8" Drive Hex Bit SAE Socket 3/8" |
| 16102N | 8" Three Square Smooth Cut | 80451 | 3/8" Drive Torx® Bit Socket T40 |
| 21474U | Nicholson Universal Handle | 80486 | 3/8" Drive 12 Point Standard Metric Socket 10mm |
| 21839NN | 10" Mill Single Cut Bastard File - Carded | 80487 | 3/8" Drive 12 Point Standard Metric Socket 11mm |
| 21853 | 8" Round Bastard Cut without Handle | 81307 | 1/2" Drive Breaker Bar 15" |
| 80969 | 10" Jab Saw | 81348 | 1/2" Drive Locking Extension 3" |
| - | Putty Knife | 81349 | 1/2" Drive Locking Extension 5" |
| - | Padlock | 81350 | 1/2" Drive Locking Extension 10" |
| - | Drawer # 2 | 80600D | 1/2" Drive Universal Joint |
| AC212BK | Adjustable Wrench | 80654 | 1/2" Drive Hex Bit SAE Socket 1/2" |
| AC26BK | Adjustable Wrench | 80655 | 1/2" Drive Hex Bit SAE Socket 9/16" |
| 80005 | Dual Material Phillips® Screwdriver #2 x 1-1/2" | 80781 | 1/2" Drive 12 Point Deep Metric Socket 10mm |
| 82706 | 1/4" x 4" Slotted Acetate Screwdriver | - | Drawer #4 |
| 82684 | 3/16" x 3" Slotted Orange Dual Material Screwdriver with Cabinet Tip | 81737 | 7mm 12 Point Long Pattern Combination Wrench |
| 82063 | 10" Straight Jaw Tongue and Groove Pliers | 81665 | 8mm 12 Point Long Pattern Combination Wrench |
| 82068 | 6-1/2" Slip Joint Pliers | | |

■ continued on next page