




GEARWRENCH[®]

- GEARWRENCH RACING2
- THE GEARWRENCH EVOLUTION4
- RATCHETS, SOCKETS, AND DRIVE TOOLS7
- WRENCHES203
- IMPACT305
- EXTRACTION TOOLS369
- TORQUE PRODUCTS379
- SCREWDRIVERS & NUTDRIVERS403
- PLIERS427
- CUTTING AND FILING449
- STRIKING AND STRUCK463
- PRY BARS487
- LIGHTING493
- AUTOMOTIVE SPECIALTY497
- TETHERING PRODUCTS579
- TOOL STORAGE593
- MASTER SETS607
- INDEX625



FORGE AHEAD

GEARWRENCH®

No competitive pursuit depends on the skilled use of hand tools as much as motorsports, so it stands to reason that professional tool users have a special respect for these teams that depend on their mechanics as much as their drivers and riders. GEARWRENCH is currently a major sponsor of teams in three very different areas of motorsports...

GEARWRENCH first partnered with Chip Ganassi Racing in 2017 and the NASCAR team sponsorship has grown steadily ever since. The No. 1 GEARWRENCH Camaro is driven by NASCAR veteran Kurt Busch, generating millions of TV impressions for GEARWRENCH with every race and building brand loyalty with our core customers.

Formula Drift racing is rapidly gaining popularity with its young, diverse, and devoted fan base. GEARWRENCH is proud to support the RAD Industries Toyota Supra Team and driver/mechanic "Rad Dan" Burkett. Instantly recognizable with his trademark mohawk/mullet haircut, Rad Dan has a phenomenal relationship with his fans, and as a major social media influencer in the Formula Drift community, is an outstanding brand ambassador for GEARWRENCH.

In 2021, GEARWRENCH is also sponsoring the Monster Energy Kawasaki Race Team in the Monster Energy Supercross Series. The top-ranked Kawasaki team is led by reigning Supercross champion and three-time AMA Pro Motocross champion Eli Tomac with teammate Adam Cianciarulo.



GearWrench started in 1996, when we developed a ratcheting wrench that stood up to professional environments – the “Original” combination ratcheting wrench.

Noticing the need for more ratcheting options, we quickly expanded to stubby and double box as these were traditional non-ratcheting wrench configurations.

The Reversible and Flex style wrenches were born from our users feedback, looking for a solution to working in tight spaces.

As more professionals began to use ratcheting wrenches, we spent time solving more access problems and introducing other wrench styles.

Having success in wrenches, we began to integrate ratcheting mechanisms into screwdrivers and other traditionally non-ratcheting tools.

GearWrench has continued to innovate products by adding productivity features to products like pry bars, hemostats, tool boxes, and ratchets.

1995

- THE “ORIGINAL” COMBINATION RATCHETING WRENCH
- STUBBY RATCHETING WRENCH

2000

- REVERSIBLE RATCHETING WRENCH
- FLEXIBLE RATCHETING WRENCH
- STUBBY FLEX RATCHETING WRENCH
- S-SHAPE RATCHETING WRENCH
- QUADBOX RATCHETING WRENCH
- DOUBLE BOX RATCHETING WRENCH
- GEARRATCHET VORTEX SOCKET SYSTEM

2005

- RATCHETING XL LOCKING FLEX WRENCH
- GEARDRIVER INTERCHANGABLE SHAFT SYSTEM
- RATCHETING TAP & DIE
- SCREWDRIVERS

2010

- X-BEAM RATCHETING WRENCH
- OPEN ENDED RATCHETING WRENCH
- INDEXING RATCHETING WRENCH
- FULL POLISH RATCHET
- INDEXING PRY BAR
- STANDARD, DEEP, & BIT SOCKETS

2015

- RATCHETING FLEX FLARE NUT WRENCH
- RATCHETING CROWFOOT WRENCH
- LED LIGHTING
- 120XP FLEX HEAD RATCHET
- 120XP MICROMETER TORQUE WRENCH

2020

- EXTRACTION SOCKETS
- 90T DUAL MATERIAL RATCHET

3/8" Drive Stubby Triple Square Bit Drivers

- Short overall length provides better access in tight spaces
- S2 steel for strength and durability
- Hard stamped size markings
- Satin finish for corrosion protection and simple cleaning
- Compact design provides additional access compared to standard bit sockets



Cat. No.	SAE/Metric	Fastener Size	Dim. A: Drive End	Dim. C: Overall Length	Dim. D: Bit Length	Exposed Bit Length	Product Weight
81093	Metric	8 mm	0.701 in	0.98 in	0.346 in	0.346 in	0.07 lb
81094	Metric	10 mm	0.701 in	1.44 in	0.346 in	0.346 in	0.07 lb
81095	Metric	12 mm	0.701 in	1.44 in	0.401 in	0.401 in	0.07 lb
81096	Metric	14 mm	0.701 in	1.44 in	0.427 in	0.427 in	0.09 lb
81097	Metric	16 mm	0.701 in	1.44 in	0.553 in	0.553 in	0.10 lb
81098	Metric	18 mm	0.701 in	1.44 in	0.56 in	0.56 in	0.11 lb

49 Pc. 1/2" Drive 120XP™ 6 Point SAE/Metric Standard and Deep Mechanics Tool Set

- 120XP ratchets have two double stacked 60-tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60-tooth gear, providing exceptional strength
- Sockets feature off-corner loading design reduces fastener rounding
- Extension bars features a knurled grip, providing a non slip surface
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Hard stamped size markings
- Includes blow mold case for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
80700P	Blow Mold Case	10.05 lb

Cat. No.	Description	Cat. No.	Description
81304P	1/2" Drive 120XP™ Teardrop Ratchet 11"	80631	1/2" Drive 6 Point Standard Metric Socket 19mm
81340	1/2" Drive Extension 3"	80632	1/2" Drive 6 Point Standard Metric Socket 20mm
81341	1/2" Drive Extension 5"	80633	1/2" Drive 6 Point Standard Metric Socket 21mm
80600D	1/2" Drive Universal Joint	80634	1/2" Drive 6 Point Standard Metric Socket 22mm
80602	1/2" Drive 6 Point Standard SAE Socket 7/16"	80635	1/2" Drive 6 Point Standard Metric Socket 23mm
80603	1/2" Drive 6 Point Standard SAE Socket 1/2"	80636D	1/2" Drive 6 Point Standard Metric Socket 24mm
80604	1/2" Drive 6 Point Standard SAE Socket 9/16"	80614	1/2" Drive 6 Point Deep SAE Socket 1/2"
80605	1/2" Drive 6 Point Standard SAE Socket 5/8"	80615	1/2" Drive 6 Point Deep SAE Socket 9/16"
80606	1/2" Drive 6 Point Standard SAE Socket 11/16"	80616	1/2" Drive 6 Point Deep SAE Socket 5/8"
80607D	1/2" Drive 6 Point Standard SAE Socket 3/4"	80617	1/2" Drive 6 Point Deep SAE Socket 11/16"
80608	1/2" Drive 6 Point Standard SAE Socket 13/16"	80618	1/2" Drive 6 Point Deep SAE Socket 3/4"
80609	1/2" Drive 6 Point Standard SAE Socket 7/8"	80619	1/2" Drive 6 Point Deep SAE Socket 13/16"
80610D	1/2" Drive 6 Point Standard SAE Socket 15/16"	80620	1/2" Drive 6 Point Deep SAE Socket 7/8"
80611	1/2" Drive 6 Point Standard SAE Socket 1"	80621	1/2" Drive 6 Point Deep SAE Socket 15/16"
80612	1/2" Drive 6 Point Standard SAE Socket 1-1/16"	80637	1/2" Drive 6 Point Deep Metric Socket 10mm

Cat. No.	Description	Cat. No.	Description
80613	1/2" Drive 6 Point Standard SAE Socket 1-1/8"	80638	1/2" Drive 6 Point Deep Metric Socket 11mm
80622	1/2" Drive 6 Point Standard Metric Socket 10mm	80639	1/2" Drive 6 Point Deep Metric Socket 12mm
80623	1/2" Drive 6 Point Standard Metric Socket 11mm	80640	1/2" Drive 6 Point Deep Metric Socket 13mm
80624	1/2" Drive 6 Point Standard Metric Socket 12mm	80641	1/2" Drive 6 Point Deep Metric Socket 14mm
80625	1/2" Drive 6 Point Standard Metric Socket 13mm	80642	1/2" Drive 6 Point Deep Metric Socket 15mm
80626D	1/2" Drive 6 Point Standard Metric Socket 14mm	80643	1/2" Drive 6 Point Deep Metric Socket 16mm
80627	1/2" Drive 6 Point Standard Metric Socket 15mm	80644	1/2" Drive 6 Point Deep Metric Socket 17mm
80628	1/2" Drive 6 Point Standard Metric Socket 16mm	80645	1/2" Drive 6 Point Deep Metric Socket 18mm
80629	1/2" Drive 6 Point Standard Metric Socket 17mm	80646D	1/2" Drive 6 Point Deep Metric Socket 19mm
80630	1/2" Drive 6 Point Standard Metric Socket 18mm		

49 Pc. 1/2" Drive 6 Point SAE/Metric Standard and Deep Mechanics Tool Set

- 90-tooth gear delivers a 4° swing arc to turn a fastener in tight confines
- Full polish chrome sockets with large hard-stamped size markings
- Knurled full polish chrome extensions
- Sockets feature off-corner loading design to reduce fastener rounding
- Includes blow mold case for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
80700D	Blow Mold Case	9.09 lb

Cat. No.	Description	Cat. No.	Description
81304T	1/2" Drive 90-Tooth Teardrop Ratchet 11"	80631	1/2" Drive 6 Point Standard Metric Socket 19mm
81340	1/2" Drive Extension 3"	80632	1/2" Drive 6 Point Standard Metric Socket 20mm
81341	1/2" Drive Extension 5"	80633	1/2" Drive 6 Point Standard Metric Socket 21mm
80600D	1/2" Drive Universal Joint	80634	1/2" Drive 6 Point Standard Metric Socket 22mm
80602	1/2" Drive 6 Point Standard SAE Socket 7/16"	80635	1/2" Drive 6 Point Standard Metric Socket 23mm
80603	1/2" Drive 6 Point Standard SAE Socket 1/2"	80636D	1/2" Drive 6 Point Standard Metric Socket 24mm
80604	1/2" Drive 6 Point Standard SAE Socket 9/16"	80614	1/2" Drive 6 Point Deep SAE Socket 1/2"
80605	1/2" Drive 6 Point Standard SAE Socket 5/8"	80615	1/2" Drive 6 Point Deep SAE Socket 9/16"
80606	1/2" Drive 6 Point Standard SAE Socket 11/16"	80616	1/2" Drive 6 Point Deep SAE Socket 5/8"
80607D	1/2" Drive 6 Point Standard SAE Socket 3/4"	80617	1/2" Drive 6 Point Deep SAE Socket 11/16"
80608	1/2" Drive 6 Point Standard SAE Socket 13/16"	80618	1/2" Drive 6 Point Deep SAE Socket 3/4"
80609	1/2" Drive 6 Point Standard SAE Socket 7/8"	80619	1/2" Drive 6 Point Deep SAE Socket 13/16"
80610D	1/2" Drive 6 Point Standard SAE Socket 15/16"	80620	1/2" Drive 6 Point Deep SAE Socket 7/8"
80611	1/2" Drive 6 Point Standard SAE Socket 1"	80621	1/2" Drive 6 Point Deep SAE Socket 15/16"
80612	1/2" Drive 6 Point Standard SAE Socket 1-1/16"	80637	1/2" Drive 6 Point Deep Metric Socket 10mm
80613	1/2" Drive 6 Point Standard SAE Socket 1-1/8"	80638	1/2" Drive 6 Point Deep Metric Socket 11mm
80622	1/2" Drive 6 Point Standard Metric Socket 10mm	80639	1/2" Drive 6 Point Deep Metric Socket 12mm
80623	1/2" Drive 6 Point Standard Metric Socket 11mm	80640	1/2" Drive 6 Point Deep Metric Socket 13mm
80624	1/2" Drive 6 Point Standard Metric Socket 12mm	80641	1/2" Drive 6 Point Deep Metric Socket 14mm
80625	1/2" Drive 6 Point Standard Metric Socket 13mm	80642	1/2" Drive 6 Point Deep Metric Socket 15mm

Continued on next page

49 Pc. 1/2" Drive 6 Point SAE/Metric Standard and Deep Mechanics Tool Set

Continued from previous page

Cat. No.	Description	Cat. No.	Description
80626D	1/2" Drive 6 Point Standard Metric Socket 14mm	80643	1/2" Drive 6 Point Deep Metric Socket 16mm
80627	1/2" Drive 6 Point Standard Metric Socket 15mm	80644	1/2" Drive 6 Point Deep Metric Socket 17mm
80628	1/2" Drive 6 Point Standard Metric Socket 16mm	80645	1/2" Drive 6 Point Deep Metric Socket 18mm
80629	1/2" Drive 6 Point Standard Metric Socket 17mm	80646D	1/2" Drive 6 Point Deep Metric Socket 19mm
80630	1/2" Drive 6 Point Standard Metric Socket 18mm		

49 Pc. 1/2" Drive 12 Point SAE/Metric Standard and Deep Mechanics Tool Set

- 90-tooth gear delivers a 4° swing arc to turn a fastener in tight confines
- Stubby and standard length ratchets for better access in all areas
- Full polish chrome sockets with large hard-stamped size markings
- Knurled full polish chrome extensions
- Sockets feature off-corner loading design to reduce fastener rounding
- Includes blow mold case for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
80701	Blow Mold Case	9.09 lb

Cat. No.	Description	Cat. No.	Description
81304T	1/2" Drive 90-Tooth Teardrop Ratchet 11"	80754	1/2" Drive 12 Point Standard Metric Socket 19mm
81340	1/2" Drive Extension 3"	80755D	1/2" Drive 12 Point Standard Metric Socket 20mm
81341	1/2" Drive Extension 5"	80756	1/2" Drive 12 Point Standard Metric Socket 21mm
80600D	1/2" Drive Universal Joint	80757	1/2" Drive 12 Point Standard Metric Socket 22mm
80760	1/2" Drive 12 Point Standard SAE Socket 7/16"	80758	1/2" Drive 12 Point Standard Metric Socket 23mm
80761	1/2" Drive 12 Point Standard SAE Socket 1/2"	80759	1/2" Drive 12 Point Standard Metric Socket 24mm
80762	1/2" Drive 12 Point Standard SAE Socket 9/16"	80773	1/2" Drive 12 Point Deep SAE Socket 1/2"
80763	1/2" Drive 12 Point Standard SAE Socket 5/8"	80774	1/2" Drive 12 Point Deep SAE Socket 9/16"
80764	1/2" Drive 12 Point Standard SAE Socket 11/16"	80775	1/2" Drive 12 Point Deep SAE Socket 5/8"
80765	1/2" Drive 12 Point Standard SAE Socket 3/4"	80776	1/2" Drive 12 Point Deep SAE Socket 11/16"
80766	1/2" Drive 12 Point Standard SAE Socket 13/16"	80777D	1/2" Drive 12 Point Deep SAE Socket 3/4"
80767	1/2" Drive 12 Point Standard SAE Socket 7/8"	80778	1/2" Drive 12 Point Deep SAE Socket 13/16"
80768	1/2" Drive 12 Point Standard SAE Socket 15/16"	80779	1/2" Drive 12 Point Deep SAE Socket 7/8"
80769	1/2" Drive 12 Point Standard SAE Socket 1"	80780	1/2" Drive 12 Point Deep SAE Socket 15/16"
80770	1/2" Drive 12 Point Standard SAE Socket 1-1/16"	80781	1/2" Drive 12 Point Deep Metric Socket 10mm
80771	1/2" Drive 12 Point Standard SAE Socket 1-1/8"	80782	1/2" Drive 12 Point Deep Metric Socket 11mm
80745	1/2" Drive 12 Point Standard Metric Socket 10mm	80783	1/2" Drive 12 Point Deep Metric Socket 12mm
80746	1/2" Drive 12 Point Standard Metric Socket 11mm	80784	1/2" Drive 12 Point Deep Metric Socket 13mm
80747	1/2" Drive 12 Point Standard Metric Socket 12mm	80785	1/2" Drive 12 Point Deep Metric Socket 14mm
80748D	1/2" Drive 12 Point Standard Metric Socket 13mm	80786	1/2" Drive 12 Point Deep Metric Socket 15mm
80749	1/2" Drive 12 Point Standard Metric Socket 14mm	80787	1/2" Drive 12 Point Deep Metric Socket 16mm
80750	1/2" Drive 12 Point Standard Metric Socket 15mm	80788	1/2" Drive 12 Point Deep Metric Socket 17mm
80751	1/2" Drive 12 Point Standard Metric Socket 16mm	80789	1/2" Drive 12 Point Deep Metric Socket 18mm

Cat. No.	Description	Cat. No.	Description
80752	1/2" Drive 12 Point Standard Metric Socket 17mm	80790	1/2" Drive 12 Point Deep Metric Socket 19mm
80753	1/2" Drive 12 Point Standard Metric Socket 18mm		

33 Pc. 1/2" Drive 6 Point SAE Standard and Deep Mechanics Tool Set

- 90-tooth gear delivers a 4° swing arc to turn a fastener in tight confines
- Full polish chrome sockets with large hard-stamped size markings
- Knurled full polish chrome extensions
- Sockets feature off-corner loading design to reduce fastener rounding
- Includes blow mold case for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
80715	Blow Mold Case	8.55 lb

Cat. No.	Description	Cat. No.	Description
81304T	1/2" Drive 90-Tooth Teardrop Ratchet 11"	80678	1/2" Drive 6 Point Standard SAE Socket 1-1/4"
81307	1/2" Drive Breaker Bar 15"	80679	1/2" Drive 6 Point Standard SAE Socket 1-1/2"
81340	1/2" Drive Extension 3"	80684	1/2" Drive 6 Point Deep SAE Socket 7/16"
81341	1/2" Drive Extension 5"	80614	1/2" Drive 6 Point Deep SAE Socket 1/2"
80600D	1/2" Drive Universal Joint	80615	1/2" Drive 6 Point Deep SAE Socket 9/16"
80602	1/2" Drive 6 Point Standard SAE Socket 7/16"	80616	1/2" Drive 6 Point Deep SAE Socket 5/8"
80603	1/2" Drive 6 Point Standard SAE Socket 1/2"	80617	1/2" Drive 6 Point Deep SAE Socket 11/16"
80604	1/2" Drive 6 Point Standard SAE Socket 9/16"	80618	1/2" Drive 6 Point Deep SAE Socket 3/4"
80605	1/2" Drive 6 Point Standard SAE Socket 5/8"	80619	1/2" Drive 6 Point Deep SAE Socket 13/16"
80606	1/2" Drive 6 Point Standard SAE Socket 11/16"	80620	1/2" Drive 6 Point Deep SAE Socket 7/8"
80607D	1/2" Drive 6 Point Standard SAE Socket 3/4"	80621	1/2" Drive 6 Point Deep SAE Socket 15/16"
80608	1/2" Drive 6 Point Standard SAE Socket 13/16"	80674	1/2" Drive 6 Point Deep SAE Socket 1"
80609	1/2" Drive 6 Point Standard SAE Socket 7/8"	80675	1/2" Drive 6 Point Deep SAE Socket 1-1/16"
80610D	1/2" Drive 6 Point Standard SAE Socket 15/16"	80676	1/2" Drive 6 Point Deep SAE Socket 1-1/8"
80611	1/2" Drive 6 Point Standard SAE Socket 1"	80685	1/2" Drive 6 Point Deep SAE Socket 1-1/4"
80612	1/2" Drive 6 Point Standard SAE Socket 1-1/16"	80686	1/2" Drive 6 Point Deep SAE Socket 1-1/2"
80613	1/2" Drive 6 Point Standard SAE Socket 1-1/8"		

33 Pc. 1/2" Drive 12 Point SAE Standard and Deep Mechanics Tool Set

- 90-tooth gear delivers a 4° swing arc to turn a fastener in tight confines
- Full polish chrome sockets with large hard-stamped size markings
- Knurled full polish chrome extensions
- Sockets feature off-corner loading design to reduce fastener rounding
- Includes blow mold case for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
80714D	Blow Mold Case	6.69 lb

Cat. No.	Description	Cat. No.	Description
81304T	1/2" Drive 90-Tooth Teardrop Ratchet 11"	80794	1/2" Drive 12 Point Standard SAE Socket 1-1/4"
81307	1/2" Drive Breaker Bar 15"	80680	1/2" Drive 12 Point Standard SAE Socket 1-1/2"
81340	1/2" Drive Extension 3"	80772	1/2" Drive 12 Point Deep SAE Socket 7/16"
81341	1/2" Drive Extension 5"	80773	1/2" Drive 12 Point Deep SAE Socket 1/2"
80600D	1/2" Drive Universal Joint	80774	1/2" Drive 12 Point Deep SAE Socket 9/16"
80760	1/2" Drive 12 Point Standard SAE Socket 7/16"	80775	1/2" Drive 12 Point Deep SAE Socket 5/8"
80761	1/2" Drive 12 Point Standard SAE Socket 1/2"	80776	1/2" Drive 12 Point Deep SAE Socket 11/16"
80762	1/2" Drive 12 Point Standard SAE Socket 9/16"	80777D	1/2" Drive 12 Point Deep SAE Socket 3/4"
80763	1/2" Drive 12 Point Standard SAE Socket 5/8"	80778	1/2" Drive 12 Point Deep SAE Socket 13/16"
80764	1/2" Drive 12 Point Standard SAE Socket 11/16"	80779	1/2" Drive 12 Point Deep SAE Socket 7/8"
80765	1/2" Drive 12 Point Standard SAE Socket 3/4"	80780	1/2" Drive 12 Point Deep SAE Socket 15/16"
80766	1/2" Drive 12 Point Standard SAE Socket 13/16"	80795	1/2" Drive 12 Point Deep SAE Socket 1"
80767	1/2" Drive 12 Point Standard SAE Socket 7/8"	80796	1/2" Drive 12 Point Deep SAE Socket 1-1/16"
80768	1/2" Drive 12 Point Standard SAE Socket 15/16"	80797	1/2" Drive 12 Point Deep SAE Socket 1-1/8"
80769	1/2" Drive 12 Point Standard SAE Socket 1"	80798	1/2" Drive 12 Point Deep SAE Socket 1-1/4"
80770	1/2" Drive 12 Point Standard SAE Socket 1-1/16"	80687	1/2" Drive 12 Point Deep SAE Socket 1-1/2"
80771	1/2" Drive 12 Point Standard SAE Socket 1-1/8"		

23 Pc. 1/2" Drive 6 Point SAE Standard and Deep Mechanics Tool Set

- 90-tooth gear delivers a 4° swing arc to turn a fastener in tight confines
- Full polish chrome sockets with large hard-stamped size markings
- Knurled full polish chrome extensions
- Sockets feature off-corner loading design to reduce fastener rounding
- Includes blow mold case for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
80707	Blow Mold Case	5.50 lb

Cat. No.	Description	Cat. No.	Description
81304T	1/2" Drive 90-Tooth Teardrop Ratchet 11"	80611	1/2" Drive 6 Point Standard SAE Socket 1"
81341	1/2" Drive Extension 5"	80612	1/2" Drive 6 Point Standard SAE Socket 1-1/16"

Cat. No.	Description	Cat. No.	Description
81343	1/2" Drive Extension 15"	80613	1/2" Drive 6 Point Standard SAE Socket 1-1/8"
80602	1/2" Drive 6 Point Standard SAE Socket 7/16"	80614	1/2" Drive 6 Point Deep SAE Socket 1/2"
80603	1/2" Drive 6 Point Standard SAE Socket 1/2"	80615	1/2" Drive 6 Point Deep SAE Socket 9/16"
80604	1/2" Drive 6 Point Standard SAE Socket 9/16"	80616	1/2" Drive 6 Point Deep SAE Socket 5/8"
80605	1/2" Drive 6 Point Standard SAE Socket 5/8"	80617	1/2" Drive 6 Point Deep SAE Socket 11/16"
80606	1/2" Drive 6 Point Standard SAE Socket 11/16"	80618	1/2" Drive 6 Point Deep SAE Socket 3/4"
80607D	1/2" Drive 6 Point Standard SAE Socket 3/4"	80619	1/2" Drive 6 Point Deep SAE Socket 13/16"
80608	1/2" Drive 6 Point Standard SAE Socket 13/16"	80620	1/2" Drive 6 Point Deep SAE Socket 7/8"
80609	1/2" Drive 6 Point Standard SAE Socket 7/8"	80621	1/2" Drive 6 Point Deep SAE Socket 15/16"
80610D	1/2" Drive 6 Point Standard SAE Socket 15/16"		

19 Pc. 1/2" Drive 6 Point SAE Standard Mechanics Tool Set

- 90-tooth gear delivers a 4° swing arc to turn a fastener in tight confines
- Better access to tight spaces from a teardrop low-profile head and flush-mounted on/off switch
- Sockets feature off-corner loading technology designed to reduce fastener rounding
- Hard stamped size markings
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes blow mold case for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
80791	Blow Mold Case	11.757 lb

Cat. No.	Description	Cat. No.	Description
81304T	1/2" Drive 90-Tooth Teardrop Ratchet 11"	80607D	1/2" Drive 6 Point Standard SAE Socket 3/4"
81307	1/2" Drive Breaker Bar 15"	80608	1/2" Drive 6 Point Standard SAE Socket 13/16"
81341	1/2" Drive Extension 5"	80609	1/2" Drive 6 Point Standard SAE Socket 7/8"
80600D	1/2" Drive Universal Joint	80610D	1/2" Drive 6 Point Standard SAE Socket 15/16"
80648	1/2" Drive 6 Point Standard SAE Socket 3/8"	80611	1/2" Drive 6 Point Standard SAE Socket 1"
80602	1/2" Drive 6 Point Standard SAE Socket 7/16"	80612	1/2" Drive 6 Point Standard SAE Socket 1-1/16"
80603	1/2" Drive 6 Point Standard SAE Socket 1/2"	80613	1/2" Drive 6 Point Standard SAE Socket 1-1/8"
80604	1/2" Drive 6 Point Standard SAE Socket 9/16"	80677	1/2" Drive 6 Point Standard SAE Socket 1-3/16"
80605	1/2" Drive 6 Point Standard SAE Socket 5/8"	80678	1/2" Drive 6 Point Standard SAE Socket 1-1/4"
80606	1/2" Drive 6 Point Standard SAE Socket 11/16"		