# **Mini-Dynafile®** II **Air-Powered Abrasive Belt Tool**



**CONTACT ARMS** 

PAGE 19

**COUPLER/PLUG** 

**PAGE 228** 

**ACCESSORIES PAGE 222** 

FOR ABRASIVE BELTS

1/8", 1/4", 1/2" wide x 12" long (3 mm, 6 mm, 13 mm x 305 mm)

SEE PAGE 270

Model 15003

**BENCH MOUNT PAGE 255** 

## Ideal for Strap Polishing and Working in Narrow Openings

- Lightweight ergonomic design features 7° offset "soft touch" grip.
- Multi-position grinding head pivots 360°.
- · Rear exhaust tool directs some air to front, to cool abrasive belt while running.
- Belt guard easily swivels for guick abrasive change; simple belt tracking adjustment knob.

#### Model 15003 For 12" Long Belts

• Includes 15026 Contact Arm for 1/2" wide x 12" long abrasive belts and 15118 Drive Wheel. (See page 19 for additional Contact Arms.)

#### Model 15013 For 13" Long Belts

 Includes 15035 Contact Arm, for abrasive belts 1/4" to 1/2" wide by 13" long.



- · For added versatility, tool can be easily converted to Die Grinder with optional 01644 (1/4") Threaded Collet Insert.
- 40378 Rubber Drive Wheel may be ordered separately, for efficient use with optional non-woven nylon belts.



### **15006 Versatility Kit**

- 15003 Tool (15118 Drive Wheel) with 15026 Contact Arm. Also includes 15028 and 15030 Arms.
- 01644 Threaded Collet Insert to easily convert tool to 1/4" Die Grinder. Plus assorted coated and non-woven nylon belts; durable carrying case.





Ideal for blending stainless steel

and grinding right angle welds.



Effective for finishing and deburring within narrow openings.







Finish rough-cut edges quickly and efficiently.



| Mod<br>Numi |            | Motor<br>RPM | Sound<br>Level | Abrasive Belt Size<br>Inch (mm) | Max. Air Flow<br>SCFM (L/Min) | Max. SFPM<br>(SM/Min) | Weight<br>Pound (kg) | Length<br>Inch (mm) | Height<br>Inch (mm) |
|-------------|------------|--------------|----------------|---------------------------------|-------------------------------|-----------------------|----------------------|---------------------|---------------------|
| 1500        | 3 .4 (298) | 25,000       | 80 dB(A)       | 1/8-1/2 (3-13) W x 12 (305) L   | 20 (566)                      | 4,890 (1,486)         | 1.8 (.8)             | 11-3/4 (298)        | 3-1/2 (89)          |
| 150         | 3 .4 (298) | 25,000       | 83 dB(A)       | 1/4-1/2 (6-13) W x 13 (330) L   | 21 (595)                      | 4,890 (1,486)         | 1.6 (.73)            | 12.1 (307)          | 3.9 (99)            |

Additional Specifications: Air Inlet Thread 1/4" NPT • Hose I.D. Size 1/4" (6 mm) • Air Pressure 90 PSIG (6.2 Bar) Tune-Up Kit: No. 96074 (page 267)