

# Random Orbital Buffers

**NO MORE  
SWIRLS!**

**NEW!**

## Electric Powered

### Model 51584

- Same great features as Rotary Model 51580, with our exclusive "Twist Handle" capability.
- Works without leaving haze, halo or swirl marks... a must for dark finishes!
- Unique random orbit provides outstanding performance over conventional rotary buffers.
- Prevents "burn through" on edges of clear coat finishes!
- Includes comfort grip handle that fits on either side or top of tool.
- Includes 50855 Hook-Face Backup Pad and 90082 Wool Buff, 7" in diameter.




**120 V (AC)**



*Handle Rotates  
180° Here*

Model  
51584



Large 3/4" diameter random orbital action makes the difference! No heat build-up, surface stays cool.

Model Number	Motor RPM	Voltage	Current	Phase	Frequency	Weight Pound	Length Inch	Height Inch
51584	0-3,000	120 V (AC)	11	1	60 Hz	7.8	17	5-1/4

## Air Powered

### Model 10786

- .7 hp motor, 2,500 RPM. Insulated housing for comfort.
- Random Action prevents swirls and helps achieve a beautiful finish!
- Includes comfort grip handle that fits on top or either side of tool.
- Helps prevent burn-through on edges of clear coat finishes.
- Includes 50855 Hook-Face Backup Pad, 7" in diameter.
- Accepts optional buffing pads 7" to 8" in diameter.

61374 Random Orbital Conversion Head Kit also available separately – see page 43.



Air Model 10786 shown with optional Foam Pad

Model Number	Motor hp	Motor RPM	Maximum Air Flow CFM/SCFM	Hose I.D. Size Inch	Air Inlet Thread	Air Pressure PSIG	Weight Pound	Length Inch	Height Inch
10786	.7	2,500	3/27	3/8	1/4" NPT	90	6.3	14-3/8	5-3/8

# Accessories

## Random Orbital Head Kit

**61374**

- Turn your rotary buffer into a swirl-free finishing tool! Fast, easy conversion and removal.
- Large 3/4" offset simulates hand polishing action. Ideal for final finishing. 3,200 maximum RPM.
- Random action prevents "burn through" on edges of clear coat finishes. No heat build-up means no "haze" or swirl-marks, surface stays cool.
- Includes Random Orbital Head, wrenches, weight-mated Hook-Face Backing Pad (50855) and Sheepskin Buff (90082).

**NO MORE SWIRLS!**



**3/4" ORBIT Random Action**

Fits most buffers with common 5/8"-11 spindle

Hook-Face pad



## Cut & Polish Rotary/Random Orbital Head

**61384**

- Run pad in rotary (cut) mode for initial buffing and removing dust nibs, light scratches, oxidation and "orange peel." Then switch to random orbital (polish) mode for buffing to a swirl-free finish with no "haze" or "halo" effects!
- A great time-saver when a "final finish" is required!
- Includes cut & polish head, wrenches, 50855 Hook-Face Backing Pad and 90082 Natural Sheepskin Polishing Buff.

Common 5/8"-11 spindle



Patent Pending



**CUT** with Rotary Motion



**POLISH** with 3/4" Offset Random Action

## Hook-Face Pads

Part No.	Diameter	Thread Size	Description
50120	3"	1/4"-20 Female	Foam Backing
50122	3"	3/8"-24 Female	Foam Backing
50125	3"	1/4"-20 Female	Rigid Backing
50126	3"	3/8"-24 Female	Rigid Backing
50146	4"	1/4"-20 Female	Rigid Backing
50147	4"	3/8"-24 Female	Rigid Backing
50884	5"	5/8"-11 Female	Rigid Backing
50946	6"	5/8"-11 Female	Foam Backing
50853	7"	5/8"-11 Female	Rigid Backing
50947	8"	5/8"-11 Female	Foam Backing



50122



50126


## Dynaburr Carbide Burrs

- Used for grinding, deburring, and finishing on stainless steel and other metals.

**93350**

**1/4" Dynaburr Kit**

- Includes 8 carbide burrs.




93350

**93351**

**1/8" Dynaburr Kit**

- Includes 12 carbide burrs.



93351

# Point-of-Purchase Accessories

*Pre-Packaged Accessories for Showroom and Will Call Areas!*

## DynaZip Accessories

### 92255 RED-TRED® Eraser Wheel

- For removal of vinyl graphics.
- 4" diameter x 1-1/4" wide.
- For use with Dynabrade 92284 Wheel Hub Assembly.

### 92257 RED-TRED® Eraser Wheel & Hub (Not Shown)

- For use on DynaZip Surface Preparation Tool.

### 92295 RED-TRED® Eraser Disc Assembly

- For use on RED-TRED® Eraser Disc Tools.

### 76001 DynaZip Wire Wheel

- 4" dia. x 3/4" wide
- Ideal for removing paint, rust and sealants.
- Coarse Grade with Bent Tip Wire.
- Ideal for use with Dynabrade DynaZip Air Tool.



92255



92295



76001



61374

## Random Orbital Head Kit

### 61374

- Unique random orbital motion minimizes “haze” and “halo” effects, while reducing “burn through” of top coats and sealants.

## Cut & Polish Rotary/Random Orbital Head

### 61384

- Run pad in rotary (cut) mode for initial buffing and removing dust nibs, light scratches, oxidation and “orange peel.” Then switch to random orbital (polish) mode for buffing to a swirl-free finish with no “haze” or “halo” effects!



61384



93889

## DynaMitt Accessories

### 58005 DynaMitt Sanding Glove

- Palm side of DynaMitt accepts hook face abrasive sheets.
- Conforms to surfaces. Put sanding in the palm of your hand!

### 93889 DynaMitt Abrasive Sheets

- Sample abrasives kit, including coated and non-woven nylon sheets.

## Dynabrade Lubri-Pak

### 76020

- Includes 10 oz. tube of multi-purpose grease, push-type gun and 4 oz. bottle of Dynabrade air tool oil.
- Convenient kit for tools with gears – tool maintenance made easy!
- Air lube prevents formation of contamination build-up.
- Grease suitable for bearings, cams, gears, etc.



76020



96101

## Dynabrade Air Lube Display Box

### 96101

- (24) 4 oz. bottles (95821).
- Highly recommended in use of all Dynabrade tools.
- Absorbs up to 10% of its weight in water.