

Heavy Duty Mini-Dynaflex® II Belt Tool

Model 15003

- Grind, sand, and deburr in those tight spots!
- Tool includes 15026 Contact Arm for 1/2" wide x 12" long abrasive belts; other arms available for 1/8" and 1/4" wide belts.
- Lightweight, ergonomic tool. Rear exhaust.
- Light grinding and deburring applications. Great for engine porting.
- Accepts coated and abrasive impregnated non-woven nylon belts.
- Screw-off belt guard for easy abrasive change.
- Multi-position grinding head pivots 180°.



Model 15003

15006 Versatility Kit

- Belt Sander and Die Grinder in one tool!
- Includes 15003 tool with unique drive wheel which accepts included threaded collet for easy conversion to a die grinder.
- 15026 Contact Arm mounted on tool. Two additional arms: 15028 and 15030.
- Carry case and sample 1/2" wide coated abrasive and non-woven nylon belts.

Model 15006



Model Number	Motor hp	Motor RPM	Sound Level	Abrasive Belt Size Inch	Maximum Air Flow CFM/SCFM	Maximum SFCM	Weight Pound	Length Inch	Height Inch
15003	.4	25,000	80 dB(A)	1/8-1/2 W x 12 L	3/20	4,890	1.8	11-3/4	3-1/2

Additional Specifications: Air Inlet Thread 1/4" NPT • Hose I.D. Size 1/4" • Air Pressure 90 PSIG

Heavy Duty Buffers

3" Right Angle Buffers

- Includes 50126 Hook-Face Pad, 90027 Terry Cloth Bonnet and 90028 Wool Buffing Bonnet. Hook-face attachment makes changing pads quick and easy.
- Conventional rotary action. 7° offset handle, .4 Hp motor.

Model 51400
3,200 RPM

Model 51401
5,000 RPM



90027 Terry Pad

90028 Wool Pad Shown on 51400 Tool

5" Right Angle Buffer

Model 51430
3,200 RPM

- Includes 50147 Hook-Face Pad. Hook-face attachment makes changing pads quick and easy. Also includes 90040 Foam "Flat Face" Buffing Pad.
- 7° offset handle, .4 hp motor.



51430 Tool shown with optional 13141 Handle Assembly

Model Number	Motor hp	Motor RPM	Sound Level	Spindle Thread	Air Flow Rate CFM/SCFM	Air Inlet Thread	Hose Size	Air Pressure PSIG	Weight Pound	Length Inch	Height Inch
51400/51401	.4	3,200/5,000	82 dB(A)	3/8" - 24 male	3/24	1/4" NPT	1/4"	90	1.7	8-3/4	4-1/4
51430	.4	3,200	82 dB(A)	3/8" - 24 male	3/24	1/4" NPT	1/4"	90	2.4	9-3/4	4-1/2


AutobradeRed® FOR THE VALUE-MINDED PRO

RED-TRED® Eraser Disc Pistol Grip Tool

Model 18069 5/8"-11 Thread



- 2,500 RPM right angle tool includes 92295 RED-TRED® Eraser Disc Assembly.
- Efficiently remove graphics, decals, pinstriping and tape without harming the paint.
- Ergonomic pistol grip design enhances operator comfort.
- Tool is also ideal for running optional buffing accessories (see 18071 Kit).



Pistol Grip Buffer

Model 18068 3/8"-24 Thread



- Operates at 2,500 RPM, ideal for a variety of buffing applications.
- Includes 50126 Hook-Face Backing Pad, for accepting optional buffs and bonnets 3" in diameter (see Versatility Kit).
- Ergonomic pistol grip design enhances operator comfort.
- To run 92295 RED-TRED® Eraser Disc Assembly, order optional 55066 Adapter (converts 3/8"-24 spindle thread to 5/8"-11 thread).



Ideal for use with optional 90044 Foam Cutting Pad.

SEE RED-TRED® DISC ASSEMBLY ON PAGES 45 & 61!

Pistol Grip Eraser Disc/Buffering Versatility Kit

Model 18071

Includes:

- 18068 Pistol Grip Buffer with 50126 Hook-Face Backing Pad
- 92295 RED-TRED® Eraser Disc Assembly (5/8"-11 thread)
- 90027 Terry Cloth Pad and 90080 Sheepskin Pad
- 90038 Polishing Foam Pad and 90044 Foam Cutting Pad
- 55066 Spindle Thread Adapter (converts 3/8"-24 thread to 5/8"-11)
- 95281 Open-End Wrench (19 mm)



Model Number	Motor hp	Motor RPM	Pad Dia. Inch	Sound Level	Air Flow Rate CFM/SCFM	Spindle Thread	Air Inlet Thread	Weight Pound	Length Inch	Height Inch
18068	.18	2,500	3	80 dB(A)	23/651	3/8"-24	1/4" NPT	1.7	5	6-3/8
18069	.18	2,500	4	80 dB(A)	23/651	5/8"-11	1/4" NPT	2.5	5.3	7

RED-TRED® Eraser Disc Standard Duty Tool

Model 18067

- 2,400 RPM right angle tool includes 92295 RED-TRED® Eraser Disc.
- Compact, comfortable design easily reaches into tight areas.
- Rear exhaust tool is speed-mated for optimum performance.
- Offers greater visibility on work surface. Includes fully adjustable side handle.



Model 18067

RED-TRED® Eraser Disc Heavy-Duty Tool

Model 10789

- More powerful tool is ideal for aggressive applications.
- Right angle tool includes 92295 RED-TRED® Eraser Disc.
- 2,500 RPM with variable speed lever throttle.
- Comfortable side handle is adjustable for left or right hand use.



Model 10789

Model Number	Motor hp	Motor RPM	Pad Dia. Inch	Sound Level	Air Flow Rate CFM/SCFM	Spindle Thread	Air Inlet Thread	Weight Pound	Length Inch	Height Inch
18067	.4	2,400	4	82 dB(A)	3/28	5/8"-11	1/4" NPT	3	11-7/8	2-3/4
10789	.7	2,500	4	77 dB(A)	3/27	5/8"-11	1/4" NPT	5	12-1/2	4-1/4

AutobradeRed® FOR THE VALUE-MINDED PRO

3" Dia., Right Angle Buffer

- Uses 3" diameter buffs. Built-in speed control, rear exhaust.
- 3/8"-24 male spindle. Safety-lock lever throttle.
- Composite comfort grip reduces cold air transmission to the operator.
- Includes 50126 Back-Up Pad (3" dia. hook-face) and 90034 Wool Buff (3-1/2" dia.).
- Ideal for small areas where full size buffers are too big.
- Polish aluminum wheels, side view mirrors and more.
- Buffing pad selection on page 44.

Model 18055
2,400 RPM

Model 18056
3,200 RPM



3" Dia., Right Angle Buffer/Spot Sander Kit

18058

- Excellent tool for spot repair and buffing/polishing. Angle-head design permits access to difficult areas.

Includes:

- 18055 2,400 RPM tool
- 50122 3" Hook-Face Backing Pad (3/8"-24)
- 90027 3" Terry Cloth Bonnet
- 90028 3" Synthetic Wool Pad
- 90034 3" Natural Wool Pad
- 90038 3" White Polishing Foam Pad
- 90044 3" Yellow Cutting Foam Pad
- 95723 4 oz. Finesse Creme
- 95727 4 oz. Dynabrade Glaze
- 54034 Random Orbit Sanding Head
- 54018 1-1/4" Sanding Pad
- 93191 Sample 9-Micron 1-1/4" Abrasive Discs
- 94300 Dynaswivel®
- Wrenches for Accessory Changes
- Deluxe Storage/Carry Case



Buffer

Model 18050

- 0 - 2,500 RPM free speed. Uses 5" to 8" diameter buffs.
- Insulated handle reduces cold air transmission to the operator.
- Common 5/8"-11 male spindle.
- Lightweight and compact in size.
- Rear exhaust, variable speed safety-lock lever throttle.
- Soft-grip handle can be positioned for right or left hand operation.
- Back-up pad (50853) and polishing bonnet (90082) not included.



Model Number	Motor hp	Motor RPM	Pad Size	Sound Level	Spindle Thread	Air Flow Rate CFM/SCFM	Air Inlet Thread	Hose Size	Air Pressure PSIG	Weight Pound	Length Inch	Height Inch
18050	.7	0-2,500	5" - 8"	87 dB(A)	5/8" - 11 male	3/27	1/4" NPT	3/8"	90	5.3	12	4
18055/18056	.4	2,400/3,200	3"	87 dB(A)	3/8" - 24 male	3/28	1/4" NPT	3/8"	90	2	10-3/8	2-1/2

Accessories

Random Orbital Head Kit

61374

- Turn your rotary buffer into a swirl-free finishing tool! Fast, easy conversion and removal.
- Large 3/4" offset simulates hand polishing action. Ideal for final finishing. 3,200 maximum RPM.
- Random action prevents "burn through" on edges of clear coat finishes. No heat build-up means no "haze" or swirl-marks, surface stays cool.
- Includes Random Orbital Head, wrenches, weight-mated Hook-Face Backing Pad (50855) and Sheepskin Buff (90082).



Fits most buffers with common 5/8"-11 spindle

Hook-Face pad

3/4" ORBIT Random Action



Cut & Polish Rotary/Random Orbital Head

61384

- Run pad in rotary (cut) mode for initial buffing and removing dust nibs, light scratches, oxidation and "orange peel." Then switch to random orbital (polish) mode for buffing to a swirl-free finish with no "haze" or "halo" effects!
- A great time-saver when a "final finish" is required!
- Includes cut & polish head, wrenches, 50855 Hook-Face Backing Pad and 90082 Natural Sheepskin Polishing Buff.

Common 5/8"-11 spindle

Patent Pending



CUT with Rotary Motion



POLISH with 3/4" Offset Random Action

Hook-Face Pads

Part No.	Diameter	Thread Size	Description
50120	3"	1/4"-20 Female	Foam Backing
50122	3"	3/8"-24 Female	Foam Backing
50125	3"	1/4"-20 Female	Rigid Backing
50126	3"	3/8"-24 Female	Rigid Backing
50146	4"	1/4"-20 Female	Rigid Backing
50147	4"	3/8"-24 Female	Rigid Backing
50884	5"	5/8"-11 Female	Rigid Backing
50946	6"	5/8"-11 Female	Foam Backing
50853	7"	5/8"-11 Female	Rigid Backing
50947	8"	5/8"-11 Female	Foam Backing



50122



50126


Dynaburr Carbide Burrs

- Used for grinding, deburring, and finishing on stainless steel and other metals.

93350

1/4" Dynaburr Kit

- Includes 8 carbide burrs.




93350

93351

1/8" Dynaburr Kit

- Includes 12 carbide burrs.



93351