



*Impact Sockets,  
Chisels & Attachments*

**EVERYTHING IMPACT.®**





# GP is **EVERYTHING IMPACT**®

Grey Pneumatic (GP) through our distributors supplies the world's automotive, industrial, assembly, mining, maintenance, construction, and energy industries with heavy duty, high quality impact and specialty sockets. We carry a complete line of Impact Socket sets and individuals from 1/4" drive thru 2-1/2" and #5 spline drive with hex sizes up to 8". We also offer a large selection of star impact drivers, impact hex drivers, triple square drivers, torque limiting extensions plus Impact chisels and accessories.

GP sockets and tools are made in Taiwan using the highest quality chrome-molybdenum alloy steel and state-of-the-art manufacturing processes and equipment. Thorough and exact heat treatment, as well as rigid quality control, ensures the correct balance of strength and durability to deliver outstanding performance at the most competitive cost.

GP Tools are available through Automotive and Industrial warehouse distributors, tool stores, mobile tool truck dealers, tire equipment and supply warehouses and other sources that service these markets.

GP offers **Fast and Reliable** service to all of our distributors and their customers.



*GP Tools carry a  
Lifetime Warranty.*

## **All GP Impact Sockets feature the GP "High Torque" Drive**

### **Benefits are:**

**Increased Strength** - Transfers the pressure from the thinnest part of the socket wall toward the thicker section, resulting in increased strength.

**Increased Torque** - Allows up to 20% more torque to be applied than on standard hex impact sockets.

**Easier Access to Tight Areas** - The shift in pressure allows us to reduce the socket wall thickness, increasing access to tight areas.

**Reduced Wear** - Our impact sockets grip the fastener across a broader contact area, reducing the chance of rounding off fasteners.



*GP "High Torque"  
drive offers many  
benefits.*



*All GP Sockets feature  
extra-large size markings  
for quick identification.*

**EVERYTHING IMPACT**®



# 3/4" Drive Impact Socket Sets



## 6 No. 8032 3/4" Drive Wheel Service Set SAE MM



A complete 3/4" drive set designed for servicing truck wheels.

### 11 piece set contents:

- |                                    |  |
|------------------------------------|--|
| 3024D . . . . . 3/4" Deep          | 3038D . . . . . 1-3/16" Deep             |
| 3026D . . . . . 13/16" Deep        | 3040DT . . . . . 1-1/4" T.W. Deep        |
| 3028D . . . . . 7/8" Deep          | 3033MD . . . . . 33mm Deep               |
| 3032D . . . . . 1" Deep            | 3048DB . . . . . 1-1/2" Deep Budd        |
| 3034DT . . . . . 1-1/16" T.W. Deep | 3313S . . . . . 13/16" Square Metal Case |
| 3036DT . . . . . 1-1/8" T.W. Deep  |  |

3/4"

## 6 No. 8370 3/4" Drive Truck Pinion Locknut Set SAE



A set of seven (7) extra-thin wall deep length impact sockets for removing/installing transmission and differential end yoke locknuts\* on a wide variety of trucks. You no longer need to modify an impact socket, or purchase expensive, custom designed hand sockets to service these parts. Because of the extra-thin wall design, larger drive impact tools with reducing adapters should not be used with these impact sockets.

\*Use caution and follow the manufacturer's recommendations when servicing these parts.



### 7 piece set contents:

- |                        |                           |
|------------------------|---------------------------|
| 3764D . . . . . 2"     | 3780D . . . . . 2-1/2"    |
| 3768D . . . . . 2-1/8" | 3784D . . . . . 2-5/8"    |
| 3772D . . . . . 2-1/4" | 3788D . . . . . 2-3/4"    |
| 3776D . . . . . 2-3/8" | Plastic Tray & Metal Case |

## 6 3/4" Drive Deep Length Truck Pinion Locknut Impact Sockets SAE MM



Item Number	Hex Size	Dimensions (Inches)				
		A	B	C	D	E
<b>3764D</b>	<b>2"</b>	2.36	2.65	3.00	1.02	4.10
<b>3768D</b>	<b>2-1/8"</b>	2.48	2.81	3.00	1.02	4.10
<b>3772D</b>	<b>2-1/4"</b>	2.60	2.99	3.00	1.02	4.10
<b>3776D</b>	<b>2-3/8"</b>	2.76	3.15	3.00	1.02	4.10
<b>3780D</b>	<b>2-1/2"</b>	2.87	3.27	3.00	1.02	4.10
<b>3784D</b>	<b>2-5/8"</b>	2.99	3.42	3.00	1.02	4.10
<b>3788D</b>	<b>2-3/4"</b>	3.07	3.60	3.00	1.02	4.10
<b>3755M</b>	<b>55mm</b>	2.52	2.85	3.00	1.02	4.10
<b>3765M</b>	<b>65mm</b>	2.91	3.33	3.00	1.02	4.10

