



### NINETEEN-FIVE™ MOUNTING/DEMOUNTING TOOL 33199


Nineteen-Five™ bars are specially designed to work on the hub side to make your job easier, faster and safer! New tire bar uniquely designed to work on hubside of wheel — where hub protrudes above rim. Specially designed ends manipulate tire with less effort. Tools are powder coated to protect from rust and corrosion. Forged from 3/4" diameter high-grade carbon steel and heat-treated for long-lasting strength and durability.



**BENT END**  
For mounting and demounting bottom bead



**CURVED END**  
For mounting and demounting top bead



### 17.5 SIDEWINDER™ KIT 35459

Kit Sidewinder™ de 17.5  
Kit Sidewinder™ 17,5 po

The first tire tools designed exclusively for 17.5" tires found on vehicle transporter moving vans and high volume trailers!

- Patent-Pending revolutionary SIDEWINDER™ demount bar demounts the tire from the wheel by pushing against the tire sidewall for leverage
- Unique Gap tool aids in demounting — makes mounting/demounting a 1-man job
- Innovative balanced aluminum bead holder specifically designed to stay in place when mounting the problematic bottom bead on 17.5's

35459 set ships in 1 Box, weighing 18.6 lbs, UPS shippable.

### NINETEEN-FIVE™ TIRE MOUNTING & DEMOUNT TOOL SET FOR 19.5" TIRES 33195

Juego de herramientas de montaje y desmontaje de neumáticos de 19.5" Nineteen-Five™  
Jeu d'outils de montage - démontage de pneus de 19,5 po Nineteen-Five™

19.5" tires must be mounted and demounted with the wheel's Hub Side Up because the Drop Center of the wheel is closer to the hub! This makes changing the 19.5" tires notoriously difficult because the hub gets in the way of conventional bars and spoons. 19.5" tires are also stiffer with high ply ratings and thick beads. Patented Bead Holder to hold bead on 19.5" aluminum wheels.

**Accessories Set Weight: 9.35 Lbs (4.25 kg)**

Item No.	Description	Length	Weight	QTY
33199	Tire Mounting/ Demounting Tool	38" (97 cm)	7 lbs (3.2 kg)	2
33196	<b>Patented</b> Bead Holder for 19.5" Aluminum Wheels	7-1/2" (19 cm)	1lb (.5 kg)	1
31710	Bead Holder for Steel Wheels - Solid Brass	4-1/2" (11.5 cm)	1lb (.5 kg)	1
31810	Aluminum Wheel Protector - Leather	6" (15 cm)	.35 lbs (.15 kg)	1



Tire Bars For 19.5 Tires & Wheels



Nineteen-Five™ Tool Set: How To Use It On A 19.5 Wheel




17.5" Sidewinder™ Demo Video #35459

### TUBELESS TIRE IRONS & SETS

Juegos y barras para llantas sin cámara  
Démonte-pneus individuels & en ensemble pour pneus sans chambre à air

Sets provide all irons necessary for a variety of tire changing applications. Use "C" bar with the "B" extension bar for easier use on large, wide-base truck tires. Use on standard and large truck tires, including industrial, farm, buses, and tractors.



T47A end

### STANDARD TIRE IRON SET 34746 T46

Estándar / Standard

T46 Accessories Set Weight: 12 Lbs (5.4 kg)

Model	Item No.	Description	Length	Stock	Weight
A	34747	Straight Mount/Demount Tool	36" 91 cm	3/4" 19 mm	4.5 lbs 2 kg
B	34748	Straight Mount/Demount Tool "B" Extension for T46C	36" 91 cm	3/4" 19 mm	4.5 lbs 2 kg
C	34749	Offset Mount "C" Bar	22" 56 cm	3/4" 19 mm	3 lbs 1.4 kg

### HEAVY DUTY TIRE IRON SET 34846 T47

De alta resistencia / Robuste

T47 Accessories Set Weight: 29 Lbs (13.1 kg)

Model	Item No.	Description	Length	Stock	Weight
A	34847	Straight Mount/Demount Tool	52" 132 cm	1" 25 mm	11 lbs 5 kg
B	34848	Straight Mount/Demount Tool "B" Extension for T47C	49-1/2" 126 cm	1" 25 mm	11 lbs 5 kg
C	34849	Offset Mount "C" Bar	27" 69 cm	1" 25 mm	6.6 lbs 3 kg



Mount



Demount



### TUBELESS TRUCK TIRE MOUNT/DEMOUNT IRONS

Barras para montaje/ desmontaje de llantas de camiones sin cámara  
Démonte-pneu de montage/ démontage pour pneus de camion sans chambre à air

Ken-Tool manufactures the largest and most diverse selection of tire mount/demount irons in the world. From the T45A® and T45AC™ Classic for standard truck tires, to the Serpent™ and Super Serpent™ Tire Changing Systems for wide-base Super Singles, Ken-Tool makes a tire iron for all your tire changing needs. Use on truck, agricultural, and industrial tires. One-piece manufacturing process and design assures long life and superior performance. Heat-treated for strength. Use in pairs. T45A® is a registered trademark of Ken-Tool.



Demount end: Precision-forged angled tip slides between bead and rim easily. Forged design won't slip when demounting the second bead.



Mount end: Precision forged knob grips rim. New design won't slip during tire mounting. Special curve design always grabs the bead edge.

### TUBELESS TIRE IRON 34644 T45A-2000K™ STYLE

Barra de hierro para montaje/desmontaje de neumáticos sin cámara estilo T45A-2000KT™  
Démonte-pneu pour pneus sans chambre à air T45A-2000K™

Length 37" (94 cm) / Stock 3/4" (19 mm) / Weight 5 lbs (2.2 kg)


Design allows for less effort, provides excellent wheel/rim surface contact area for less side to side movement. Improved blade and knob design. Tip on one end for 'grabbing' the rim.



**BEAD-BREAKING  
TOOLS TRUCK/  
FARM/OTR**

Herramientas desmontadoras de llantas para camiones/vehículos de granja/de carretera Outils de décollage des talons pour camions/tracteurs/véhicules tout terrain

These lightweight, portable tools are a great alternative to handled bead breaking wedges or hydraulic bead breakers. One end is used to remove frozen or rusted beads from all types of rims. On the T52, the other end can be used as a leverage bar when inserted into the 35695 or 35697 Truck Lug Wrench.

**SWAN NECK LEVERAGE BAR 33341 T41**

Palanca de cuello de cisne  
Barre de levage à col de cygne

Length: 30" (76 cm) Stock: 7/8" (22 mm)  
Weight: 5.3 lbs (2.4 kg)

**30" BEAD BREAKER 33342 T42**

Desmontadora de llantas de 30 pulgadas  
Démonte-talons de 30 po

Length: 30" (76 cm) Stock: 7/8" (22 mm)  
Weight: 4.8 lbs (2.2 kg)

**BEAD BREAKER LEVERAGE BAR****34652 T52**

Palanca desmontadora de llantas  
Barre de levage pour démonte-talons

Also for use with the T95 wrenches.

Length: 33" (84 cm) Stock: 7/8" (22 mm)  
Weight: 5.5 lbs (2.5 kg)

**PORTABLE BEAD BREAKER 34670 T100**

Desmontadora de llantas portátil  
Démonte-talons portatif

Portable bead-breakers are great for custom and foreign wheels. They break beads on most sizes of passenger tires and light trucks.

Length: 36" (91 cm) Weight: 5.2 lbs (2.3 kg)

**BEAD-BREAKING TOOL/DRIVING IRON****32126 T26A**

Herramienta desmontadora de llantas/barra de hierro desmontadora

Outil de décollage des talons/Levier d'entraînement

Driving iron is used for loosening rusted truck and bus beads. Will speed truck tire repair work and save labor and time.

Length: 11-3/4" (30 cm) Stock: 1-1/4" (32 mm) Weight: 4.4 lbs (2 kg)

**FLOOR TYPE BEAD BREAKER 35998 T98**

Desmontadoras de llantas con pie  
Démonte-talons sur sol

For Passenger and Light Truck. Ideal for stubborn tires. Use to prevent the bending of wheels. A great solution for custom and foreign wheels.


Tread Width: up to 11" (28 cm) Weight: 29.8 lbs (13.5 kg)

**ATV BEAD BREAKER 38620**

Desmontadora de llantas para vehículos todo terreno  
Décolleur de talon pour VTT

Constructed of heavy-duty steel, the ATV Bead Breaker works with any center post tire changing machine and adjusts to sizes of 6 to 12 inch ATV rims without the hassle of clevis pins. No hammers, wrenches, or additional tools are required. **PATENTED**.

Weight: 7 lbs (3.2 kg)

**IMPACT BEAD BREAKERS**

Desmontadoras de llantas de impacto

Démonte-talons à chocs

Bead breaker loosens beads with bead-breaking foot and ram bar, but never cuts the bead of the tire. The wedge foot is forced between the bead and rim flange. Breaker is designed for shop or road use. No other bead breaking tools are necessary. Provides greater accuracy than other conventional bead breakers.

Model No.	Item No.	Description	Length	Length Ext.	Weight
<b>A</b> T24B	35924	Economy - 1" Dia. Ram	46" (117 cm)	72" (183 cm)	13.5 lbs (6.1 kg)
<b>B</b> T26B	35926	Heavy Duty - 1-1/4" Dia. Ram	50" (127 cm)	80" (203 cm)	23 lbs (10.4 kg)



T26B has exclusive spring action design to reduce user fatigue associated with slide hammer kickback.

**BEAD HOLDING DEVICES**

Dispositivos de fijación de talón

Dispositifs de retenue des talons

**BEAD HOLDING DEVICE 31710**

Dispositivo para soporte de llantas  
Dispositif de retenue des talons

Solid Brass Bead Holding Device now reaches over extra wide bead of super singles. Holds the bead in place against the wheel when mounting the tire on to the wheel. Do not use to pry. Imported.

Weight: 1.8 lbs (.8 kg)



Bead Holding Device



How to Properly Use Bead Holders #31710 on a 21L-24 Backhoe Tire and Wheel

**ALUMINUM BEAD HOLDER FOR STEEL & ALUMINUM WHEELS**

Sujetador de talón de aluminio para ruedas de acero y aluminio

Support de talon en aluminium pour roues en acier et en aluminium

Special C-Lok™ shape fits nearly all passenger, light truck, agriculture and truck wheels without slipping off. Aluminum design is lightweight but very strong and is less likely to mar alloy wheels. Great for super singles and super wide wheels – fits both steel and aluminum wheels. Available as a cabled pair No. 31714 for difficult wheels. Imported.

Item No.	Description	Length	Weight
31713	Single Aluminum Bead Holder	5.5" (14 cm)	8 oz (.2 kg)
31714	32" Cabled Pair		1 lb (.5 kg)

**BEAD HOLDER FOR 19.5" ALUMINUM WHEELS 33196**

Sujetador de talón para ruedas de acero y aluminio de 19.5"

Support de talon pour roues en aluminium de 19.5 po

Weight: 1 lb (.5 kg)

Steel bead holder for 19.5" aluminum truck wheels that fit 9/16" diameter studs. Always mount/demount 19.5" wheels with hub side up. **PATENTED**.



Newest Bead Holder - Made From Aluminum

