

AIR OPERATED GREASE SYSTEMS

120lb Drum

65:1/50:1 Ratio Pump for 120lb Drum



Features for Both Models:

- Complete system with all parts shown for pumping grease from 120lb drums
- Suction tube constructed with no seals to eliminate excessive wear



GREASE

Model	1213R	1220R
Pump	Heavy-Duty 65:1	Heavy-Duty 50:1
Max Grease NLGI	No. 3	No. 2
Max Delivery	66oz per minute @ 90PSI	52oz per minute @ 90PSI
Max Air PSI	110 PSI	110 PSI
Air Consumption	8.74 CFM @ 100 PSI	4.59 CFM @ 100 PSI
Air Inlet	1/4" NPT	1/4" NPT
Air Hose	1/4" x 4' (2004)	1/4" x 4' (2004)
Pump Head Diameter	2 1/2"	2 1/2"
Head Length	10"	10"
Tube Length	29"	29"
Pump Tube Diameter	1 3/16"	1 3/16"
Airline Filter Package	1559A-ASSY	1559A-ASSY

Available Packages:

Package #	Hose Length	Hose P/N	Package #	Hose Length	Hose P/N
1213R	6'	1806	1220R	6'	1806
1213R-00	None	-	1220R-00	None	-
1213R-10	10'	1810	1220R-12	12'	1812
1213R-12	12'	1812	1220R-16	16'	1816
1213R-16	16'	1816			
1213R-20	20'	1820			
1213R-25	25'	1825			
1213R-50	50'	1850			

Applications:

- For dispensing most greases short and long distances
- Particularly suited for centralized dispensing system
- Highly recommended for specific needs requiring a higher quantity of grease and higher pressure

Included Accessories:



1559A-ASSY
• Regulator combination unit



1536A
• Control handle



1806
• 6' Grease hose



2004
• 4' Air hose



65385
• Drum Cover



1545
• "Z" swivel



1524
• Follower plate



120-S
• Drum dolly

DRUM EQUIPMENT



Dollies & Cradles



105



120



130-S



138-S



140-S



140-SOR

Model	Caster Material	Diameter (Min - Max)	Maximum Load
Designed for 5-6 1/2 Gallon Pails			
105	Phenolic	10" - 11 5/8"	200lbs.
105-S	Steel	10" - 11 5/8"	200lbs.
Designed for 15-16 Gallon Drums			
120	Phenolic	13 1/2" - 14 1/4"	200lbs.
120-S	Steel	13 1/2" - 14 1/4"	200lbs.
Designed for 30 Gallon Drums			
130-S	Steel	Max - 18"	300lbs.
Designed for 55 Gallon Drums			
138-S	Phenolic	Max - 23"	450lbs.
140-S	Steel	Max - 23"	450lbs.
140-SOR	Steel	Max - 23"	450lbs.



135

- Drum cradle with axle and wheels

137

- Drum cradle **without** axle and wheels



135WC

- Drum cradle with axle, wheels, and casters

Model	135	135WC	137
Tips & Rotates	Yes	Yes	Yes
Stores	55 gallon drum	55 gallon drum	55 gallon drum
Self Storing Lever Bar	Yes	Yes	Yes
Capacity	600lbs.	600lbs.	600lbs.
Axle & Wheels	Yes	Yes	No
Casters	No	Yes	No

ACCESSORIES

Part No.	UPC No.
6204	0 1595446024 4
6215	0 1595446215 6
6401	0 1595446401 3
6403	0 1595446403 7
6404	0 1595446404 4
6405	0 1595446405 1
6520	0 1595446520 1
6601	0 1595446601 7
6611	0 1595446611 6
6612	0 1595446612 3
6613	0 1595446613 0
6614	0 1595446614 7
7000	0 1595446815 8
7019	0 1595447001 7
7020	0 1595432011 1
9008	0 1595432025 8
9115	0 1595449115 6
9810	0 1595449810 0
9825	0 1595449825 4
10010	0 1595460010 7
10020	0 1595460020 6
10044	0 1595460040 4
10050	0 1595460050 3
10080	0 1595460080 0
10110	0 1595460110 4
10120	0 1595460120 3
10130	0 1595460130 2
10190	0 1595460190 6
10193	0 1595460193 7
10210	0 1595460210 1
10211	0 1595460211 8
10231	0 1595460231 6
10240	0 1595460240 8
10250	0 1595460250 7

Part No.	UPC No.
10255	0 1595460255 2
10256	0 1595460256 9
10265	0 1595460265 1
10266	0 1595460266 8
10267	0 1595460267 5
11219	0 1595461219 3
15441	0 1595402544 3
18573	0 1595408573 7
28623	0 1595431506 3
28625	0 1595431507 0
47721	0 1595447721 1
47722	0 1595447722 8
47724	0 1595447724 2
47725	0 1595447725 9
66590	0 1595446590 4
75000	0 1595454659 0
75100	0 1595405100 8
103501	0 1595441046 1
104001	0 1595441047 8
107012	0 1595407012 2
107014	0 1595407014 6
107016	0 1595407016 0
230000	0 1595407026 9
075BAV	0 1595432028 9
08DEF750	0 1595440979 3
1000R	0 1595310006 9
10039-1P	0 1595450039 1
1006H	0 1595401005 0
1006HFM	0 1595401004 3
1007H	0 1595401008 1
1014R	0 1595401015 9
10191G	0 1595432008 1
10231TK	0 1595460232 3
1035K	0 1595441036 2

Part No.	UPC No.
1035K2	0 1595431504 9
1035M	0 1595441034 8
1035SP	0 1595441031 7
104006G	0 1595431508 7
1040K	0 1595441039 3
1040SS	0 1595441045 4
1040UL	0 1595441041 6
105-S	0 1595430106 6
108-5110	0 1595445110 5
11SP	0 1595420011 6
1209RAR	0 1595401229 0
120-S	0 1595430121 9
1212A	0 1595441229 8
1212R	0 1595441234 2
1213A	0 1595441223 6
1213R	0 1595441226 7
1214A	0 1595441224 3
1220R	0 1595441232 8
12G	0 1595410111 6
12R	0 1595410112 3
12R-1	0 1595410114 7
12R-SP	0 1595420013 0
130-S	0 1595430131 8
1315A	0 1595441316 5
135WC	0 1595430132 5
138-S	0 1595430138 7
13R	0 1595410113 0
140-S	0 1595430140 0
140-SOR	0 1595430141 7
1440R	0 1595441490 2
1444R	0 1595441494 0
1448R	0 1595441498 8
1456R	0 1595441496 4
1458NS	0 1595442458 1