

# CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

BUICK-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Regal	11-17	AWD	OEMA 82090/45938	OEMA 82090/45938	120/167	N/A	OEMA 82130	122	
Regal w/ HiPer Strut	11-17	FWD	OEMA 82090/45938	OEMA 82090/45938	120/167	N/A	OEMA 82130	122	
Regal w/o HiPer Strut	11-17	FWD	OEMA 82080	OEMA 82085	120,120	N/A	81250	117	
Regal	97-04	FWD	81260	OEMA/83850	117/173	N/A	81260	117	
Regal	88-96	FWD	81280 82120/85130	OEMA/83850	117/173 122/173	N/A	N/A/85130	173	
Regal 94390, Pro Springs pg. 137 94006, upper ball joint pg. 157 94011, lower ball joint pg. 157	78-87	RWD	N/A	N/A		47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136	
Regal 94006, upper ball joint pg. 157 94017, 1/2" ext upper ball joint pg. 157 94011, lower ball joint pg. 157	73-77	RWD	N/A	N/A		47700(*) 97130 94378	47700(*) 97130	84,84 138,138 136	
Rendezvous	02-07	AWD	OEMA	OEMA		N/A	81260	117	
Rendezvous	02-07	FWD	75600(1) 75800(1)	75600(1) 75800(1)	116,116 116/116	N/A	81260	117	
Riviera	95-99	FWD	75600(1) 75800(1)	OEMA 75600(1) 75800(1)	116 116,116 116	OEMA	81280 82120/85130	117 122/173	
Riviera	86-93	FWD	75600(1) 75800(1)	OEMA/83775 75600(1) 75800(1)	116/172 116,116 116	OEMA	OEMA 81280 82120/85130	117 122/173	
Riviera	79-85	FWD	75600(1) 75800(1)	OEMA/83775 75600(1) 75800(1)	116/172 116,116 116	OEMA	OEMA		
Roadmaster Inc. Estate	91-96	RWD	N/A	N/A		47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136	
Skyhawk	82-89	FWD	75400(1)	75400(1)	116,116	N/A	81280 82120/85130	117 122/173	
Skylark	96-98	FWD	75400(1)	75400(1)	116,116	N/A	81260	117	
Skylark	86-95	FWD	75400(1)	75400(1)	116,116	N/A	81280 82120/85130	117 122/173	
Skylark	80-85	FWD	75400(1)	75400(1)	116,116	N/A	82110/85130	121/173	
Skylark'X' Body 94006, upper ball joint pg. 157 94017, 1/2" ext upper ball joint pg. 157 94011, lower ball joint pg. 157	75-79	RWD	N/A	N/A		47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136	
Skylark 94391, Pro Springs (64-67) pg. 137 94392, Pro Springs (68-72) pg. 137 94001, upper ball joint pg. 157	64-72	RWD	N/A	N/A		47700(*) 97110 94344(22)	47700(*) 97110	84,84 138,138 136	
Somerset	85-89	FWD	75400(1)	75400(1)	116,116	N/A	81280 82120/85130	117 122/173	
Special 94391, Pro Springs (64-67) pg. 137 94392, Pro Springs (68-72) pg. 137 94001, upper ball joint pg. 157	64-72	RWD	N/A	N/A		47700(*) 97110 94344(22)	47700(*) 97110	84,84 138,138 136	
Terraza	05-07	AWD	OEMA	OEMA		N/A	81260	117	
Terraza	05-07	FWD	75600(1) 75800(1)	75600(1) 75800(1)	116,116 116,116	N/A	81260	117	
Verano	12-17	FWD	71030(*)	71030(*)	103,103	N/A	81250	117	



**FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)**

**BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB** = Check [www.specprod.com](http://www.specprod.com) for more information ■ = Thrust Plate, pg. 85  
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (\*) = Series P/N, see page for size  
**All products from Specialty Products Company are intended for use by professional installers only.** ©2020 Niwot Corp. dba Specialty Products Co.®



[www.specprod.com](http://www.specprod.com)

Call for your nearest distributor, product info or  
Technical Assistance • In the USA and Canada

**1-800-525-6505**

Applications  
Alignment Parts  
Heavy Duty  
OE Replacement  
Racing/Builders  
Tools  
Brake and CV  
Gear/Index

# CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

## CADILLAC

Model/Body Style	Year	Drive Type	REAR			Thrust Plate	FRONT		
			CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Allante	93-93	FWD	OEMA	OEMA			OEMA/ <b>85130</b>	<b>81280</b> 82120/ <b>85130</b>	<b>173</b> /117 121/ <b>173</b>
Allante	87-92	FWD	N/A	OEMA			OEMA/ <b>85130</b>	<b>81280</b> 82120/ <b>85130</b>	<b>173</b> /117 121/ <b>173</b>
ATS	13-19	RWD/AWD	OEMA	OEMA			N/A	81280	117
Brougham	85-92	RWD	N/A	N/A			47700(*)	47700(*)	84,84
Catera	97-01	RWD	N/A	OEMA			N/A	81250	117
Cimarron	82-88	FWD	75400 <b>(1)</b>	75400 <b>(1)</b>	116,116		N/A	<b>81280</b> 82120/ <b>85130</b>	117 121/ <b>173</b>
CTS Inc. CTS-V	16-19	RWD/AWD	OEMA	OEMA			N/A	81280	117
CTS Coupe/Wagon/ CTS-V Sedan	14-15	RWD/AWD	OEMA	OEMA			OEMA/ <b>83785</b>	OEMA/ <b>83785</b>	<b>172,172</b>
CTS Sedan (except CTS-V)	14-15	RWD/AWD	OEMA	OEMA			N/A	81280	117
CTS Inc. CTS-V	08-13	RWD/AWD	OEMA	OEMA			OEMA/ <b>83785</b>	OEMA/ <b>83785</b>	<b>172,172</b>
CTS Inc. CTS-V	03-07	RWD/AWD	OEMA	OEMA			OEMA/ <b>83775, 83785, 83850</b>	OEMA/ <b>83850</b>	<b>172,173</b> <b>172,173</b>
CT6	16-20	RWD/AWD	N/A	OEMA			N/A	N/A	
DeVille	00-05	FWD	75600 <b>(1)</b> 75800 <b>(1)</b>	OEMA 75600 <b>(1)</b> 75800 <b>(1)</b>	116 116,116 116		OEMA	<b>81280</b> 82120/ <b>85130</b>	117 121/ <b>173</b>
DeVille Inc. Concours	94-99	FWD	OEMA	OEMA			OEMA	<b>81280</b> 82120/ <b>85130</b>	117 121/ <b>173</b>
DeVille	85-93	FWD	OEMA 82120/ <b>85130</b>	OEMA	121/ <b>173</b>		OEMA/ <b>85130</b>	OEMA 82120/ <b>85130</b>	<b>173</b> 121/ <b>173</b>
DTS	06-11	FWD	75600 <b>(1)</b> 75800 <b>(1)</b>	OEMA 75600 <b>(1)</b> 75800 <b>(1)</b>	116 116,116 116		OEMA	<b>81280</b> 82120/ <b>85130</b>	117 121/ <b>173</b>
Eldorado	93-03	FWD	OEMA	OEMA			OEMA/ <b>85130</b>	<b>81280</b> 82120/ <b>85130</b>	<b>173</b> /117 121/173
Eldorado	86-92	FWD	75600 <b>(1)</b> 75800 <b>(1)</b>	OEMA/ <b>83775</b> 75600 <b>(1)</b> 75800 <b>(1)</b>	116/ <b>172</b> 116,116 116		OEMA	OEMA 81280 82120/ <b>85130</b>	117 121/ <b>173</b>
Eldorado	80-85	FWD	75600 <b>(1)</b> 75800 <b>(1)</b>	OEMA/ <b>83775</b> 75600 <b>(1)</b> 75800 <b>(1)</b>	116/ <b>172</b> 116,116 116		OEMA	OEMA	
Escalade ESV/EXT <i>45940 for use on OEM style cams only.</i>	02-20	RWD/4WD	N/A	N/A			OEMA/ <b>45940</b> 86320, 86325 86375 86470 (thru '06)	OEMA/ <b>45940</b> 86320, 86325 86350/ <b>72509</b> 86375 86470 (thru '06)	<b>167/167</b> 128,128 129,129/ <b>169</b> 130,129 130
Escalade	99-00	RWD/4WD	N/A	N/A			OEMA 83790/ <b>74910</b> 87400/ <b>74910</b>	OEMA 83790/ <b>74910</b> 87400/ <b>74910</b>	125/ <b>170</b> 132/ <b>170</b>
ELR	14-16	FWD	71030(*)	71030(*)	103,103		N/A	OEMA 82130	122
Fleetwood	85-93	FWD	OEMA	OEMA			OEMA/ <b>85130</b>	OEMA 82120/ <b>85130</b>	<b>173</b> 121/ <b>173</b>
Seville STS/SLS	98-04	FWD	75600 <b>(1)</b> 75800 <b>(1)</b>	OEMA 75600 <b>(1)</b> 75800 <b>(1)</b>	116 116,116 116		OEMA	<b>81280</b> 82120/ <b>85130</b>	117 121/ <b>173</b>
Seville STS/SLS	93-97	FWD	OEMA	OEMA			N/A	<b>81280</b> 82120/ <b>85130</b>	117 121/ <b>173</b>
Seville	86-92	FWD	75600 <b>(1)</b> 75800 <b>(1)</b>	OEMA/ <b>83775</b> 75600 <b>(1)</b> 75800 <b>(1)</b>	116/ <b>172</b> 116,116 116		OEMA	OEMA <b>81280</b> 82120/ <b>85130</b>	117 121/ <b>173</b>
Seville	80-85	FWD	75600 <b>(1)</b> 75800 <b>(1)</b>	OEMA/ <b>83775</b> 75600 <b>(1)</b> 75800 <b>(1)</b>	116/ <b>172</b> 116,116 116		OEMA	OEMA	
SRX	10-16	FWD/AWD	OEMA	OEMA			N/A	81280	117
SRX	04-09	RWD/AWD	OEMA	OEMA/ <b>83850</b>	<b>173</b>		OEMA/ <b>83785, 83775</b>	OEMA/ <b>83775</b>	<b>172</b> <b>172,172</b>
STS	05-11	RWD/AWD	OEMA	OEMA			OEMA/ <b>83785</b>	OEMA/ <b>83785</b>	<b>172</b>

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

# Applications

## CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

### CHEVROLET-cont.

### REAR

### FRONT

Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate	CASTER/TOOL	CAMBER/TOOL	Page
K30,V30 Dana 60	88-93	4WD	N/A	N/A		■	Axle Wedges 88940	88940	144,134 134
Lumina Sedan	95-01	FWD	81260	OEMA/83850	117/173		N/A	N/A/85130	173
Lumina Sedan	90-94	FWD	81280 82120/85130	OEMA/83850	117/173 121/173		N/A	N/A/85130	173
Lumina APV Van	90-96	FWD	75600(1) 75800(1)	75600(1) 75800(1)	116/116 116/116		N/A	82110/85130	121/173
Luv Pickup	80-82	RWD/4WD	N/A	N/A		■	47700(*)	47700(*)	84,84
Malibu Inc. Limited	13-20	FWD	OEMA	OEMA			N/A	81250	117
Malibu Classic	08-08	FWD	OEMA 75400(17)	OEMA 75400(17)	116/116		N/A	81250	117
Malibu Classic	04-05	FWD	81250	OEMA	117		N/A	81260	117
Malibu	04-12	FWD	OEMA 75400(17) 82100	OEMA 75400(17) 82100	116,116 121,121		N/A	81250	117
Malibu	97-03	FWD	81250	OEMA	117		N/A	81260	117
Malibu 94390, Pro Springs pg. 137 94006, upper ball joint pg. 157 94011, lower ball joint pg. 157	78-83	RWD	N/A	N/A			47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136
Malibu 94006, upper ball joint pg. 157 94017, 1/2" ext upper ball joint pg. 157 94011, lower ball joint pg. 157	73-77	RWD	N/A	N/A			47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136
Malibu 94391, Pro Springs (64-67) pg. 137 94392, Pro Springs (68-72) pg. 137 94001, upper ball joint pg. 157	64-72	RWD	N/A	N/A			47700(*) 97110 94344(22)	47700(*) 97110	84,84 138,138 136
Metro	98-01	FWD	N/A	OEMA			N/A	81250	117
Monte Carlo	00-07	FWD	81260	OEMA	117		N/A	81260	117
Monte Carlo	95-99	FWD	81280 82120/85130	OEMA/83850	117/173 122/173		N/A	N/A/85130	173
Monte Carlo 94390, Pro Springs pg. 137 94006, upper ball joint pg. 157 94011, lower ball joint pg. 157	78-88	RWD	N/A	N/A			47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136
Monte Carlo 94390, Pro Springs pg. 137 94006, upper ball joint pg. 157 94011, lower ball joint pg. 157	73-77	RWD	N/A	N/A			47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136
Monte Carlo 94392, Pro Springs pg. 137 94001, upper ball joint pg. 157	70-72	RWD	N/A	N/A			47700(*) 97110 94344(22)	47700(*) 97110	84,84 138,138 136
Nova	85-88	FWD	81250	OEMA	117		N/A	OEMA 81250	117
Nova 'X' Body 94391, Pro Springs (64-67) pg. 137 94392, Pro Springs (68-72) pg. 137 94001, upper ball joint pg. 157	75-79	RWD	N/A	N/A			47700(*) 97110 94344(22)	47700(*) 97110	84,84 138,138 136
Nova 'X' Body 94393, Pro Springs pg. 137 94001, upper ball joint pg. 157	68-74	RWD	N/A	N/A			47700(*) 97120 94374(22)	47700(*) 97120	84,84 138,138 136
Optra	03-07	FWD	81250	OEMA	117		N/A	81250	117
Prizm	98-02	FWD	75600(1) 75800(1) 81250	OEMA 75600(1) 75800(1)	116 116,116 117,116		N/A	OEMA 81260	117
R10	87-87	RWD	N/A	N/A			47700(*) 97180	47700(*) 97180	84,84 140,140
R10,R20,R30,R1500 R2500,R3500 Pickup/Suburban	88-91	RWD	N/A	N/A		■	47700(*)	47700(*)	84,84

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

# Applications

## CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

OLDSMOBILE			REAR			FRONT			
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate	CASTER/TOOL	CAMBER/TOOL	Page
442 <i>94391, Pro Springs (64-67) pg. 137</i> <i>94392, Pro Springs (68-72) pg. 137</i> <i>94001, upper ball joint pg. 157</i>	64-72	RWD	N/A	N/A			47700(*) 97110 94344(22)	47700(*) 97110	84,84 138,138 136
88	86-99	FWD	<b>81280</b> 82120/ <b>85130</b>	OEMA	117 122/ <b>173</b>		OEMA/ <b>85130</b>	<b>81280</b> 82120/ <b>85130</b>	<b>173</b> /117 122/ <b>173</b>
88 <i>94006, upper ball joint pg. 157</i> <i>94017, 1/2" ext upper ball joint pg. 157</i> <i>94011, lower ball joint pg. 157</i>	71-85	RWD	N/A	N/A			47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136
98	85-99	FWD	<b>81280</b> 82120/ <b>85130</b>	OEMA	117 122/ <b>173</b>		OEMA	<b>81280</b> 82120/ <b>85130</b>	117 122/ <b>173</b>
98	77-84	RWD	N/A	N/A			47700(*)	47700(*)	84,84
Achieva	96-98	FWD	75400(1)	75400(1)	116,116		N/A	81260	117
Achieva	92-95	FWD	75400(1)	75400(1)	116,116		N/A	<b>81280</b> 82120/ <b>85130</b>	117 122/ <b>173</b>
Alero	99-04	FWD	81250	OEMA	117		N/A	81260	117
Aurora	95-03	FWD	75600(1) 75800(1)	OEMA 75600(1) 75800(1)	116 116,116 116		OEMA	<b>81280</b> / <b>85130</b> 82120/ <b>85130</b>	117/ <b>173</b> 122/ <b>173</b>
Bravada	02-04	RWD/4WD	N/A	N/A			OEMA/ <b>83785</b>	OEMA/ <b>83785</b>	<b>172,172</b>
Bravada	91-01	4WD	N/A	N/A		■	OEMA 83710	OEMA 83710	125,125
Custom Cruiser	80-92	RWD	N/A	N/A			47700(*)	47700(*)	84,84
Cutlass	97-99	FWD	81250	OEMA	117		N/A	81260	117
Cutlass Inc. Supreme <i>94390, Pro Springs pg. 137</i> <i>94006, upper ball joint pg. 157</i> <i>94011, lower ball joint pg. 157</i>	78-88	RWD	N/A	N/A			47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136
Cutlass Inc. Supreme <i>94006, upper ball joint pg. 157</i> <i>94017, 1/2" ext upper ball joint pg. 157</i> <i>94011, lower ball joint pg. 157</i>	73-77	RWD	N/A	N/A			47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136
Cutlass Inc. Supreme <i>94391, Pro Springs (64-67) pg. 137</i> <i>94392, Pro Springs (68-72) pg. 137</i> <i>94001, upper ball joint pg. 157</i>	64-72	RWD	N/A	N/A			47700(*) 97110 94344(22)	47700(*) 97110	84,84 138,138 136
Cutlass Calais	85-91	FWD	75400(1)	75400(1)	116,116		N/A	<b>81280</b> 82120/ <b>85130</b>	117 122/ <b>173</b>
Cutlass Ciera Inc. Cruiser	82-96	FWD	75600(1) 75800(1)	75600(1) 75800(1)	116,116 116,116		N/A	82110/ <b>85130</b>	121/ <b>173</b>
Cutlass Supreme	88-97	FWD	<b>81280</b> 82120/ <b>85130</b>	OEMA/ <b>83850</b>	117/ <b>173</b> 122/ <b>173</b>		N/A	N/A	
Firenza	82-89	FWD	75400(1)	75400(1)	116,116		N/A	<b>81280</b> 82120/ <b>85130</b>	117 122/ <b>173</b>
Intrigue	97-02	FWD	81260	OEMA/ <b>83850</b>	117/173		N/A	81260	117
LSS	98-99	FWD	<b>81280</b> 82120/ <b>85130</b>	OEMA	117 122/ <b>173</b>		OEMA	<b>81280</b> 82120/ <b>85130</b>	117 122/ <b>173</b>
Omega	80-84	FWD	75400(1)	75400(1)	116,116		N/A	82110/ <b>85130</b>	121/ <b>173</b>
Omega <i>94006, upper ball joint pg. 157</i> <i>94017, 1/2" ext upper ball joint pg. 157</i> <i>94011, lower ball joint pg. 157</i>	75-79	RWD	N/A	N/A			47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136
Regency	97-99	FWD	<b>81280</b> 82120/ <b>85130</b>	OEMA	117 122/ <b>173</b>		OEMA	<b>81280</b> 82120/ <b>85130</b>	117 122/ <b>173</b>
Silhouette	02-04	AWD	OEMA	OEMA			N/A	81260	117
Silhouette	97-04	FWD	75600(1) 75800(1)	75600(1) 75800(1)	116,116 116,116		N/A	81260	117
Silhouette	90-96	FWD	75600(1) 75800(1)	75600(1) 75800(1)	116,116 116,116		N/A	82110/ <b>85130</b>	121/ <b>173</b>

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

# CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

PONTIAC-cont.			REAR			Thrust Plate	FRONT		Page
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	
Grand Am 94006, upper ball joint pg. 157 94017, 1/2" ext upper ball joint pg. 157 94011, lower ball joint pg. 157	73-75	RWD	N/A	N/A		47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136	
Grand Prix	97-08	FWD	81260	OEMA	117	N/A	81260	117	
Grand Prix	95-96	FWD	<b>81280</b> 82120/85130	OEMA/83850	117/173 122/173	N/A	N/A/85130	<b>173</b>	
Grand Prix	88-94	FWD	81280	OEMA	117	N/A	N/A/85130	<b>173</b>	
Grand Prix 94390, Pro Springs pg. 137 94006, upper ball joint pg. 157 94011, lower ball joint pg. 157	78-87	RWD	N/A	N/A		47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136	
Grand Prix 94006, upper ball joint pg. 157 94017, 1/2" ext upper ball joint pg. 157 94011, lower ball joint pg. 157	73-77	RWD	N/A	N/A		47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136	
Grand Prix	65-72	RWD	N/A	N/A		47700(*)	47700(*)	84,84	
GTO	04-06	RWD	N/A	OEMA		OEMA	OEMA 81260	117	
GTO 94391, Pro Springs (64-67) pg. 137 94392, Pro Springs (68-72) pg. 137 94001, upper ball joint pg. 157	64-72	RWD	N/A	N/A		47700(*) 97110 94344(22)	47700(*) 97110	84,84 138,138 136	
LeMans	88-94	FWD	N/A	N/A		N/A	N/A		
LeMans 94390, Pro Springs pg. 137 94006, upper ball joint pg. 157 94011, lower ball joint pg. 157	78-81	RWD	N/A	N/A		47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136	
LeMans 94006, upper ball joint pg. 157 94017, 1/2" ext upper ball joint pg. 157 94011, lower ball joint pg. 157	73-77	RWD	N/A	N/A		47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136	
LeMans 94391, Pro Springs (64-67) pg. 137 94392, Pro Springs (68-72) pg. 137 94001, upper ball joint pg. 157	64-72	RWD	N/A	N/A		47700(*) 97110 94344(22)	47700(*) 97110	84,84 138,138 136	
Montana SV6	02-07	AWD	OEMA	OEMA		N/A	81260	117	
Montana SV6	97-07	FWD	75600(1) 75800(1)	75600(1) 75800(1)	116,116 116,116	N/A	81260	117	
Phoenix	80-84	FWD	75400(1)	75400(1)	116,116	N/A	82110/85130	121/173	
Safari SW	80-89	RWD	N/A	N/A		47700(*)	47700(*)	84,84	
Solstice	06-10	RWD	OEMA 82070	OEMA 82070	120,120	OEMA 82070	OEMA 82070	120,120	
Sunbird	82-94	FWD	75400(1)	75400(1)	116,116	N/A	<b>81280</b> 82120/85130	117 122/173	
Sunfire	95-06	FWD	75400(1)	75400(1)	116,116	N/A	81260	117	
Tempest	95-06	FWD	75400(1)	75400(1)	116,116	N/A	81260	117	
Tempest 94391, Pro Springs (64-67) pg. 137 94392, Pro Springs (68-72) pg. 137 94001, upper ball joint pg. 157	64-70	RWD	N/A	N/A		47700(*) 97110 94344(22)	47700(*) 97110	84,84 138,138 136	
Torrent	06-09	FWD/AWD	OEMA 87420	OEMA 87420	133,133	N/A	81260	117	



**FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)**

**BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD** • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85  
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (\*) = Series P/N, see page for size  
**All products from Specialty Products Company are intended for use by professional installers only.** ©2020 Niwot Corp. dba Specialty Products Co.®



[www.specprod.com](http://www.specprod.com)

Call for your nearest distributor, product info or Technical Assistance • In the USA and Canada

**1-800-525-6505**

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index



### APPLICATIONS

**Buick:** 1988 - 04 Regal  
**Cadillac:** 2004 - 09 SRX  
**Chevrolet:** 1990 - 01 Lumina Sedan  
 1995 - 99 Monte Carlo  
**Oldsmobile:** 1988 - 97 Cutlass/Supreme  
**Pontiac:** 1995 - 96 Grand Prix

## GM REAR TOE TOOL

# 83850

Tool allows quick, precise, and profitable adjustments of rear toe on both left and right sides of GM vehicles.



## STEEL FILE SET 85125

## Rotary Files

High quality carbide rotary files, ideal for elongating strut holes on many vehicles. Use when installing **82110**, **82120**, and **87350** adjusters. May be used with 1/4" or 3/8" drills at high speeds. Available individually. Use with **85774** Cool Tool cutting fluid (below).

**INCLUDES:** **85126** - 1/4" Rotary File (Max. Operating Speed 9,000 RPM)  
**85127** - 3/8" Rotary File (Max. Operating Speed 9,000 RPM)  
**85128** - 5/8" Rotary File (Max. Operating Speed 7,000 RPM)

## 3/8" ROTARY FILE SET 85130

This rotary file set is ideal for every technician. Be ready to elongate slots in aluminum and steel frames and brackets to accept larger offset cams. Includes one 85127 rotary file for steel, one 85137 rotary file for aluminum, and cutting fluid (85774) to extend your rotary file's life.

## ALUMINUM FILE 85137

This 3/8" rotary file is specifically designed for Aluminum. Use it to quickly and cleanly expand cam slots in aluminum brackets and frames. It is an ideal tool to use when installing SPC Nissan and Infiniti Cams (pages 106, 110 and 111). Also is perfect when installing our Mustang Caster Bolts (page 111) and our Ford Crown Vic Front Cam Kit (page 132). Use with **85774** Cool Tool cutting fluid (below).



**CAUTION: Always wear safety glasses when using cutting or grinding tools and equipment.**



## COOL TOOL FLUID 85774

This fluid lubricates the single rotary files and **85125** and **85130** rotary file sets (above), and the **68670** Rotor-Bor (page 168) to reduce stress on the cutting teeth. This product is **highly recommended** to prolong the life of all cutting bits used on steel.

Check out SPC's new Punch Tools to quickly elongate holes, page 170.

**CAUTION: Not for use with impact wrenches (air tools).**

## 3 IN-1 SPINDLE PULLER

**85796** is a 3-in-1 puller that makes removing the spindle from four wheel drive vehicles much easier. This puller fits spindle sizes 1-1/2", 1-5/8" and 2" spindles that are OE on 4x4 trucks.



# 85796

### APPLICATIONS

**Dodge RWD:** 1994 - 99 3500 Ram w/Mono  
**Dodge 4WD:** 1994 - 99 2500HD, 3500 Ram  
**Ford RWD:** 1990 - 90 Bronco II (Late 90)  
 1992 & Up E150, E250, E350, E450  
 2000 - 05 Excursion; 1987 - 96 F150  
 1998 - 13 F250, F350 Twin I-Beam  
 1987 - 98 F250, F350  
**Ford 4WD:** 2000 - 05 Excursion  
 1999 - 04 F250, F350 Solid Axles/Leaf Springs  
 1992 - 98 F350 Crew Cab  
**Ford RWD/4WD:** 1999 - 04 F450, F550  
 1991 - 94 Explorer

## TRUCK SLEEVE SOCKET

# 87175

This 1-1/2" socket is useful for adjusting both the OE and our popular **23130** and **23180** sleeve series (see page 75) for Ford and Mazda RWD and 4WD trucks with pinch bolt style suspension. For 1/2" drives.



### APPLICATIONS

**Ford:** 1986 - 07 Taurus Sedans  
**Mercury:** 1986 - 07 Sable Sedans

## FORD/MERCURY REAR BUSHING ADJUSTING TOOL

# 87320

Many popular Taurus/Sable sedans utilize our **87330** Rear Camber/Toe Kit (page 132). The **87320** Bushing Adjustment Tool allows easy access to the head of the eccentric bushing to ease adjustment.

