

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

CADILLAC

Model/Body Style	Year	Drive Type	REAR			Thrust Plate	FRONT		
			CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Allante	93-93	FWD	OEMA	OEMA			OEMA/ 85130	81280 82120/ 85130	173 /117 121/ 173
Allante	87-92	FWD	N/A	OEMA			OEMA/ 85130	81280 82120/ 85130	173 /117 121/ 173
ATS	13-19	RWD/AWD	OEMA	OEMA			N/A	81280	117
Brougham	85-92	RWD	N/A	N/A			47700(*)	47700(*)	84,84
Catera	97-01	RWD	N/A	OEMA			N/A	81250	117
Cimarron	82-88	FWD	75400 (1)	75400 (1)	116,116		N/A	81280 82120/ 85130	117 121/ 173
CTS Inc. CTS-V	16-19	RWD/AWD	OEMA	OEMA			N/A	81280	117
CTS Coupe/Wagon/ CTS-V Sedan	14-15	RWD/AWD	OEMA	OEMA			OEMA/ 83785	OEMA/ 83785	172,172
CTS Sedan (except CTS-V)	14-15	RWD/AWD	OEMA	OEMA			N/A	81280	117
CTS Inc. CTS-V	08-13	RWD/AWD	OEMA	OEMA			OEMA/ 83785	OEMA/ 83785	172,172
CTS Inc. CTS-V	03-07	RWD/AWD	OEMA	OEMA			OEMA/ 83775, 83785, 83850	OEMA/ 83850	172,173 172,173
CT6	16-20	RWD/AWD	N/A	OEMA			N/A	N/A	
DeVille	00-05	FWD	75600 (1) 75800 (1)	OEMA 75600 (1) 75800 (1)	116 116,116 116		OEMA	81280 82120/ 85130	117 121/ 173
DeVille Inc. Concours	94-99	FWD	OEMA	OEMA			OEMA	81280 82120/ 85130	117 121/ 173
DeVille	85-93	FWD	OEMA 82120/ 85130	OEMA	121/ 173		OEMA/ 85130	OEMA 82120/ 85130	173 121/ 173
DTS	06-11	FWD	75600 (1) 75800 (1)	OEMA 75600 (1) 75800 (1)	116 116,116 116		OEMA	81280 82120/ 85130	117 121/ 173
Eldorado	93-03	FWD	OEMA	OEMA			OEMA/ 85130	81280 82120/ 85130	173 /117 121/173
Eldorado	86-92	FWD	75600 (1) 75800 (1)	OEMA/ 83775 75600 (1) 75800 (1)	116/ 172 116,116 116		OEMA	OEMA 81280 82120/ 85130	117 121/ 173
Eldorado	80-85	FWD	75600 (1) 75800 (1)	OEMA/ 83775 75600 (1) 75800 (1)	116/ 172 116,116 116		OEMA	OEMA	
Escalade ESV/EXT <i>45940 for use on OEM style cams only.</i>	02-20	RWD/4WD	N/A	N/A			OEMA/ 45940 86320, 86325 86375 86470 (thru '06)	OEMA/ 45940 86320, 86325 86350/ 72509 86375 86470 (thru '06)	167/167 128,128 129,129/ 169 130,129 130
Escalade	99-00	RWD/4WD	N/A	N/A			OEMA 83790/ 74910 87400/ 74910	OEMA 83790/ 74910 87400/ 74910	125/ 170 132/ 170
ELR	14-16	FWD	71030(*)	71030(*)	103,103		N/A	OEMA 82130	122
Fleetwood	85-93	FWD	OEMA	OEMA			OEMA/ 85130	OEMA 82120/ 85130	173 121/ 173
Seville STS/SLS	98-04	FWD	75600 (1) 75800 (1)	OEMA 75600 (1) 75800 (1)	116 116,116 116		OEMA	81280 82120/ 85130	117 121/ 173
Seville STS/SLS	93-97	FWD	OEMA	OEMA			N/A	81280 82120/ 85130	117 121/ 173
Seville	86-92	FWD	75600 (1) 75800 (1)	OEMA/ 83775 75600 (1) 75800 (1)	116/ 172 116,116 116		OEMA	OEMA 81280 82120/ 85130	117 121/ 173
Seville	80-85	FWD	75600 (1) 75800 (1)	OEMA/ 83775 75600 (1) 75800 (1)	116/ 172 116,116 116		OEMA	OEMA	
SRX	10-16	FWD/AWD	OEMA	OEMA			N/A	81280	117
SRX	04-09	RWD/AWD	OEMA	OEMA/ 83850	173		OEMA/ 83785, 83775	OEMA/ 83775	172 172,172
STS	05-11	RWD/AWD	OEMA	OEMA			OEMA/ 83785	OEMA/ 83785	172

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

CADILLAC-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
XLR XLR-V	04-09	RWD	OEMA	OEMA		OEMA	OEMA		
XTS w/ HiPer strut	13-19	FWD/AWD	OEMA 82090	OEMA/45938 82090	167 120,120		N/A OEMA 82130	122	
XTS w/o HiPer strut	13-19	FWD/AWD	OEMA 82090	OEMA/45938 82090	167 120,120		N/A 81250	117	
XT4	19-20	FWD/AWD	OEMA	OEMA		N/A	81250	117	
XT5	17-20	FWD/AWD	OEMA	OEMA		N/A	81250	117	
XT5	20-20	FWD/AWD	OEMA	OEMA		N/A	81250	117	
CHEVROLET									
1500, 2500, 3500 (1999/2000 'Classic' only)	88-00	RWD/4WD	N/A	N/A		■	OEMA 83790/74910 87400/74910	OEMA 83790/74910 87400/74910 86350(2)/72509	125/170 132/170 129/169
Astro (1999/2000 'Classic' only)	90-05	AWD	N/A	N/A			OEMA 83790/74910 87400/74910	OEMA 83790/74910 87400/74910	125/170 132/170
Astro	85-05	RWD	N/A	N/A		■	47700(*)	47700(*)	84,84
Avalanche1500 45940 for use on OEM style cams only.	02-13	RWD/4WD	N/A	N/A			OEMA/45940 86320, 86325 86375 86470 (thru '06)	OEMA/45940 86320, 86325 86350/72509 86375 86470 (thru '06)	167,167 128,128 129,129/169 130,129 130
Avalanche 2500 45940 for use on OEM style cams only.	02-06	4WD	N/A	N/A		■	OEMA/45940 23960/72509 86320, 86325 86375	OEMA/45940 23960/72509 86320, 86325 86375 86330/72509	167,167 80/169 128,128 129,129 129/169
Aveo	04-11	FWD	75200(15)	75200(15)	116,116		N/A	81250	117
Bel Air 'B' Body	71-81	RWD	N/A	N/A			47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136
Bel Air	65-70	RWD	N/A	N/A			47700(*) 94356	47700(*) 94356	84,84 136
Bel Air	58-64	RWD	N/A	N/A			47700(*) 97150	47700(*) 97150	84,84 138,138
Bel Air 94003, upper ball joint pg. 157	55-57	RWD	N/A	N/A			47700(*) 97170	47700(*) 97170	84,84 138,138
Beretta	96-97	FWD	75400(1)	75400(1)	116,116		N/A	81260	117
Beretta	87-95	FWD	75400(1)	75400(1)	116,116		N/A	81280 82120/85130	117 122/173
Biscayne 'B' Body	71-75	RWD	N/A	N/A			47700(*) 97130 94378	47700(*) 97130	84,84 138,138 136
Biscayne	65-70	RWD	N/A	N/A			47700(*) 94356	47700(*)	84,84 136
Biscayne	58-64	RWD	N/A	N/A			47700(*) 97150	47700(*) 97150	84,84 138,138
Blazer	19-20	FWD/AWD	OEMA	OEMA		■	N/A	81250	117
Blazer Full Size (1999/2000 'Classic' only)	92-94	RWD/4WD	N/A	N/A		■	OEMA 83790/74910 87400/74910	OEMA 83790/74910 87400/74910 86350(2)/72509	125/170 132/170 129/169
Blazer S-10	82-04	RWD	N/A	N/A		■	47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136
Blazer S-10	82-04	4WD	N/A	N/A		■	OEMA 83710	OEMA 83710	125,125



FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, see page for size
All products from Specialty Products Company are intended for use by professional installers only. ©2020 Niwot Corp. dba Specialty Products Co.®



www.specprod.com

Call for your nearest distributor, product info or
Technical Assistance • In the USA and Canada

1-800-525-6505

Applications

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

CHEVROLET-cont.

REAR

FRONT

Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate	CASTER/TOOL	CAMBER/TOOL	Page
Blazer C5	69-91	RWD	N/A	N/A		■	47700(*)	47700(*)	84,84
Blazer C10	73-86	RWD	N/A	N/A			47700(*) 97180	47700(*) 97180	84,84 138,138
Blazer K5	69-91	4WD	N/A	N/A		■	23000(*)/4169	23000(*)/4169	74/163
Bolt EV	17-20	FWD	N/A	N/A			N/A	81260	117
Camaro	16-20	RWD	OEMA	OEMA			N/A	81280	117
Camaro	10-15	RWD	OEMA 87430	OEMA 87430	133,133		N/A	81280	117
Camaro	93-02	RWD	N/A	N/A			OEMA/83775	OEMA/83775	172,172
Camaro 'F'-Body	82-92	RWD	N/A	N/A			OEMA	OEMA 81280	117
Camaro 'F'-Body 94394, Pro Springs pg. 137 94006, upper ball joint pg. 157 94011, lower ball joint pg. 157	70-81	RWD	N/A	N/A			47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136
Camaro 'F'-Body 94393, Pro Springs pg. 137 94001, upper ball joint pg. 157	67-69	RWD	N/A	N/A			47700(*) 97120 94374(22)	47700(*) 97120	84,84 138,138 136
Caprice PPV	11-17	RWD	OEMA 87430	OEMA 87430	133,133		OEMA	81260	117
Caprice 'B' Body 94006, upper ball joint pg. 157 94017, 1/2" ext upper ball joint pg.157 94011, lower ball joint pg. 157	71-96	RWD	N/A	N/A			47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136
Caprice	65-70	RWD	N/A	N/A			47700(*) 94356	47700(*) 94356	84,84 136,136
Caprice	58-64	RWD	N/A	N/A			47700(*) 97150	47700(*) 97150	84,84 138,138
Captiva Sport	12-15	FWD/AWD	OEMA 87420	OEMA 87420	133,133		N/A	81260	117
Cavalier	95-05	FWD	75400(1)	75400(1)	116,116		N/A	81260	117
Cavalier	82-94	FWD	75400(1)	75400(1)	116,116		N/A	81280	117
Celebrity	82-90	FWD	75600(1) 75800(1)	75600(1) 75800(1)	116,116 116,116		N/A	82110/85130	121/173
Chevelle 94006, upper ball joint pg. 157 94017, 1/2" ext upper ball joint pg.157 94011, lower ball joint pg. 157	73-77	RWD	N/A	N/A			47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136
Chevelle 94391, Pro Springs (64-67) pg. 137 94392, Pro Springs (68-72) pg. 137 94001, upper ball joint pg. 157	64-72	RWD	N/A	N/A			47700(*) 97110 94344(22)	47700(*) 97110	84,84 138,138 136
Chevette	76-87	RWD	N/A	N/A			OEMA	OEMA	
Citation	80-85	FWD	75400(1)	75400(1)	116,116		N/A	82110/85130	121/173
City Express	15-18	FWD	N/A	N/A			N/A	81260	117
Classic	04-05	FWD	81250	OEMA	117		N/A	81260	117
Cobalt	05-10	FWD	75400(1)	75400(1)	116,116		N/A	81250	117
Colorado 45945 for use on OE cams only	15-20	RWD/4WD	N/A	N/A			OEMA/45945 86321, 86326 86376	OEMA/45945 86321, 86326 86376	167,167 128,128 129,129
Colorado 45940 for use on OE cams only	04-12	RWD/4WD	N/A	N/A		■	OEMA/45940 45938 86320, 86325 86360 86375	OEMA/45940 45938 86320, 86325 86360 86375	167,167 167,167 128,28 129,129 129,129
Corsica	96-96	FWD	75400(1)	75400(1)	116,116		N/A	81260	117
Corsica	87-95	FWD	75400(1)	75400(1)	116,116		N/A	81280	117
Corvette C8	20-20	RWD	OEMA	OEMA			OEMA	OEMA	
Corvette C5/C6/C7	97-19	RWD	OEMA	OEMA			OEMA	OEMA	
Corvette C4 94007, upper ball joint pg 157	88-96	RWD	OEMA	OEMA			47700(*) 97190	47700(*) 97190	84,84 140,140
CorvetteC2/C3 94003, upper ball joint pg. 157	63-82	RWD	OEMA 83160	OEMA 47170(*)	124,85		47700(*) 97160	47700(*) 97160	84,84 140,140

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index



CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

CHEVROLET-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Cruze	11-19	FWD	71030(*)	71030(*)	103,103	N/A	81250	117	
C10	73-86	RWD	N/A	N/A		47700(*) 97180	47700(*) 97180	84,84 140,140	
C10,C20,C30,C1500 C2500,C3500,Pickup/Suburban <i>Thrust Plate not for C10/15</i>	65-72	RWD	N/A	N/A		47700(*)	47700(*)	84,84	
C4500 Kodiak	03-09	RWD	N/A	N/A		Axle Wedges	N/A	144	
C4500 Kodiak	03-09	4WD	N/A	N/A		Axle Wedges 23230(*)	23230(*) 24230/74600 24230/74600	144,76 76,79/170 79/170	
C5500 Kodiak	03-09	RWD	N/A	N/A		Axle Wedges	N/A	144	
C5500 Kodiak	03-09	4WD	N/A	N/A		Axle Wedges 23230(*)	23230(*) 24230/74600 24230/74600	76 76,79/170 79/170	
El Camino 94390, Pro Springs pg. 137 94006, upper ball joint pg. 157 94011, lower ball joint pg. 157	78-88	RWD	N/A	N/A		47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136	
El Camino 94006, upper ball joint pg. 157 94017, 1/2" ext upper ball joint pg. 157 94011, lower ball joint pg. 157	73-77	RWD	N/A	N/A		47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136	
El Camino 94001, upper ball joint pg. 157	64-72	RWD	N/A	N/A		47700(*) 97110 94344(22),	47700(*) 97110	84,84 138,138 136	
El Camino	58-63	RWD	N/A	N/A		47700(*) 97150	47700(*) 97150	84,84 138,138	
Equinox	18-20	FWD/AWD	OEMA	OEMA		N/A	81250	117	
Equinox	05-17	FWD/AWD	OEMA 87420	OEMA 87420	133,133	N/A	81260	117	
Express 45940 for use on OEM style cams only.	03-20	RWD/4WD	N/A	N/A		■ OEMA/45940 86320, 86325 86370, 86375	OEMA/45940 86320, 86325 86370, 86375 86350 (33)/72509	167,167 128,128 129,129 129/169	
Express	96-02	RWD	N/A	N/A		■ OEMA 83790/74910 87400/74910	OEMA 83790/74910 87400/74910	125/170 132/170	
G10 Van	71-72	RWD	N/A	N/A		■ 47700(*)	47700(*)	84,84	
G10 Van	73-95	RWD	N/A	N/A		47700(*) 97180	47700(*) 97180	84,84 140,140	
G20 Van	71-77	RWD	N/A	N/A		■ 47700(*)	47700(*)	84,84	
G20 Van	78-98	RWD	N/A	N/A		47700(*) 97180	47700(*) 97180	84,84 140,140	
HHR	06-11	FWD	75400(1)	75400(1)	116,116	N/A	81250	117	
Impala Limited	14-16	FWD	81260	OEMA	117	N/A	81260	117	
Impala	14-20	FWD	OEMA	OEMA		N/A	81250	117	
Impala	99-13	FWD	81260	OEMA	117	N/A	81260	117	
Impala 'B' Body 94006, upper ball joint pg. 157 94017, 1/2" ext upper ball joint pg. 157 94011, lower ball joint pg. 157	71-96	RWD	N/A	N/A		47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136	
Impala	65-70	RWD	N/A	N/A		47700(*) 94356	47700(*) 94356	84,84 136,136	
Impala	58-64	RWD	N/A	N/A		47700(*) 97150	47700(*) 97150	84,84 138,138	
K10,K15,K20,K25 Pickup/Suburban	70-87	4WD	N/A	N/A		■ 23000(*)/4169	23000(*)/4169	74/163	
K30 K35	58-87	4WD	N/A	N/A		■ Axle Wedges	23000(*)/4169	144,74/163	



FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, see page for size
All products from Specialty Products Company are intended for use by professional installers only. ©2020 Niwot Corp. dba Specialty Products Co.®



www.specprod.com

Call for your nearest distributor, product info or
Technical Assistance • In the USA and Canada

1-800-525-6505

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

CHEVROLET-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Silverado 1500	19-20	RWD/4WD	N/A	N/A		■ OEMA	OEMA		
Silverado 1500 <i>45940 for use on OEM style cams only.</i>	99-18	RWD/4WD	N/A	N/A		■ OEMA/ 45940 86320, 86325 86375 86470 (thru '06)	OEMA/ 45940 86320, 86325 86375 86350/ 72509 86470 (thru '06)	167,167 128,128 129,129 130,129/ 169 130	
Silverado 1500 HD Crew Cab <i>45940 for use on OEM style cams only.</i>	01-06	RWD/4WD	N/A	N/A		■ OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 90,90/ 169 128,128 129,129 129, 169	
Silverado 2500 <i>45945 for use on OEM style cams only.</i>	11-20	RWD/4WD	N/A	N/A		■ OEMA/ 45945 86321, 86326 86376	OEMA/ 45945 86321, 86326 86376	167,167 128,128 129,129	
Silverado 2500 <i>45940 for use on OEM style cams only.</i>	99-10	RWD/4WD	N/A	N/A		■ OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 90,90/ 169 128,128 129,129 129, 169	
Silverado 2500HD RWD Cab/Chassis	91-02	RWD	N/A	N/A		■ Axle Wedges	N/A	144	
Silverado 3500 <i>45945 for use on OEM style cams only.</i>	11-20	RWD/4WD	N/A	N/A		■ OEMA/ 45945 86321, 86326 86376	OEMA/ 45945 86321, 86326 86376	167,167 128,128 129,129	
Silverado 3500 <i>45940 for use on OEM style cams only.</i>	99-10	RWD/4WD	N/A	N/A		■ OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 90,90/ 169 128,128 129,129 129, 169	
Silverado 3500HD RWD Cab/Chassis	91-02	RWD	N/A	N/A		■ Axle Wedges	N/A	144	
Sonic	12-20	FWD	71050(*)	71050(*)	103,103	N/A	81260	117	
Spark	13-20	FWD	N/A	N/A		N/A	81250	117	
Spectrum	85-88	FWD	75200(1)	75200(1)	116,116	N/A	81250	117	
Sprint Metro	87-88	FWD	N/A	N/A		N/A	OEMA 81250	117	
Sprint	85-86	FWD	N/A	N/A		N/A	81250	117	
Suburban 1500 <i>45940 for use on OEM style cams only.</i>	00-20	RWD/4WD	N/A	N/A		■ OEMA/ 45940 86320, 86325 86375 86470 (thru '06)	OEMA/ 45940 86320, 86325 86375 86350/ 72509 86470 (thru '06)	167,167 128,128 129,129 130,129/ 169 130	
Suburban 2500 <i>45940 for use on OEM style cams only.</i>	00-14	RWD/4WD	N/A	N/A		■ OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 90,90/ 169 128,128 129,129 129, 169	
Suburban	92-99	RWD/4WD	N/A	N/A		■ OEMA 83790/ 74910 87400/ 74910	OEMA 83790/ 74910 87400/ 74910 86350(2)/ 72509	125/ 170 132/ 170 129, 169	
Suburban C10/R10	73-97	RWD	N/A	N/A		■ 47700(*) 97180	47700(*) 97180	84,84 140,140	
Suburban	69-91	4WD	N/A	N/A		■ 23000(*)/ 4169	23000(*)/ 4169	74/ 163	
Suburban	65-72	RWD	N/A	N/A		■ 47700(*)	47700(*)	84,84	
SS	14-17	RWD	OEMA 87430	OEMA 87430	113,113	N/A	81260	117	
SSR	04-06	RWD	N/A	N/A		■ OEMA/ 83785	OEMA/ 83785	172,172	



FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, see page for size
All products from Specialty Products Company are intended for use by professional installers only. ©2020 Niwot Corp. dba Specialty Products Co.®



www.specprod.com

Call for your nearest distributor, product info or Technical Assistance • In the USA and Canada

1-800-525-6505

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

CHEVROLET-cont.

Model/Body Style	Year	Drive Type	REAR			Thrust Plate	FRONT		
			CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
S10 <i>94006, upper ball joint pg 157</i>	82-04	RWD	N/A	N/A		■	47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136
S10	82-04	4WD	N/A	N/A		■	OEMA 83710	OEMA 83710	125,125
Tahoe <i>45940 for use on OEM style cams only.</i>	07-20	RWD/4WD	N/A	N/A			OEMA/45940 86320, 86325 86375 86470 (thru '06)	OEMA/45940 86320, 86325 86375 86350/72509 86470 (thru '06)	167,167 128,128 129,129 130,129/169 130
Tahoe	95-99	RWD/4WD	N/A	N/A		■	OEMA 83790/74910 87400/74910	OEMA 83790/74910 87400/74910 86350(2)/72509	125/170 132/170 132/169
Tracker	98-04	4WD	N/A	N/A		■	N/A	81250	117
Trailblazer	02-09	RWD/4WD	N/A	N/A			OEMA/83785	OEMA/83785	172,172
Traverse	18-20	FWD/AWD	OEMA	OEMA			N/A	81250	117
Traverse	09-17	FWD/AWD	OEMA 82105, 82106	OEMA	121,121		N/A	81280	117
Stock Replacement Part			15647		158				
Trax	15-20	AWD	N/A	N/A			N/A	81260	117
Trax	15-20	FWD	71050(*)	71050(*)	103,103		N/A	81260	117
Tri-5 Body <i>94003, upper ball joint pg. 157</i>	55-57	RWD	N/A	N/A			47700(*) 97170	47700(*) 97170	84,84 140,140
Uplander	05-08	AWD	OEMA	OEMA			N/A	81260	117
Uplander	05-08	FWD	75600(1) 75800(1)	75600(1) 75800(1)	116,116 116,116		N/A	81260	117
Venture	02-05	AWD	OEMA	OEMA			N/A	81260	117
Venture	97-05	FWD	75600(1) 75800(1)	75600(1) 75800(1)	116,116 116,116		N/A	81260	117
Volt	11-19	FWD	71030(*)	71030(*)	103,103		N/A	81250	117
V30 Dana 60	87-88	4WD	N/A	N/A		■	Axle Wedges 88940	88940	144,134 134
V3500 Dana 60	89-91	4WD	N/A	N/A			Axle Wedges 88940	88940	144,134 134

CHRYSLER

All Passenger Car Models	60-73	RWD	N/A	N/A			OEMA 83160	OEMA 83160	124,124
200	15-17	FWD/AWD	OEMA	OEMA			N/A	N/A	
200	11-14	FWD	67018 75600(1)	75600(1)	87,116 116		N/A	81260	117
300	11-20	RWD	66050/ 40920, 66025	OEMA 66055/ 40920, 66025	86 165,168/87 165,168		66038/74920 66045	66038/74920 66045	86/170 86
300	09-10	RWD	66050/ 40920, 66025	OEMA 66055/ 40920, 66025	86 165,168/87 165,168		66037/74920 66045	66037/74920 66045	86/170 86
300	05-08	RWD	66050/ 40920, 66025	OEMA 66055/ 40920, 66025	86 165,168/87 165,168		66037/74920 66040	66037/74920 66040	86/170 86
300	05-20	AWD	66050/ 40920, 66025	OEMA 66055/ 40920, 66025	86 165,168/87 165,168		66047	66047	86,86
300M <i>55700, toe tool pg. 167</i>	99-04	FWD	67080	OEMA	88		N/A	81280 82120/85130	117 122/173
Stock Replacement Part							23600		77
Aspen	07-09	RWD/AWD	N/A	N/A			OEMA	OEMA	
Cirrus	95-00	FWD	OEMA	OEMA			N/A	67180/40920	89/165
Concorde <i>55700, toe tool pg. 167</i>	98-04	FWD	67080	OEMA	88		N/A	81280 82120/85130	117 122/173
Stock Replacement Part							23600		77

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

GMC-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Colorado 45940 for use on OE cams only	04-12	RWD/4WD	N/A	N/A		■ OEMA/ 45940 45938 86320, 86325 86360 86375	OEMA/ 45940 45938 86320, 86325 86360 86375	167,167 167,167 128,128 129,129 129,129	
C15, C1500 Pickup/Suburban	73-87	RWD	N/A	N/A		47700(*) 97180	47700(*) 97180	84,84 140,140	
C15, C1500 Pickup/Suburban	65-82	RWD	N/A	N/A		47700(*)	47700(*)	84,84	
C25, C35, C2500, C3500 Pickup/Suburban	65-87	RWD	N/A	N/A		47700(*)	47700(*)	84,84	
Envoy	02-09	RWD/4WD	N/A	N/A		OEMA/ 83785	OEMA/ 83785	172,172	
G15, G1500 Van	75-95	RWD	N/A	N/A		47700(*) 97180	47700(*) 97180	84,84 140,140	
G15, G1500 Van	71-74	RWD	N/A	N/A		47700(*)	47700(*)	84,84	
G25 G35 Van	71-96	RWD	N/A	N/A		47700(*)	47700(*)	84,84	
Jimmy Full Size	88-91	RWD/4WD	N/A	N/A		■ OEMA 83790/ 74910 87400/ 74910	OEMA 83790/ 74910 87400/ 74910 86350(2)/ 72509	125/ 170 132/ 170 127/ 169	
Jimmy S-15 94006, upper ball joint pg. 157 94017, 1/2" ext upper ball joint pg. 157	82-04	RWD	N/A	N/A		47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136	
Jimmy S-15	82-04	4WD	N/A	N/A		OEMA 83710	OEMA 83710	125,125	
Jimmy C5	69-91	RWD	N/A	N/A		■ 47700(*)	47700(*)	84,84	
Jimmy K5	69-91	4WD	N/A	N/A		■ 23000(*)/ 4169	23000(*)/ 4169	74/136	
K10, K15, K20, K25 Pickup/Suburban	70-87	4WD	N/A	N/A		■ 23000(*)/ 4169	23000(*)/ 4169	74/136	
K30, K35	58-87	4WD	N/A	N/A		■ Axle Wedges	23000(*)/ 4169	74/136	
K30, V30 Dana 60	88-93	4WD	N/A	N/A		■ Axle Wedges 88940	88940	144, 134 134	
Safari Full Size	90-05	AWD	N/A	N/A		■ OEMA 83790/ 74910 87400/ 74910	OEMA 83790/ 74910 87400/ 74910	125/ 170 132/ 170	
Safari	85-05	RWD	N/A	N/A		47700(*)	47700(*)	84,84	
Savana Van 45940 for use on OEM style cams only.	03-20	RWD/4WD	N/A	N/A		■ OEMA/ 45940 86320, 86325 86370, 86375	OEMA/ 45940 86320, 86325 86370, 86375 86350 (33)/ 72509	167,167 128,128 129,129 129/ 169	
Savana Van	96-02	RWD	N/A	N/A		■ OEMA 83790/ 74910 87400/ 74910	OEMA 83790/ 74910 87400/ 74910	125/ 170 132/ 170	
Sierra 1500	19-20	RWD/4WD	N/A	N/A		OEMA	OEMA		
Sierra 1500 45940 for use on OEM style cams only.	99-18	RWD/4WD	N/A	N/A		■ OEMA/ 45940 86320, 86325 86375 86470 (thru '06)	OEMA/ 45940 86320, 86325 86375 86350/ 72509 86470 (thru '06)	167,167 128,128 129,129 130,129/ 169 130	
Sierra 1500 HD Crew Cab 45940 for use on OEM style cams only.	01-06	RWD/4WD	N/A	N/A		■ OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 80/ 169 128,128 129,129 129/ 169	
Sierra 2500 45945 for use on OE cams only.	11-20	RWD/4WD	N/A	N/A		OEMA/ 45945 86321, 86326 86376	OEMA/ 45945 86321, 86326, 86376	167,167 128,128 129,129	



FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, see page for size
All products from Specialty Products Company are intended for use by professional installers only. ©2020 Niwot Corp. dba Specialty Products Co.®



www.specprod.com

Call for your nearest distributor, product info or
Technical Assistance • In the USA and Canada

1-800-525-6505

Applications
Alignment Parts
Heavy Duty
OE Replacement
Racing/Builders
Tools
Brake and CV
Gear/Index

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

GMC-cont.

REAR

FRONT

Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate	CASTER/TOOL	CAMBER/TOOL	Page
Sierra 2500 <i>45940 for use on OEM style cams only.</i>	99-10	RWD/4WD	N/A	N/A		■	OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 80/ 169 128,128 129,129 129/ 169
Sierra 2500 HD Cab/Chassis	91-02	RWD	N/A	N/A		■	Axle Wedges	N/A	144
Sierra 3500 <i>45940 for use on OEM style cams only.</i>	11-20	RWD/4WD	N/A	N/A			OEMA/ 45945 86321, 86326 86376	OEMA/ 45945 86321, 86326 86376	167,167 128,128 129,129
Sierra 3500 <i>45940 for use on OEM style cams only.</i>	99-10	RWD/4WD	N/A	N/A			OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 80/ 169 128,128 129,129 129/ 169
Sierra 3500 HD Cab/Chassis	91-02	RWD	N/A	N/A			Axle Wedges	N/A	144
Sonoma <i>94006, upper ball joint pg. 157</i> <i>94017, 1/2" ext upper ball joint pg. 57</i>	82-04	RWD	N/A	N/A			47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136
Sonoma	82-04	4WD	N/A	N/A			OEMA 83710	OEMA 83710	125,125
Suburban 1500 <i>45940 for use on OEM style cams only.</i>	00-13	RWD/4WD	N/A	N/A			OEMA/ 45940 86320, 86325 86370, 86375	OEMA/ 45940 86320, 86325 86370, 86375 86350 (33)/ 72509	167,167 128,128 129,129 129/ 169
Suburban 2500 <i>45940 for use on OEM style cams only.</i>	00-13	RWD/4WD	N/A	N/A		■	OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 80/ 169 128,128 129,129 129/ 169
Suburban Full Size	92-99	RWD/4WD	N/A	N/A		■	OEMA 83790/ 74910 87400/ 74910	OEMA 83790/ 74910 87400/ 74910 86350(2)/ 72509	125/ 170 132/ 170 129/ 169
Suburban	69-91	4WD	N/A	N/A			23000(*)/ 4169	23000(*)/ 4169	74/ 163
Suburban	65-72	RWD	N/A	N/A		■	47700(*)	47700(*)	84,84
Terrain	18-19	FWD/AWD	OEMA	OEMA			N/A	81250	117
Terrain	05-17	FWD/AWD	OEMA 87420	OEMA 87420	133,133		N/A	81260	117
Tracker	98-04	4WD	N/A	N/A			N/A	81250	117
V30 V35 Dana 60	88-93	4WD	N/A	N/A			Axle Wedges 88940	88940	144,134 134
Yukon 1500 Inc. XL <i>45940 for use on OEM style cams only.</i>	00-20	RWD/4WD	N/A	N/A		■	OEMA/ 45940 86320, 86325 86375 86470 (thru '06)	OEMA/ 45940 86320, 86325 86375 86350/ 72509 86470 (thru '06)	167,167 128,128 129,129 130,129/ 169 130
Yukon 2500 Inc. XL <i>45940 for use on OEM style cams only.</i>	00-14	RWD/4WD	N/A	N/A			OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 80/ 169 128,128 129,129 129/ 169
Yukon Full Size	92-99	RWD/4WD	N/A	N/A			OEMA 83790/ 74910 87400/ 74910	OEMA 83790/ 74910 87400/ 74910 86350(2)/ 72509	125/ 170 132/ 170 129/ 169

HONDA

Accord	18-20	FWD	67476	OEMA	95		N/A	67381, 67382	92,92
Stock Replacement Part								12715	151
Accord <i>*67550 or 67555 must be used w/67540, 67545, 67550 to adjust setback</i>	13-17	FWD	67540/ 74920 67545(12)/ 74920 67560/ 74920	OEMA 67540/ 74920 67550/ 74920 67555/ 74920 67560/ 74920 67565/ 74920	97/ 170 97/ 170 97/ 170 97/ 170 97/ 170		N/A	OEMA	

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

HONDA-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Prelude	97-02	FWD	67165/40920 67360(8)/40920	OEMA	89/165 92/165	N/A	67135/40920 67330(8)/40920	89/165 92/165	
Stock Replacement Part							67245	153	
Prelude SH	97-02	FWD	67165/40920 67360(8)/40920	OEMA	89/165 92/165	N/A	67155/40920 67350(8)/40920	89/165 92/165	
Stock Replacement Part							67245	153	
Prelude 4WS	92-94	FWD	OEMA	OEMA		OEMA	67165/40920 67360(8)/40920	89/165 92/165	
Prelude	92-96	FWD	67165/40920 67360(8)/40920	OEMA	89/165 92/165	N/A	67165/40920 67360(8)/40920	89/165 92/165	
Prelude 4WS	88-91	FWD	OEMA	OEMA		OEMA	OEMA		
Prelude	83-91	FWD	N/A	OEMA		OEMA	OEMA		
Prelude	79-82	FWD	N/A	N/A		OEMA	N/A		
Ridgeline	17-20	FWD/AWD	23450/37995	OEMA	77/164	N/A	N/A		
Ridgeline	06-14	AWD	67490/37995	OEMA	96/164	N/A	81295	117	
S2000	00-09	RWD	OEMA 67220(3)/40920	OEMA	90/165	OEMA	OEMA 67220(3)/40929	90/165	
HUMMER									
H1	92-06	4WD	OEMA	OEMA		OEMA	OEMA		
H2	02-09	4WD	N/A	N/A		OEMA/45940 23960/72509	OEMA/45940 23960/72509	167,167 80/169	
<i>45940 for use on OEM style cams only.</i>						86320, 86325 86375	86320, 86325 86375	128,128 129,129	
H3/H3T	06-10	4WD	N/A	N/A		■ OEMA/45940 45938	OEMA/45940 45938	167,167 167,167	
<i>45940 for use on OEM style cams only.</i>						86320, 86325 86370, 86375	86320, 86325 86370, 86375	128,128 129,129	
							86350 (33)/72509	129,169	
HYUNDAI									
Accent	18-20	FWD	N/A	N/A		N/A	81250	117	
Accent	12-17	FWD	N/A	71070(*)	103	N/A	81260	117	
Accent	06-11	FWD	75600(1) 75800(1)	75600(1) 75800(1)	116,116 116,116	N/A	81250	117	
Accent	95-05	FWD	81250	OEMA	117	N/A	81250	117	
Azera	12-17	FWD	OEMA 84090	OEMA 84080	126,125	N/A	81280	117	
Azera from 10/31/2006	07-11	FWD	OEMA 84090	OEMA 84090	126,126	N/A	67195/40920	89/165	
Azera to 10/31/2006	06-06	FWD	OEMA 84090	OEMA 84090	126,126	N/A	67190/40920	89/165	
Elantra Except GT Sport	18-20	FWD	N/A	N/A		N/A	81260	117	
Elantra GT Sport	18-20	FWD	OEMA	OEMA		N/A	81260	117	
Elantra Touring	11-12	FWD	67410	OEMA 67410/85130	92 92/173	N/A	81260	117	
Elantra	11-17	FWD	N/A	N/A		N/A	81260	117	
Elantra	07-10	FWD	67410	OEMA 67410/85130	92 92/173	N/A	81260	117	
Elantra	97-06	FWD	81250	OEMA	117	N/A	81250	117	
Elantra	92-96	FWD	N/A	N/A		N/A	81250	117	
Entourage	07-09	FWD	84120	OEMA	126	N/A	81250	117	
Equus	14-16	RWD	OEMA	OEMA		N/A	N/A		
Equus	11-13	RWD	OEMA	OEMA		N/A	71930	105	



FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, see page for size
All products from Specialty Products Company are intended for use by professional installers only. ©2020 Niwot Corp. dba Specialty Products Co.®



www.specprod.com

Call for your nearest distributor, product info or Technical Assistance • In the USA and Canada

1-800-525-6505

Applications
Alignment Parts
Heavy Duty
OE Replacement
Racing/Builders
Tools
Brake and CV
Gear/Index

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

ISUZU-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
i-280 45940 for use on OE cams only	06-06	RWD	N/A	N/A		■ OEMA/45940 45938	OEMA/45940 45938	167,167 167,167	
						86320, 86325 86360 86375	86320, 86325 86360 86375	128,128 129,129 129,129	
i-290 45940 for use on OE cams only	07-08	RWD	N/A	N/A		■ OEMA/45940 45938	OEMA/45940 45938	167,167 167,167	
						86320, 86325 86360 86375	86320, 86325 86360 86375	128,128 129,129 129,129	
i-350 45940 for use on OE cams only	06-06	4WD	N/A	N/A		■ OEMA/45940 45938	OEMA/45940 45938	167,167 167,167	
						86320, 86325 86360 86375	86320, 86325 86360 86375	128,128 129,129 129,129	
i-370 45940 for use on OE cams only	07-08	4WD	N/A	N/A		■ OEMA/45940 45938	OEMA/45940 45938	167,167 167,167	
						86320, 86325 86360 86375	86320, 86325 86360 86375	128,128 129,129 129,129	
I-Mark	85-89	FWD	75200(1)	75200(1)	116,116	N/A	81250	117	
Impulse	90-93	FWD/AWD	81250	OEMA	117	N/A	81250	117	
Impulse	83-89	RWD	N/A	N/A		OEMA	OEMA		
Oasis	96-99	FWD	67155/40920	OEMA	89/165	OEMA	67125/40920 67320(8)/40920	89/165 92/165	
Stock Replacement Part								67075	153
Pickup	81-99	RWD/4WD	N/A	N/A		47700(*)	47700(*)	84,84	
Rodeo Sport	01-03	RWD/4WD	N/A	N/A		47700(*)	47700(*)	84,84	
Rodeo	91-03	RWD/4WD	N/A	N/A		47700(*)	47700(*)	84,84	
Stylus	91-94	FWD	81250	OEMA	117	OEMA	81250	117	
Trooper	81-02	RWD/4WD	N/A	N/A		47700(*)	47700(*)	84,84	
VehiCROSS	00-01	4WD	N/A	N/A		47700(*)	47700(*)	84,84	
JAGUAR									
E-Pace	18-20	AWD	N/A	OEMA		N/A	N/A		
F-Pace	17-20	AWD	N/A	OEMA		OEMA	OEMA		
F-Type	14-20	RWD	N/A	OEMA		OEMA	OEMA		
I-Pace	19-20		N/A	OEMA		N/A	N/A		
S-Type	03-08	RWD	N/A	OEMA		OEMA	OEMA		
Stock Replacement Part			87555		153				
S-Type	00-02	RWD	N/A	OEMA		OEMA	OEMA	134,134	
Stock Replacement Part			87550		153				
X-Type	02-11	FWD/AWD	N/A	OEMA		N/A	N/A		
XE	17-20	RWD/AWD	N/A	OEMA		OEMA	OEMA		
XF	09-20	RWD/AWD	N/A	OEMA		OEMA	OEMA		
XJ	10-20	RWD/AWD	N/A	OEMA		OEMA	OEMA		
XJ	98-09	RWD	N/A	OEMA		N/A	N/A		
XK	07-15	RWD	N/A	OEMA		OEMA	OEMA		
XK8	97-06	RWD	OEMA	OEMA		OEMA	OEMA		
JEEP									
Cherokee (KL)	14-20	RWD/4WD	OEMA	OEMA		N/A	N/A		
Cherokee (XJ)	94-01	RWD	N/A	N/A		■ 23510(*)/ 72509, 23580 47240(*)	23510(*)/ 72509, 23580 26012, 26014	78 169,163 85,83,83	



FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, see page for size
All products from Specialty Products Company are intended for use by professional installers only. ©2020 Niwot Corp. dba Specialty Products Co.®



www.specprod.com

Call for your nearest distributor, product info or
Technical Assistance • In the USA and Canada

1-800-525-6505

Applications
Alignment Parts
Heavy Duty
OE Replacement
Racing/Builders
Tools
Brake and CV
Gear/Index

87910



ALIGNMENT TOOL BOARD

This board set gives technicians the tools needed to complete today's modern alignments quickly and efficiently. Contains our most popular tools, with a handy plastic peg storage board to keep all your alignment tools in one easy to reference location.

BOARD INCLUDES ONE EACH OF THE FOLLOWING:

Tool Number	Page	Description
8370	163	Tie Rod Puller
37985	164	4-Way Ball Joint/Tie Rod Separator
40840	165	Tie Rod Adjusting Wrench Set (4) 10.5-12mm rods, 12-14mm rods 14-16mm rods, 16-19 mm rods
45938	167	Colorado/Canyon 4WD Alignment Socket
45940	167	GM Express Van Tool
74910	170	Cam Knock Out Punch
77350	171	Heavy Duty Tie Rod Tools
77880	171	Ford OE Sleeve Puller
81139	172	Magnetic Adj. Camber Gauge
83775	172	Cas/Cam Tool - 93 & Up F-Body
85127	173	3/8" Carbide Rotary File
85137	173	3/8" Rotary File for Aluminum
87560	174	Honda 24mm Toe Tool
99918	175	Wheel Spreader Bar - A must for Mercedes

27



PITMAN ARM SEPARATOR

For use on most cars and some light trucks. The tapered wedge easily removes the pitman arm from the shaft with just a few sharp hammer blows.

DIMENSIONS: 1" opening, 12" overall length.

Slide Hammers/Pullers

498



FRONT HUB AND AXLE PULLER

498 removes front hubs on vehicles with independent front suspensions. Remove screw and use it with 499 axle puller to remove axles in compact cars.

498

APPLICATIONS

Compact cars

SET INCLUDES

- 498-1 Yoke
- 498-2 Center screw
- 498-3 Jam nut

499



FLANGE TYPE AXLE PULLER

Flange Type Axle Puller can be used as a regular wheel puller or hub puller, as well as a flange type puller. The bolt circle range is from 4-1/2" to 5-1/2", which covers all cars and small trucks with flange type axles. The four slots allow this tool to be used on 4, 5, or 6 stud designs.

499

APPLICATIONS

All cars and small trucks with flange type axles

SET INCLUDES

- 499-1 Yoke
- 499-2 Center rod assembly
- 499-3 Jam nut
- 499-4 Hammer

Check out our CV Joint Fork #38620 for use with the 499 (page 164)

APPLICATIONS

Buick: 2013 & Up XTS
Cadillac: 2010 & Up LaCrosse
 2011 & Up Regal
Chevrolet 4WD: 2004 - 12 Colorado
GMC 4WD: 2004 - 12 Canyon
Isuzu 4WD: 2006 - 06 i-350
 2007 - 08 i-370

CAUTION: Not for use with impact wrenches (air tools).

GM CAM BOLT SOCKET

45938




Many GM trucks and cars can be difficult to align because it is impossible to access the head of the cam bolt to adjust. This 3/8" drive socket fits over the end of the bolt allowing the technician to turn the alignment cams to change alignment angles after loosening the lock nut.

APPLICATIONS

Cadillac RWD/4WD: 2002 & Up Escalade
Chevrolet/GMC RWD/4WD:
 1999 & Up 1500 & HD Crew Cab
 1999 - 10 2500, 3500
 2002 - 13 Avalanche 1500, 2500
 2004 - 12 Canyon & Colorado
 2003 - Up Express/Savana Van
 2000 & Up Suburban, Tahoe, Yukon,
 Yukon XL (1500, 2500)
Hummer AWD: 2002 - 09 H2
 2006 - 10 H3, H3T

GM TRUCK/VAN CAM ADJUSTING TOOL

45940



This wrench makes it easy to adjust the upper control arm cams on Chevrolet Express and GMC Savana vans. The tool surrounds the entire perimeter of each cam to provide a solid no-slip means to move the hard-to-reach and often rusty OEM cams.

APPLICATIONS

Chevrolet/GMC RWD/4WD:
 2011 & Up 2500/3500
 2015 & Up Canyon
 2015 & Up Colorado

GM HEAVY DUTY TRUCK TOOL

45945



This wrench makes it easy to adjust the control arm cams on many modern GM and Chevy HD Trucks along with the new Colorado and Canyon. The tool surrounds the entire perimeter of each cam to provide a solid no slip means to reach the hard-to-reach and often rusty OE cams.

APPLICATIONS

Chrysler: 1993 - 97 Concorde
 1994 - 97 LHS, New Yorker
Dodge: 1993 - 97 Intrepid
Eagle: 1993 - 97 Vision

LH TOE TOOL

55600



This tool kit includes three tools which allow easy access and provides a much easier method for the technician to adjust toe on popular Chrysler LH body vehicles such as the Concord, New Yorker, and Intrepid.

APPLICATIONS

Chrysler: 1998 - 01 LHS
 1999 - 04 300M, Concorde
Dodge: 1998 - 04 Intrepid

57720 Replacement insert Kit (includes 2 inserts)

Use 23600 replacement sleeve if the sleeve is damaged (page 77).

LH TOE TOOL

55700



The LH vehicles use a knurled sleeve with a slot in it, threaded to the outer tie rod and inner tie rod to adjust toe. Often the sleeve is hard to turn because of corrosion on the threads. Conventional toe-adjusting tools can damage the original sleeve. This tool will help prevent damage to the sleeves and inner bushings while making adjusting the toe easier and quicker.



SPC encourages new product requests, new application suggestions, and other ideas that techs and installers may have to improve and expand our product line. The GMC Express Van Tool (above) is one of our tech's ideas brought to market. Your idea could be the next best thing.

