

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

CADILLAC-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
XLR XLR-V	04-09	RWD	OEMA	OEMA		OEMA	OEMA		
XTS w/ HiPer strut	13-19	FWD/AWD	OEMA 82090	OEMA/45938 82090	167 120,120	N/A	OEMA 82130	122	
XTS w/o HiPer strut	13-19	FWD/AWD	OEMA 82090	OEMA/45938 82090	167 120,120	N/A	81250	117	
XT4	19-20	FWD/AWD	OEMA	OEMA		N/A	81250	117	
XT5	17-20	FWD/AWD	OEMA	OEMA		N/A	81250	117	
XT5	20-20	FWD/AWD	OEMA	OEMA		N/A	81250	117	
CHEVROLET									
1500, 2500, 3500 (1999/2000 'Classic' only)	88-00	RWD/4WD	N/A	N/A		■ OEMA 83790/74910 87400/74910	OEMA 83790/74910 87400/74910 86350(2)/72509	125/170 132/170 129/169	
Astro (1999/2000 'Classic' only)	90-05	AWD	N/A	N/A		OEMA 83790/74910 87400/74910	OEMA 83790/74910 87400/74910	125/170 132/170	
Astro	85-05	RWD	N/A	N/A		■ 47700(*)	47700(*)	84,84	
Avalanche1500 45940 for use on OEM style cams only.	02-13	RWD/4WD	N/A	N/A		OEMA/45940 86320, 86325 86375 86470 (thru '06)	OEMA/45940 86320, 86325 86350/72509 86375 86470 (thru '06)	167,167 128,128 129,129/169 130,129 130	
Avalanche 2500 45940 for use on OEM style cams only.	02-06	4WD	N/A	N/A		■ OEMA/45940 23960/72509 86320, 86325 86375	OEMA/45940 23960/72509 86320, 86325 86375 86330/72509	167,167 80/169 128,128 129,129 129/169	
Aveo	04-11	FWD	75200(15)	75200(15)	116,116	N/A	81250	117	
Bel Air 'B' Body	71-81	RWD	N/A	N/A		47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136	
Bel Air	65-70	RWD	N/A	N/A		47700(*) 94356	47700(*) 94356	84,84 136	
Bel Air	58-64	RWD	N/A	N/A		47700(*) 97150	47700(*) 97150	84,84 138,138	
Bel Air 94003, upper ball joint pg. 157	55-57	RWD	N/A	N/A		47700(*) 97170	47700(*) 97170	84,84 138,138	
Beretta	96-97	FWD	75400(1)	75400(1)	116,116	N/A	81260	117	
Beretta	87-95	FWD	75400(1)	75400(1)	116,116	N/A	81280 82120/85130	117 122/173	
Biscayne 'B' Body	71-75	RWD	N/A	N/A		47700(*) 97130 94378	47700(*) 97130	84,84 138,138 136	
Biscayne	65-70	RWD	N/A	N/A		47700(*) 94356	47700(*)	84,84 136	
Biscayne	58-64	RWD	N/A	N/A		47700(*) 97150	47700(*) 97150	84,84 138,138	
Blazer	19-20	FWD/AWD	OEMA	OEMA		■ N/A	81250	117	
Blazer Full Size (1999/2000 'Classic' only)	92-94	RWD/4WD	N/A	N/A		■ OEMA 83790/74910 87400/74910	OEMA 83790/74910 87400/74910 86350(2)/72509	125/170 132/170 129/169	
Blazer S-10	82-04	RWD	N/A	N/A		■ 47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136	
Blazer S-10	82-04	4WD	N/A	N/A		■ OEMA 83710	OEMA 83710	125,125	



FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, see page for size
All products from Specialty Products Company are intended for use by professional installers only. ©2020 Niwot Corp. dba Specialty Products Co.®



www.specprod.com

Call for your nearest distributor, product info or Technical Assistance • In the USA and Canada

1-800-525-6505

Applications

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

CHEVROLET-cont.

REAR

FRONT

Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate	CASTER/TOOL	CAMBER/TOOL	Page
Blazer C5	69-91	RWD	N/A	N/A		■	47700(*)	47700(*)	84,84
Blazer C10	73-86	RWD	N/A	N/A			47700(*) 97180	47700(*) 97180	84,84 138,138
Blazer K5	69-91	4WD	N/A	N/A		■	23000(*)/4169	23000(*)/4169	74/163
Bolt EV	17-20	FWD	N/A	N/A			N/A	81260	117
Camaro	16-20	RWD	OEMA	OEMA			N/A	81280	117
Camaro	10-15	RWD	OEMA 87430	OEMA 87430	133,133		N/A	81280	117
Camaro	93-02	RWD	N/A	N/A			OEMA/83775	OEMA/83775	172,172
Camaro 'F'-Body	82-92	RWD	N/A	N/A			OEMA	OEMA 81280	117
Camaro 'F'-Body 94394, Pro Springs pg. 137 94006, upper ball joint pg. 157 94011, lower ball joint pg. 157	70-81	RWD	N/A	N/A			47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136
Camaro 'F'-Body 94393, Pro Springs pg. 137 94001, upper ball joint pg. 157	67-69	RWD	N/A	N/A			47700(*) 97120 94374(22)	47700(*) 97120	84,84 138,138 136
Caprice PPV	11-17	RWD	OEMA 87430	OEMA 87430	133,133		OEMA	81260	117
Caprice 'B' Body 94006, upper ball joint pg. 157 94017, 1/2" ext upper ball joint pg. 157 94011, lower ball joint pg. 157	71-96	RWD	N/A	N/A			47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136
Caprice	65-70	RWD	N/A	N/A			47700(*) 94356	47700(*) 94356	84,84 136,136
Caprice	58-64	RWD	N/A	N/A			47700(*) 97150	47700(*) 97150	84,84 138,138
Captiva Sport	12-15	FWD/AWD	OEMA 87420	OEMA 87420	133,133		N/A	81260	117
Cavalier	95-05	FWD	75400(1)	75400(1)	116,116		N/A	81260	117
Cavalier	82-94	FWD	75400(1)	75400(1)	116,116		N/A	81280	117
Celebrity	82-90	FWD	75600(1) 75800(1)	75600(1) 75800(1)	116,116 116,116		N/A	82110/85130	121/173
Chevelle 94006, upper ball joint pg. 157 94017, 1/2" ext upper ball joint pg. 157 94011, lower ball joint pg. 157	73-77	RWD	N/A	N/A			47700(*) 97130 94378(22)	47700(*) 97130	84,84 138,138 136
Chevelle 94391, Pro Springs (64-67) pg. 137 94392, Pro Springs (68-72) pg. 137 94001, upper ball joint pg. 157	64-72	RWD	N/A	N/A			47700(*) 97110 94344(22)	47700(*) 97110	84,84 138,138 136
Chevette	76-87	RWD	N/A	N/A			OEMA	OEMA	
Citation	80-85	FWD	75400(1)	75400(1)	116,116		N/A	82110/85130	121/173
City Express	15-18	FWD	N/A	N/A			N/A	81260	117
Classic	04-05	FWD	81250	OEMA	117		N/A	81260	117
Cobalt	05-10	FWD	75400(1)	75400(1)	116,116		N/A	81250	117
Colorado 45945 for use on OE cams only	15-20	RWD/4WD	N/A	N/A			OEMA/45945 86321, 86326 86376	OEMA/45945 86321, 86326 86376	167,167 128,128 129,129
Colorado 45940 for use on OE cams only	04-12	RWD/4WD	N/A	N/A		■	OEMA/45940 45938 86320, 86325 86360 86375	OEMA/45940 45938 86320, 86325 86360 86375	167,167 167,167 128,28 129,129 129,129
Corsica	96-96	FWD	75400(1)	75400(1)	116,116		N/A	81260	117
Corsica	87-95	FWD	75400(1)	75400(1)	116,116		N/A	81280	117
Corvette C8	20-20	RWD	OEMA	OEMA			OEMA	OEMA	
Corvette C5/C6/C7	97-19	RWD	OEMA	OEMA			OEMA	OEMA	
Corvette C4 94007, upper ball joint pg. 157	88-96	RWD	OEMA	OEMA			47700(*) 97190	47700(*) 97190	84,84 140,140
CorvetteC2/C3 94003, upper ball joint pg. 157	63-82	RWD	OEMA 83160	OEMA 47170(*)	124,85		47700(*) 97160	47700(*) 97160	84,84 140,140

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index



CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

CHEVROLET-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Silverado 1500	19-20	RWD/4WD	N/A	N/A		■ OEMA	OEMA		
Silverado 1500 <i>45940 for use on OEM style cams only.</i>	99-18	RWD/4WD	N/A	N/A		■ OEMA/ 45940 86320, 86325 86375 86470 (thru '06)	OEMA/ 45940 86320, 86325 86375 86350/ 72509 86470 (thru '06)	167,167 128,128 129,129 130,129/ 169 130	
Silverado 1500 HD Crew Cab <i>45940 for use on OEM style cams only.</i>	01-06	RWD/4WD	N/A	N/A		■ OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 90,90/ 169 128,128 129,129 129, 169	
Silverado 2500 <i>45945 for use on OEM style cams only.</i>	11-20	RWD/4WD	N/A	N/A		■ OEMA/ 45945 86321, 86326 86376	OEMA/ 45945 86321, 86326 86376	167,167 128,128 129,129	
Silverado 2500 <i>45940 for use on OEM style cams only.</i>	99-10	RWD/4WD	N/A	N/A		■ OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 90,90/ 169 128,128 129,129 129, 169	
Silverado 2500HD RWD Cab/Chassis	91-02	RWD	N/A	N/A		■ Axle Wedges	N/A	144	
Silverado 3500 <i>45945 for use on OEM style cams only.</i>	11-20	RWD/4WD	N/A	N/A		■ OEMA/ 45945 86321, 86326 86376	OEMA/ 45945 86321, 86326 86376	167,167 128,128 129,129	
Silverado 3500 <i>45940 for use on OEM style cams only.</i>	99-10	RWD/4WD	N/A	N/A		■ OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 90,90/ 169 128,128 129,129 129, 169	
Silverado 3500HD RWD Cab/Chassis	91-02	RWD	N/A	N/A		■ Axle Wedges	N/A	144	
Sonic	12-20	FWD	71050(*)	71050(*)	103,103	N/A	81260	117	
Spark	13-20	FWD	N/A	N/A		N/A	81250	117	
Spectrum	85-88	FWD	75200(1)	75200(1)	116,116	N/A	81250	117	
Sprint Metro	87-88	FWD	N/A	N/A		N/A	OEMA 81250	117	
Sprint	85-86	FWD	N/A	N/A		N/A	81250	117	
Suburban 1500 <i>45940 for use on OEM style cams only.</i>	00-20	RWD/4WD	N/A	N/A		■ OEMA/ 45940 86320, 86325 86375 86470 (thru '06)	OEMA/ 45940 86320, 86325 86375 86350/ 72509 86470 (thru '06)	167,167 128,128 129,129 130,129/ 169 130	
Suburban 2500 <i>45940 for use on OEM style cams only.</i>	00-14	RWD/4WD	N/A	N/A		■ OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 90,90/ 169 128,128 129,129 129, 169	
Suburban	92-99	RWD/4WD	N/A	N/A		■ OEMA 83790/ 74910 87400/ 74910	OEMA 83790/ 74910 87400/ 74910 86350(2)/ 72509	125/ 170 132/ 170 129, 169	
Suburban C10/R10	73-97	RWD	N/A	N/A		■ 47700(*) 97180	47700(*) 97180	84,84 140,140	
Suburban	69-91	4WD	N/A	N/A		■ 23000(*)/ 4169	23000(*)/ 4169	74/ 163	
Suburban	65-72	RWD	N/A	N/A		■ 47700(*)	47700(*)	84,84	
SS	14-17	RWD	OEMA 87430	OEMA 87430	113,113	N/A	81260	117	
SSR	04-06	RWD	N/A	N/A		■ OEMA/ 83785	OEMA/ 83785	172,172	



FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, see page for size
All products from Specialty Products Company are intended for use by professional installers only. ©2020 Niwot Corp. dba Specialty Products Co.®



www.specprod.com

Call for your nearest distributor, product info or Technical Assistance • In the USA and Canada

1-800-525-6505

Applications

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

DODGE/RAM-cont.

REAR

FRONT

Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate	CASTER/TOOL	CAMBER/TOOL	Page
Ram 3500 w/mono beam	94-99	RWD	N/A	N/A		■	23130(*)/ 88830, 77880 24130/74500 82395(16)	23130(*)/ 88830, 77880 24130/74500	75,75 175,171 79/170 124
Ram 3500 w/o mono beam	94-02	RWD	N/A	N/A		■	OEMA/8286	OEMA/8286	163,163
Ram 4500 / 5500	08-18	RWD/4WD	N/A	N/A		■	N/A	23850(*)/88360	78/175
Ramcharger AD150	90-96	RWD	N/A	N/A		■	OEMA/8286	OEMA/8286	163,163
Ramcharger	74-87	RWD	N/A	N/A			OEMA 83160	OEMA 83160	124,124
Ramcharger	74-87	4WD	N/A	N/A			23000(*)/4169	23000(*)/4169	74/163
Ramcharger AD150	72-89	RWD	N/A	N/A		■	OEMA 83160	OEMA 83160	124,124
Rampage	82-84	FWD	75200(1)	75200(1)	116,116		N/A	OEMA 83170/85130	125/173
Shadow	87-94	FWD	75200(1)	75200(1)	116,116		N/A	OEMA 83170/85130	125/173
Spirit	89-96	FWD	75200(1)	75200(1)	116,116		N/A	OEMA 83170/85130	125/173
Sprinter 2500	07-09	RWD	N/A	N/A		■	N/A	35077	84
Sprinter 2500	03-06	RWD	N/A	N/A		■	N/A	35075, 35076	84,84
Sprinter 3500	07-09	RWD	N/A	N/A			N/A	35077	84
Sprinter 3500	03-06	RWD	N/A	N/A			N/A	35075, 35076	84,84
Stealth	91-96	FWD/AWD	OEMA	OEMA			N/A	81250	117
Stratus4Dr.	04-06	FWD	67025	OEMA	87		N/A	67180/40920	89/165
Stratus 2Dr. <i>73400 must be used with 73415</i>	01-05	FWD	73400+73415(7) 73600, 73620(8)	OEMA	115,115 115,115		N/A	81280 82120/85130	117 122/173
Stratus 4Dr.	95-03	FWD	OEMA	OEMA			N/A	67180/40920	89/165
Viper	13-17	RWD	OEMA	OEMA			OEMA	OEMA	
Viper	94-10	RWD	OEMA	OEMA			OEMA	OEMA	
W100 W150 AW150 Truck	72-93	4WD	N/A	N/A		■	23000(*)/4169	23000(*)/4169	74/163
W200 W250 Truck w/ Dana 44	72-93	4WD	N/A	N/A			23000(*)/4169	23000(*)/4169	74/163
W200 W250 Truck w/ Dana 60	72-93	4WD	N/A	N/A		■	88940	88940	134,134
W300 W350 Truck w/ Dana 60	75-93	4WD	N/A	N/A		■	Axle Wedges 88940	88940	144,134 134
W300 W350 Truck	60-93	4WD	N/A	N/A		■	Axle Wedges	N/A	144

EAGLE

Medallion	88-89	FWD	75200(1)	75200(1)	116,116		N/A	81280 82120/85130	117 122/173
Premier	88-92	FWD	75200(1)	75200(1)	116,116		N/A	81280 82120/85130	117 122/173
Summit SW	92-96	FWD/AWD	N/A	OEMA			N/A	81250	117
Summit	89-96	FWD	N/A	N/A			N/A	81250	117
Talon <i>73400 must be used with 73415</i>	95-98	FWD/AWD	73400+73415(7) 73600, 73620(8)	OEMA	115,115 115,115		N/A	67170/40920 67370(8)	89/165 92/165
Talon	90-94	AWD	OEMA	OEMA			N/A	81250	117
Talon	90-94	FWD	N/A	N/A			N/A	81250	117
Vision	93-97	FWD	67020	OEMA	WB		N/A	81280 82120/85130	117 122/173

FIAT

124 Spider	17-20	RWD	OEMA	OEMA			OEMA	OEMA	
500	12-19	FWD	71770(*)	71770(*)	104,104		N/A	81240	117
500x	16-20	FWD/AWD	81250	N/A	117		N/A	81250	117
500L	14-20	FWD	N/A	N/A			N/A	81250	117

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

FORD			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Aerostar	86-97	RWD/4WD	N/A	N/A		47700(*)	47700(*)	84,84	
Aspire	95-97	FWD	75200(1)	75200(1)	116,116	N/A	OEMA 81250	117	
Bronco	80-96	4WD	N/A	N/A		23100(*)/ 77880, 88830 24130/74500	23100(*)/ 77880, 88830 24130/74500	75,75 171,175 79,170	
Bronco	71-79	4WD	N/A	N/A		23000(*)/4169	23000(*)/4169	74/163	
Bronco II Dana 35 (Late 1990)	90-90	4WD	N/A	N/A		23180(*)/87175 77880, 88830 24180/ 74400, 74500	23180(*)/87175 77880, 88830 24180/ 74400, 74500	75/173 171,175 79,79 170,170	
Bronco II Dana 35 (Late 1990)	89-90	RWD	N/A	N/A		23180(*)/87175 77880, 88830 24180/ 74400, 74500	23180(*)/87175 77880, 88830 24180/ 74400, 74500	75/173 171,175 79,79 170,170	
Bronco II	84-88	RWD	N/A	N/A		N/A	24160/74400	79/170	
Bronco II Dana 28 (Early 1990)	83-90	4WD	N/A	N/A		24120/74500	24120/74500	79/170	
C-Max	13-18	FWD	67420	OEMA	93	N/A	OEMA		
Contour	95-00	FWD	N/A	OEMA		89675	89675	WB	
Crown Victoria	03-12	RWD	N/A	N/A		OEMA	OEMA 87365/ 85130,02099	132 173,180	
Crown Victoria	92-02	RWD	N/A	N/A		OEMA	OEMA/88325	174	
Crown Victoria	80-91	RWD	N/A	N/A		OEMA	OEMA		
E-150	92-14	RWD	N/A	N/A		23180(*)/87175 77880, 88830 24180/ 74400,74500 87280(26)	23180(*)/87175 77880, 88830 24180/ 74400,74500	75/173 171,175 79,79 170,170 131	
E-150 w/king pins	65-90	RWD	N/A	N/A		N/A	N/A		
E-250,E-350,E-450	92-20	RWD	N/A	N/A		23180(*)/87175 77880, 88830 24180/ 74400,74500 87280(26)	23180(*)/87175 77880, 88830 24180/ 74400,74500	75/173 171,175 79,79 170,170 131	
E-250,E-350,E-450 w/king pins	65-90	RWD	N/A	N/A		N/A	N/A		
EcoSport	18-20	FWD/AWD	N/A	OEMA		N/A	81250	117	
Edge	15-20	FWD/AWD	N/A	OEMA		N/A	81280	117	
Edge	07-14	FWD/AWD	OEMA	OEMA		N/A	81280	117	
Escape Inc. Hybrid	13-19	FWD/AWD	67420	OEMA	93	N/A	OEMA		
Escape Inc. Hybrid	01-12	FWD/AWD	67285/37995	OEMA	97/164	OEMA	OEMA 81250	117	
Escort	97-04	FWD	81250	OEMA	117	OEMA	OEMA 81250	117	
Escort	91-96	FWD	81250	OEMA 67070	117 WB	OEMA	OEMA 81250	117	
Escort	81-90	FWD	81250	OEMA	117	N/A	N/A		
Excursion	00-05	RWD	N/A	N/A		23180(*)/87175 77880, 88830 24180/ 74400,74500	23180(*)/87175 77880, 88830 24180/ 74400,74500	75/173 171,175 79,79 170,170	
Excursion	00-05	4WD	N/A	N/A		23130(*)/87175 77880, 88830 24130/74500	23130(*)/87175 77880, 88830 24130/74500	75/173 171,175 170,170	
Expedition	18-20	RWD/4WD	OEMA	OEMA		N/A	N/A		



FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85
 Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, see page for size
 All products from Specialty Products Company are intended for use by professional installers only. ©2020 Niwot Corp. dba Specialty Products Co.®



www.specprod.com

Call for your nearest distributor, product info or Technical Assistance • In the USA and Canada

1-800-525-6505

Applications

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

FORD-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Expedition	07-17	RWD/4WD	OEMA 67275 86690	OEMA	90 131	OEMA 25680 86250, 86252	OEMA 25680 86250, 86252	82,82 127,127	
Expedition	03-06	RWD/4WD	86680	OEMA	131	86640/ 83820	86640/ 83820	131/ 172	
Expedition	97-02	RWD/4WD	N/A	N/A		■ 87385	87385	132,132	
Explorer	11-19	RWD/4WD	OEMA 84130	OEMA	126	N/A	81280	117	
Explorer Sport Trac	07-10	RWD/4WD	OEMA	OEMA		OEMA	OEMA		
Explorer	06-10	RWD/4WD	OEMA	OEMA		OEMA	OEMA		
Explorer	04-05	4WD	86180	OEMA	127	86140	86140	127,127	
Explorer	02-03	4WD	86180	OEMA	127	86140	26012, 26014 86140	127,83,83 127	
Explorer 2 door 'Sport'	02-03	RWD/4WD	N/A	N/A		■ 87310 87500	87310 87500	131,131 133,133	
Explorer	02-05	RWD	86180	OEMA	127	86140	86140	127,127	
Explorer	01-01	RWD	N/A	N/A		■ 87310 87500	87310 87500	131,131 133,133	
Explorer	01-01	4WD	N/A	N/A		■ 87310 87500	26012, 26014 87310 87500	131,83,83 133,131 133	
Explorer Sport Trac	01-05	RWD	N/A	N/A		■ 87310 87500	87310 87500	131,131 133,133	
Explorer Sport Trac	01-05	4WD	N/A	N/A		■ 87310 87500	26012, 26014 87310 87500	131,83,83 133,13 133	
Explorer	95-00	RWD/4WD	N/A	N/A		■ 87310 87500	87310 87500	131,131 133,133	
Explorer	91-94	RWD/4WD	N/A	N/A		■ 23180(*)/ 87175 77880, 88830 24180/ 74400,74500	23180(*)/ 87175 77880, 88830 24180/ 74400,74500	75/ 173 171,175 79,79 170,170	
EXP	82-88	FWD	81250	OEMA	117	N/A	N/A		
F-100 w/ ball joint suspension	80-83	RWD/4WD	N/A	N/A		■ N/A	24160/ 74400	79/ 170	
F-100	66-79	4WD	N/A	N/A		■ 23000(*)/ 4169	23000(*)/ 4169	74/ 163	
F-100 w/ king pin suspension	65-83	RWD	N/A	N/A		■ N/A	N/A		
F-150 Except Raptor	04-20	RWD/4WD	86255(19)	N/A	128	OEMA 25680 86250, 86252	OEMA 25680 86250, 86252	82,82 127,127	
F-150 Raptor	17-20	4WD	N/A	N/A		■ OEMA 86250 , 86252	OEMA 86250 , 86252	127,127	
F-150 Raptor	10-14	4WD	86255(19)	N/A	128	■ OEMA 86250 , 86252	OEMA 86250 , 86252	127,127	
F-150 Heritage	04-05	RWD/4WD	N/A	N/A		■ 87385	87385	132,132	
F-150	97-03	RWD/4WD	N/A	N/A		■ 87385	87385	132,132	
F-150	87-96	RWD	N/A	N/A		■ 23180(*)/ 87175 77880, 88830 24180/ 74400, 74500 87280	23180(*)/ 87175 77880, 88830 24180/ 74400, 74500	75/ 173 171,175 79,79 170,170 131	
F-150	82-86	RWD	N/A	N/A		■ N/A	24160/ 74400	79/ 170	
F-150	80-96	4WD	N/A	N/A		■ 23100(*)/ 77880, 88830 24130/ 74500	23100(*)/ 77880, 88830 24130/ 74500	74,74 171,175 79/ 170	
F-150	66-79	4WD	N/A	N/A		■ 23000(*)/ 4169	23000(*)/ 4169	74/ 163	
F-150 King Pin	65-90	RWD	N/A	N/A		■ N/A	N/A		
F-250 Solid Axle - Coil Spring	05-20	RWD/4WD	N/A	N/A		■ 23220(*) 23268, 23269 24220/ 74600	23220(*) 23268, 23269 24220/ 74600	76,76 76,76 79/ 170	
F-250 Solid Axle - Leaf Spring	99-04	RWD/4WD	N/A	N/A		■ 23130(*)/ 77880, 88830 24130/ 74500	23130(*)/ 77880, 88830 24130/ 74500	75,75 171,175 79/ 170	

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

FORD-cont.			REAR			FRONT			
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate	CASTER/TOOL	CAMBER/TOOL	Page
F-250 Twin I-Beam	98-20	RWD	N/A	N/A		■	23180(*)/87175 77880, 88830 24180/ 74400, 74500	23180(*)/87175 77880, 88830 24180/ 74400, 74500	75/173 171,175 79,79 170,170
F-250L/D	97-99	RWD/4WD	N/A	N/A		■	87385	87385	132,132
F-250	87-98	RWD	N/A	N/A		■	23180(*)/87175 77880, 88830 24180/ 74400, 74500	23180(*)/87175 77880, 88830 24180/ 74400, 74500	75/173 171,175 79,79 170,170
F-250	82-86	RWD	N/A	N/A		■	N/A	N/A	
F-250	80-98	4WD	N/A	N/A		■	23100(*)/ 77880, 88830 24130/74500	23100(*)/ 77880, 88830 24130/74500	74,74 171,175 79/170
F-250 Dana 60	74-79	4WD	N/A	N/A		■	88940	88940	134,134
F-250	73-79	4WD	N/A	N/A		■	Axle Wedges 23000(*)/4169	23000(*)/4169	144,74/163 74/163
F-250 King Pin	65-90	RWD	N/A	N/A		■	N/A	N/A	
F-350 Solid Axle - Coil Spring	05-20	RWD/4WD	N/A	N/A		■	23220(*) 23268, 23269 24220/74600	23220(*) 23268, 23269 24220/74600	76,76 76,76 79/170
F-350 Solid Axle - Leaf Spring	99-04	RWD/4WD	N/A	N/A		■	23130(*)/ 77880, 88830 24130/74500	23130(*)/ 77880, 88830 24130/74500	75,75 171,175 79/170
F-350 Twin I-Beam	98-20	RWD	N/A	N/A		■	23180(*)/87175 77880, 88830, 24180/ 74400, 74500	23180(*)/87175 77880, 88830, 24180/ 74400, 74500	75/173 171,175 79,79 170,170
F-350 Crew Cab	92-98	4WD	N/A	N/A		■	23130(*)/ 77880, 88830 24130/74500 87275	23130(*)/ 77880, 88830 24130/74500	75,75 171,175 79/170 WB
F-350	87-98	RWD	N/A	N/A		■	23180(*)/87175 77880, 88830, 24180/ 74400, 74500	23180(*)/87175 77880, 88830, 24180/ 74400, 74500	75/173 171,175 79,79 170,170
F-350	82-86	RWD	N/A	N/A		■	N/A	N/A	
F-350	80-98	4WD	N/A	N/A		■	23100(*)/ 77880, 88830 24130/74500	23100(*)/ 77880, 88830 24130/74500	75,75 171,175 79/170
F-350 Dana 60	74-91	4WD	N/A	N/A		■	88940	88940	134,134
F-350	73-79	4WD	N/A	N/A		■	Axle Wedges	N/A	144
F-350 King Pin	65-90	RWD	N/A	N/A		■	N/A	N/A	
F-450 w/ 10 lug axles	05-20	RWD/4WD	N/A	N/A		■	23230(*) 24230/74600	23230(*) 24230/74600	76,76 79/170
F-450 w/ 8 lug axles	05-20	RWD/4WD	N/A	N/A		■	23220(*) 23268, 23269 24220/74600	23220(*) 23268, 23269 24220/74600	76,76 76,76 79,170
F-450	99-04	RWD/4WD	N/A	N/A		■	23130(*)/ 77880, 88830 24130/74500	23130(*)/ 77880, 88830 24130/74500	75,75 171,175 79/170
F-550	05-20	RWD/4WD	N/A	N/A		■	23230(*) 24230/74600	23230(*) 24230/74600	76,76 79/170
F-550	99-04	RWD/4WD	N/A	N/A		■	23130(*)/ 77880, 88830 24130/74500	23130(*)/ 77880, 88830 24130/74500	75,75 171,175 79/170
Fairlane 94009, upper ball joint pg. 157	66-69	RWD	N/A	N/A			OEMA 94210	OEMA 94210 83160	135,135 124



FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, see page for size
All products from Specialty Products Company are intended for use by professional installers only. ©2020 Niwot Corp. dba Specialty Products Co.®



www.specprod.com

Call for your nearest distributor, product info or Technical Assistance • In the USA and Canada

1-800-525-6505

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

GMC-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Colorado 45940 for use on OE cams only	04-12	RWD/4WD	N/A	N/A		■ OEMA/45940 45938 86320, 86325 86360 86375	OEMA/45940 45938 86320, 86325 86360 86375	167,167 167,167 128,128 129,129 129,129	
C15, C1500 Pickup/Suburban	73-87	RWD	N/A	N/A		47700(*) 97180	47700(*) 97180	84,84 140,140	
C15, C1500 Pickup/Surburban	65-82	RWD	N/A	N/A		47700(*)	47700(*)	84,84	
C25,C35,C2500,C3500 Pickup/Suburban	65-87	RWD	N/A	N/A		47700(*)	47700(*)	84,84	
Envoy	02-09	RWD/4WD	N/A	N/A		OEMA/83785	OEMA/83785	172,172	
G15, G1500 Van	75-95	RWD	N/A	N/A		47700(*) 97180	47700(*) 97180	84,84 140,140	
G15, G1500 Van	71-74	RWD	N/A	N/A		47700(*)	47700(*)	84,84	
G25 G35 Van	71-96	RWD	N/A	N/A		47700(*)	47700(*)	84,84	
Jimmy Full Size	88-91	RWD/4WD	N/A	N/A		■ OEMA 83790/74910 87400/74910	OEMA 83790/74910 87400/74910 86350(2)/72509	125/170 132/170 127/169	
Jimmy S-15 94006, upper ball joint pg. 157 94017, 1/2" ext upper ball joint pg.157	82-04	RWD	N/A	N/A		47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136	
Jimmy S-15	82-04	4WD	N/A	N/A		OEMA 83710	OEMA 83710	125,125	
Jimmy C5	69-91	RWD	N/A	N/A		■ 47700(*)	47700(*)	84,84	
Jimmy K5	69-91	4WD	N/A	N/A		■ 23000(*)/4169	23000(*)/4169	74/136	
K10,K15,K20,K25 Pickup/Suburban	70-87	4WD	N/A	N/A		■ 23000(*)/4169	23000(*)/4169	74/136	
K30,K35	58-87	4WD	N/A	N/A		■ Axle Wedges	23000(*)/4169	74/136	
K30,V30 Dana 60	88-93	4WD	N/A	N/A		■ Axle Wedges 88940	88940	144, 134 134	
Safari Full Size	90-05	AWD	N/A	N/A		■ OEMA 83790/74910 87400/74910	OEMA 83790/74910 87400/74910	125/170 132/170	
Safari	85-05	RWD	N/A	N/A		47700(*)	47700(*)	84,84	
Savana Van 45940 for use on OEM style cams only.	03-20	RWD/4WD	N/A	N/A		■ OEMA/45940 86320, 86325 86370, 86375	OEMA/45940 86320, 86325 86370, 86375 86350 (33)/72509	167,167 128,128 129,129 129/169	
Savana Van	96-02	RWD	N/A	N/A		■ OEMA 83790/74910 87400/74910	OEMA 83790/74910 87400/74910	125/170 132/170	
Sierra 1500	19-20	RWD/4WD	N/A	N/A		OEMA	OEMA		
Sierra 1500 45940 for use on OEM style cams only.	99-18	RWD/4WD	N/A	N/A		■ OEMA/45940 86320, 86325 86375 86470 (thru '06)	OEMA/45940 86320, 86325 86375 86350/72509 86470 (thru '06)	167,167 128,128 129,129 130,129/169 130	
Sierra 1500 HD Crew Cab 45940 for use on OEM style cams only.	01-06	RWD/4WD	N/A	N/A		■ OEMA/45940 23960/72509 86320, 86325 86375	OEMA/45940 23960/72509 86320, 86325 86375 86330/72509	167,167 80/169 128,128 129,129 129/169	
Sierra 2500 45945 for use on OE cams only.	11-20	RWD/4WD	N/A	N/A		OEMA/45945 86321, 86326 86376	OEMA/45945 86321, 86326, 86376	167,167 128,128 129,129	



FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, see page for size
All products from Specialty Products Company are intended for use by professional installers only. ©2020 Niwot Corp. dba Specialty Products Co.®



www.specprod.com

Call for your nearest distributor, product info or
Technical Assistance • In the USA and Canada

1-800-525-6505

Applications
Alignment Parts
Heavy Duty
OE Replacement
Racing/Builders
Tools
Brake and CV
Gear/Index

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

GMC-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Sierra 2500 <i>45940 for use on OEM style cams only.</i>	99-10	RWD/4WD	N/A	N/A		■ OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 80/ 169 128,128 129,129 129/ 169	
Sierra 2500 HD Cab/Chassis	91-02	RWD	N/A	N/A		■ Axle Wedges	N/A	144	
Sierra 3500 <i>45940 for use on OEM style cams only.</i>	11-20	RWD/4WD	N/A	N/A		OEMA/ 45945 86321, 86326 86376	OEMA/ 45945 86321, 86326 86376	167,167 128,128 129,129	
Sierra 3500 <i>45940 for use on OEM style cams only.</i>	99-10	RWD/4WD	N/A	N/A		OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 80/ 169 128,128 129,129 129/ 169	
Sierra 3500 HD Cab/Chassis	91-02	RWD	N/A	N/A		Axle Wedges	N/A	144	
Sonoma <i>94006, upper ball joint pg. 157</i> <i>94017, 1/2" ext upper ball joint pg. 57</i>	82-04	RWD	N/A	N/A		47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136	
Sonoma	82-04	4WD	N/A	N/A		OEMA 83710	OEMA 83710	125,125	
Suburban 1500 <i>45940 for use on OEM style cams only.</i>	00-13	RWD/4WD	N/A	N/A		OEMA/ 45940 86320, 86325 86370, 86375	OEMA/ 45940 86320, 86325 86370, 86375 86350 (33)/ 72509	167,167 128,128 129,129 129/ 169	
Suburban 2500 <i>45940 for use on OEM style cams only.</i>	00-13	RWD/4WD	N/A	N/A		■ OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 80/ 169 128,128 129,129 129/ 169	
Suburban Full Size	92-99	RWD/4WD	N/A	N/A		■ OEMA 83790/ 74910 87400/ 74910	OEMA 83790/ 74910 87400/ 74910 86350(2)/ 72509	125/ 170 132/ 170 129/ 169	
Suburban	69-91	4WD	N/A	N/A		23000(*)/ 4169	23000(*)/ 4169	74/ 163	
Suburban	65-72	RWD	N/A	N/A		■ 47700(*)	47700(*)	84,84	
Terrain	18-19	FWD/AWD	OEMA	OEMA		N/A	81250	117	
Terrain	05-17	FWD/AWD	OEMA 87420	OEMA 87420	133,133	N/A	81260	117	
Tracker	98-04	4WD	N/A	N/A		N/A	81250	117	
V30 V35 Dana 60	88-93	4WD	N/A	N/A		Axle Wedges 88940	88940	144,134 134	
Yukon 1500 Inc. XL <i>45940 for use on OEM style cams only.</i>	00-20	RWD/4WD	N/A	N/A		■ OEMA/ 45940 86320, 86325 86375 86470 (thru '06)	OEMA/ 45940 86320, 86325 86375 86350/ 72509 86470 (thru '06)	167,167 128,128 129,129 130,129/ 169 130	
Yukon 2500 Inc. XL <i>45940 for use on OEM style cams only.</i>	00-14	RWD/4WD	N/A	N/A		OEMA/ 45940 23960/ 72509 86320, 86325 86375	OEMA/ 45940 23960/ 72509 86320, 86325 86375 86330/ 72509	167,167 80/ 169 128,128 129,129 129/ 169	
Yukon Full Size	92-99	RWD/4WD	N/A	N/A		OEMA 83790/ 74910 87400/ 74910	OEMA 83790/ 74910 87400/ 74910 86350(2)/ 72509	125/ 170 132/ 170 129/ 169	
HONDA									
Accord	18-20	FWD	67476	OEMA	95		N/A	67381, 67382	92,92
<i>Stock Replacement Part</i>									
Accord <i>*67550 or 67555 must be used w/67540, 67545, 67550 to adjust setback</i>	13-17	FWD	67540/ 74920 67545(12)/ 74920 67560/ 74920	OEMA 67540/ 74920 67550/ 74920 67555/ 74920 67560/ 74920 67565/ 74920	97/ 170 97/ 170 97/ 170 97/ 170 97/ 170		N/A	OEMA	151

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

INFINITI-cont.

REAR

FRONT

Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate	CASTER/TOOL	CAMBER/TOOL	Page
M45 Sedan w/rear active steer	06-10	RWD/AWD	OEMA 72260/85130 72262/85130 72265/85130	OEMA 72260/85130 72262/85130	110/173 110/173 110/173		73005 72130	73005 72130	114,114 108,108
M45	03-05	RWD/AWD	OEMA	OEMA			N/A	N/A	
M56 72240, 72250 adjust setback	11-13	RWD/AWD	OEMA 72240 72245(12)	OEMA 72240 72250 72255	109,109 109,109 109		N/A	N/A	
Stock Replacement Part			12020, 12021, 12022		150				
Q40	15-15	RWD/AWD	OEMA 72260/85130 72262/85130 72265/85130	OEMA 72260/85130 72262/85130 72265/85130	110/173 110/173 110/173		73005 72130	73005 72130	114,114 108,108
Q45	90-07	RWD	OEMA	OEMA			N/A	N/A	
Q50 Sedan 72240, 72250 adjust setback	14-20	RWD/AWD	OEMA 72240 72245(12)	OEMA 72240 72250 72255	109,109 109,109 109		N/A	N/A	
Stock Replacement Part			12020, 12021, 12022		150				
Q60 72240, 72250 adjust setback	17-20	RWD/AWD	OEMA 72240 72245(12)	OEMA 72240 72250 72255	109,109 109,109 109		N/A	N/A	
Stock Replacement Part			12020, 12021, 12022		150				
Q60 Convertible	14-15	RWD/AWD	OEMA	OEMA			73005 72130	73005 72130	114,114 108,108
Q60 Coupe	14-15	RWD/AWD	OEMA 72265/85130	OEMA 72265/85130	110/173		73005 72130	73005 72130	114,114 108,108
Q70 72240, 72250 adjust setback	14-19	RWD/AWD	OEMA 72240 72245(12)	OEMA 72240 72250 72255	109,109 109,109 109		N/A	N/A	
Stock Replacement Part			12020, 12021, 12022		150				
QX4	97-03	RWD/4WD	N/A	N/A			N/A	81260	117
QX30	17-20	FWD/AWD	N/A	OEMA			N/A	81260	117
QX50	19-20	FWD/AWD	OEMA	OEMA			N/A	N/A	
QX50	14-17	RWD/AWD	OEMA 72265	OEMA 72265	110, 110		73005 72130	73005 72130	114,114 108,108
QX56	04-13	RWD/4WD	OEMA	OEMA			87520	87520	133,133
QX60	14-20	FWD/AWD	OEMA	OEMA			N/A	81260	117
QX70	14-17	RWD/AWD	OEMA 72265	OEMA 72265	110,110		N/A	N/A	
QX80	14-20	RWD/4WD	OEMA	OEMA			87520	87520	133,133

INTERNATIONAL

Pickup	72-75	4WD	N/A	N/A		■	23000(*)/4169	23000(*)/4169	74/163
Pickup (1300)	60-71	4WD	N/A	N/A		■	88940	88940	134,134
Scout	61-71	4WD	N/A	N/A			Axle Wedges	N/A	144
Scout II	73-80	4WD	N/A	N/A		■	23000(*)/4169	23000(*)/4169	74/163

ISUZU

Amigo	90-00	RWD/4WD	N/A	N/A			47700(*)	47700(*)	84,84
Ascender	03-07	AWD	N/A	N/A			OEMA/83785	OEMA/83785	172,172
Axiom	02-04	AWD	N/A	N/A			47700(*)	47700(*)	84,84
Hombre	96-00	RWD	N/A	N/A			47700(*) 97140 95336(22)	47700(*) 97140	84,84 138,138 136
Hombre	96-00	4WD	N/A	N/A			OEMA 83710	OEMA 83710	125

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

JEEP-cont.

Model/Body Style	Year	Drive Type	REAR			Thrust Plate	FRONT		
			CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Cherokee (XJ)	84-93	RWD	N/A	N/A		■	23510(*) 72509, 23580 47240(*)	23510(*) 72509, 23580	78,78 169,163 85
Cherokee (XJ)	84-01	4WD	N/A	N/A		■	23510(*)/ 72509, 23580 47240(*)	23510(*)/ 72509, 23580 26012, 26014	78,78 169,163 85,83,83
Cherokee (SJ)	74-83	4WD	N/A	N/A		■	23000(*)/4169	23000(*)/4169	78/163
Comanche (MJ)	86-92	RWD/4WD	N/A	N/A		■	23510(*)/ 72509, 23580 47240(*)	23510(*)/ 72509, 23580 26012, 26014	78,78 169,163 85,83,83
Commander (XK)	06-10	RWD/4WD	N/A	N/A			OEMA	OEMA 23420/37995, 72509 26012, 26014	77/164.169 83,83
Commando	66-73	4WD	N/A	N/A			23000(*)/4169	23000(*)/4169	74/163
Compass (MP)	17-20	FWD/AWD	81250	OEMA	117		N/A	81250	117
Compass (MK)	07-17	FWD/AWD	67455	OEMA	94		N/A	81260	117
CJ	72-86	4WD	N/A	N/A		■	23000(*)/4169 80199(*)	23000(*)/4169	74/163 118
CJ	45-71	4WD	N/A	N/A		■	23000(*)/ 4169	23000(*)/4169	74/163
Gladiator (JT)	20-20		N/A	N/A			82375/85130	23400(*)	123/173/76
Grand Cherokee (WK2)	11-20	RWD/AWD	OEMA	OEMA			OEMA	OEMA 82360	122
Grand Cherokee (WK)	05-10	RWD/4WD	N/A	N/A			OEMA	OEMA 23420/37995, 72509 26012, 26014	77/164.169 83,83
Grand Cherokee (WJ)	99-04	RWD/4WD	N/A	N/A			23510(*)/ 72509, 23580 47240(*)	23510(*)/ 72509, 23580 26012, 26014	78,78 169,163 85,83,83
Grand Cherokee (ZJ)	93-98	RWD/4WD	82370(19)/74910	N/A	122/170		23510(*)/ 72509, 23580 47240(*)	23510(*)/ 72509, 23580 26012, 26014	78,78 169,163 85,83,83
Grand Wagoneer (SJ)	74-91	4WD	N/A	N/A			23000(*)/4169	23000(*)/4169	74/163
Jeepster	66-73	4WD	N/A	N/A		■	23000(*)/ 4169	23000(*)/4169	74/163
Liberty (KK)	08-13	FWD/AWD	N/A	N/A			OEMA 82365	OEMA 82365	122,122
Liberty (KJ)	02-07	FWD/AWD	N/A	N/A			OEMA 82365	OEMA 82365 26012, 26014	122,122 83,83
Patriot (MK)	07-17	FWD/AWD	67455	OEMA	94		N/A	81260	117
Pickup J10/J20 (SJ)	74-84	4WD	N/A	N/A		■	23000(*)/4169	23000(*)/4169	74/163
Renegade (BU)	15-20	FWD/AWD	81250	N/A	177		N/A	81250	117
Scrambler	82-86	4WD	N/A	N/A		■	23000(*)/4169	23000(*)/4169	74/163
Wagoneer (XJ)	84-90	RWD	N/A	N/A		■	23510(*)/ 72509, 23580 47240(*)	23510(*)/ 72509, 23580	78,78 169,163 85
Wagoneer (XJ)	84-90	4WD	N/A	N/A		■	23510(*)/ 72509, 23580 47240(*)	23510(*)/ 72509, 23580 26012, 26014	78,78 169,163 85,83,83
Wrangler (JL)	18-20	4WD	82376(19)/85130	N/A	123/173		82375/85130	23400(*)	123/173/76
Replacement Part			13421, 13426		73,73		13411, 13416		73,73
Wrangler (JK)	07-18	RWD/4WD	82390(19)/74920	N/A	123/170		23510(*)/ 72509, 23580 82390(16) 74910	23510(*)/ 72509, 23580 26012, 26014	78,78 169,163 123/83,83 170
Replacement Part			13421, 13426		73,73		13410, 13415		73,73
Wrangler (TJ)	97-06	4WD	82370(19)	N/A	122		23510(*)/ 72509, 23580 82380(16)/	23510(*)/ 72509, 23580 26012, 26014 74910	78,78 169,163 123,83,83 170
Wrangler (YJ)	87-95	4WD	N/A	N/A		■	Axle Wedges 23510(*)/ 72509, 23580	23510(*)/ 72509, 23580 26012, 26014	144,78 78/169,163 169,163/83

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

OLDSMOBILE-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Toronado	86-92	FWD	75600(1) 75800(1)	OEMA/83775 75600(1) 75800(1)	116/172 116,116 116	OEMA	OEMA 81280 82120/85130	117 122/173	
Toronado	78-85	FWD	75600(1) 75800(1)	OEMA/83775 75600(1) 75800(1)	116/172 116,116 116	OEMA	OEMA		
PETERBILT									
See our Heavy Duty Section			pages 141-149						
PLYMOUTH									
Acclaim	89-94	FWD	75200(1)	75200(1)	116,116	N/A	OEMA 83170/85130	125/173	
All Passenger B & E Bodies <i>94009, upper ball joint pg. 157</i>	62-64	RWD	N/A	N/A		OEMA 97300	OEMA 97300	140,140	
All Passenger Car Models Except B & E	60-73	RWD	N/A	N/A		OEMA 83160	OEMA 83160	124,124	
Barracuda <i>94009, upper ball joint pg. 157</i>	70-74	RWD	N/A	N/A		OEMA 97300	OEMA 97300	140,140	
Belvedere <i>94009, upper ball joint pg. 157</i>	65-70	RWD	N/A	N/A		OEMA 97300	OEMA 97300	140,140	
Breeze	96-00	FWD	OEMA	OEMA		N/A	67180/40920	89/165	
Caravelle	84-88	FWD	75200(1)	75200(1)	116,116	N/A	OEMA 83170/85130	125/173	
Colt Vista	92-94	FWD	N/A	OEMA		N/A	81250	117	
Colt Vista	85-94	4WD	N/A	OEMA		OEMA	81250	117	
Colt Vista	84-91	FWD	N/A	N/A		N/A	81250	117	
Conquest	84-86	RWD	N/A	N/A		N/A	N/A		
Duster <i>94009, upper ball joint pg. 157</i>	73-76	RWD	N/A	N/A		OEMA 97300	OEMA 97300	140,140	
Gran Fury	65-89	RWD	N/A	N/A		OEMA	OEMA		
GTX <i>94009, upper ball joint pg. 157</i>	67-71	RWD	N/A	N/A		OEMA 97300	OEMA 97300	140,140	
Horizon	78-90	FWD	75200(1)	75200(1)	116,116	N/A	OEMA 83170/85130	125/173	
Laser	92-94	AWD	OEMA	OEMA		N/A	81250	117	
Laser	89-94	FWD	N/A	N/A		N/A	81250	117	
Neon	94-01	FWD	67210 81250	OEMA 67210	90 117,90	N/A	81260	117	
Prowler	97-02	RWD	N/A	N/A		OEMA	OEMA		
Reliant	81-89	FWD	75200(1)	75200(1)	116,116	N/A	OEMA 83170/85130	125/173	
Roadrunner <i>94009, upper ball joint pg. 157</i>	68-72	RWD	N/A	N/A		OEMA 97300	OEMA 97300	140,140	
Sapporo	80-83	RWD	N/A	N/A		N/A	N/A		
Satellite <i>94009, upper ball joint pg. 157</i>	65-72	RWD	N/A	N/A		OEMA 97300	OEMA 97300	140,140	
Scamp	82-85	FWD	75200(1)	75200(1)	116,116	N/A	OEMA 83170/85130	125/173	
Sundance	87-94	FWD	75200(1)	75200(1)	116,116	N/A	OEMA 83170/85130	125/173	
Trailduster	74-81	RWD	N/A	N/A		OEMA 83160	OEMA 83160	124,124	
Trailduster	74-81	4WD	N/A	N/A		■ 23000(*)/4169	23000(*)/4169	74/163	
Turismo	79-87	FWD	75200(1)	75200(1)	116,116	N/A	OEMA 83170/85130	125/173	



FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, see page for size
All products from Specialty Products Company are intended for use by professional installers only. ©2020 Niwot Corp. dba Specialty Products Co.®



www.specprod.com

Call for your nearest distributor, product info or Technical Assistance • In the USA and Canada

1-800-525-6505

Applications
Alignment Parts
Heavy Duty
OE Replacement
Racing/Builders
Tools
Brake and CV
Gear/Index

Parts Sleeve Installation Chart

The illustrations below show where to position the slot in the sleeve to get the amount of camber, caster or both needed. Positions 1, 2, 3 & 4 will change camber/caster the amount stamped on the sleeve. Positions 5, 6, 7 & 8 will change the camber/caster by the following amounts:

FOR SLEEVES:		
23000	23100	23130
23180	23220	23230

DEGREE	CHANGE	DEGREE	CHANGE	DEGREE	CHANGE	DEGREE	CHANGE
1/4 - .25	3/16 (.18)	3/4 - .75	17/32 (.53)	1-1/4 - 1.25	7/8 (.88)	1-3/4 - 1.75	1-7/32 (1.29)
1/2 - .50	11/32 (.35)	1 - 1.0	11/16 (.70)	1-1/2 - 1.5	1-1/16 (1.06)	2 - 2.0	1-13/32 (1.40)

Sleeve Installation Chart – Slot in sleeve shows direction top of wheel will move

LEFT/RIGHT WHEEL LEFT/RIGHT WHEEL LEFT/RIGHT WHEEL LEFT/RIGHT WHEEL				FRONT OF VEHICLE
<p>1 (+) CAMBER</p>	<p>3 (+) CASTER</p>	<p>5 (+) CAMBER/CASTER</p>	<p>7 (-) CAMBER (+) CASTER</p>	
<p>2 (-) CAMBER</p>	<p>4 (-) CASTER</p>	<p>6 (+) CAMBER (-) CASTER</p>	<p>8 (-) CAMBER/CASTER</p>	

23000 SERIES



4WD BUSHING

This sleeve changes camber and caster on many older model trucks and SUVs with Dana 44 or GMC 10 bolt axles. #4169 spanner socket is required for sleeve removal. Rotate sleeve to fine tune camber/caster adjustment.

Set 23000 contains 1 each: 23002, 23004, 23006, 23008, 23010, 23012

Part No.	Total Change
23002	.25° (1/4")
23004	.50° (1/2")
23006	.75° (3/4")
23008	1.00° (1")
23010	1.25° (1-1/4")
23012	1.50° (1-1/2")

Front Adjustment range:

Camber/Caster $\pm 25^\circ$ to $\pm 1.50^\circ$

Required.: 1 per wheel

APPLICATIONS

Chevrolet/GMC 4WD:

1970 - 87 K10, K15, K20, K25; 1969 - 91 Suburban
1969 - 91 Blazer (K5), Jimmy (K5)
1958 - 87 K30, K35

Dodge 4WD: 1972 - 93 W100, W150, AW150, W200, W250; 1974 - 87 Dodge Ramcharger

Ford 4WD: 1966 - 79 F100, F150; 1973 - 79 F250
1971 - 79 Bronco

International 4WD: 1972 - 75 1/2 & 3/4 ton Pickup
1973 - 80 Scout II

Jeep 4WD: 1974 - 83 Cherokee; 1945 - 86 CJ
1966 - 73 Jeepster, Commando; 1974 - 84 Pickup
1982 - 86 Scrambler; 1974 - 91 Grand Wagoneer

Plymouth 4WD: 1974 - 81 Trailduster

23100 SERIES



4WD CAM/CAS SLEEVES

Change camber, caster, or both on twin traction beam Dana 44s with these sleeves. Simply remove the tire, cotter pin and upper ball joint stud nut and break the taper free between the stud and sleeve. Using a sleeve puller, remove the existing sleeve. Install zero degree sleeve 23109 to determine the change needed, then install the correct sleeve. To split camber and caster adjustment, rotate sleeve 45°.

Set 23100 contains 1 each: 23101, 23102, 23103, 23104, 23105, 23106, 23107, 23108, 23109

Part No.	Total Change	Part No.	Total Change
23101	.25° (1/4")	23107	1.75° (1-3/4")
23102	.50° (1/2")	23108	2.00° (2")
23103	.75° (3/4")	23109	0.00° (0")
23104	1.00° (1")	23111	2.25° (2-1/4")
23105	1.25° (1-1/4")	23112	2.50° (2-1/2")
23106	1.50° (1-1/2")	23113	2.75° (2-3/4")

Front Adjustment range:

Camber/Caster $\pm 25^\circ$ to $\pm 2.75^\circ$

Required: 1 per wheel

APPLICATIONS

Ford 4WD:

1980 - 96 Bronco - Full Size
1980 - 96 F150
1980 - 98 F250, F350

Adjustable Sleeve available,
Part No. 24130 - page 79

77880 - Puller, pg 171
88830 - Puller, pg 175

We have adjustable sleeves for most sleeve applications.

We have discontinued our 23120 and 23160 series of fixed change sleeves, but still have these applications covered with our 24120 and 24160 adjustable sleeves (page 79). The adjustable sleeves can adjust camber and caster in a large variety of combinations.



CAUTION: Not for use with impact wrenches (air tools).

SPANNER WRENCH

Thin walled spanner wrench designed specifically for installation and removal of OE and **23000** (page 74) screw in 4WD alignment sleeves.



4169

APPLICATIONS

Dodge RWD:
1987 - 04 Dakota
1998 - 03 Durango

DODGE CAMBER TOOL

This wrench is specifically designed to access the hard to reach upper control arm bolts used to adjust caster/ camber on RWD Dodge Durangos and Dakotas.



6140

APPLICATIONS

Most compact/standard passenger cars and light trucks

TIE ROD TOOL

Four position feature and 360° rotation lets you grip the sleeve properly, even with limited access. Fits most passenger cars and light trucks.



7023

CHRYSLER/FORD CAMBER/CASTER TOOL

An excellent tool for fast camber-caster changes on most older Chrysler and Ford products w/SLA style suspensions.



8286

83707 Center Screw with Tip

CAUTION: Not for use with impact wrenches (air tools)

5" TIE ROD PULLER

Removes tie rod ends with a straight, fast, firm push. Makes installation of the **87330** camber/toe kit easier (pg. 123). It has a 2-1/4" reach and a 2-1/2" spread. Also for pressing bushings.



8370



HOSE CUTTER

This high quality hose cutter provides a straight, even, clean cut on heater, air conditioning, braided rubber or plastic hose up to 1-1/8" diameter.



10010

CUTS

- Any Plastic/Rubber Hose Up To 1-1/8" Outside Diameter
- Heater Hose
- Side Body Molding
- Windshield Channeling
- Non-Metal Air Brake Hose
- Fuel Line Hose
- Copper Wiring
- Heater Hose
- And More

10011 - REPLACEMENT BLADES 2 per pkg

BUSHING PRESS SLEEVES

The sleeves are designed to match the angle of the yoke on the axle housing to insure proper installation. Use with the **72509** Ball Joint Press (page 165).

23580 - To be used with our Dodge, Jeep and Ram Pin Joints (part nos. **23510, 23520, 23530, 23540** page 78).

23780 - For our Dodge/Ram Truck Pin Joints (part nos. **23710 - 23730** page 71 and **23800 - 23830** page 78).



23580

23780

WHEEL WEIGHT TOOL

The best tool for removing or installing passenger car and light truck wheel weights. Incorporates hooks for removal of wheel weights on many different types of wheels. Not for use on aluminum or decorative wheels.



37000

Removing or installing wheel weights on OTR Trucks? Check out Part #83125 (pg. 172)