

# CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

DODGE/RAM-cont.			REAR			Thrust Plate	FRONT		Page
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	
Ram 2500	14-20	4WD	N/A	N/A		23800(*)/ <b>23780, 72509</b> 82387(16)	23800(*)/ <b>23780, 72509</b>	78,78 <b>163,169</b> 123	
<b>Stock Replacement Part</b>						23610, 23615		77	
Ram 2500	10-13	4WD	N/A	N/A		■ 23800(*)/ <b>23780, 72509</b> 82386(16)	23800(*)/ <b>23780, 72509</b>	78,78 <b>163,169</b> 123	
Ram 2500	03-09	4WD	N/A	N/A		■ 23800(*)/ <b>23780, 72509</b> 82385(16)	23800(*)/ <b>23780, 72509</b>	78,78 <b>163,169</b> 123	
Ram 2500	00-02	4WD	N/A	N/A		■ 23710(*)/ <b>23780, 72509</b> 82385(16)	23710(*)/ <b>23780, 72509</b>	78,78 <b>163,169</b> 123	
Ram 2500	00-13	RWD	N/A	N/A		■ OEMA	OEMA		
Ram 2500	94-99	RWD	N/A	N/A		■ OEMA/8286	OEMA/8286	<b>163,163</b>	
Ram 2500 w/HD Dana 60 Fr Axle	94-99	4WD	N/A	N/A		■ 23130(*)/ <b>88830, 77880</b> 24130/74500 82395(16)	23130(*)/ <b>88830, 77880</b> 24130/74500	75,75 <b>175,171</b> 79/170 124	
Ram 2500 w/LD Dana 44 Fr Axle.	94-99	4WD	N/A	N/A		■ 23510(*)/ <b>23580, 72509</b>	23510(*)/ <b>23580, 72509</b>	78,78 <b>163,169</b>	
Ram 3500	14-19	4WD	N/A	N/A		■ 23800(*)/ <b>23780, 72509</b> 82387(16)	23800(*)/ <b>23780, 72509</b>	78,78 <b>163,169</b> 123	
<b>Stock Replacement Part</b>						23610, 23615		77	
Ram 3500 w/mono beam	14-20	RWD	N/A	N/A		■ 23800(*)/ <b>23780, 72509</b> 82387(16)	23800(*)/ <b>23780, 72509</b>	78,78 <b>163,169</b> 123	
<b>Stock Replacement Part</b>						23610, 23615		77	
Ram 3500 w/o mono beam	13-20	RWD	N/A	N/A		■ OEMA	OEMA		
<b>Stock Replacement Part</b>						23610, 23615		77	
Ram 3500	10-20	4WD	N/A	N/A		■ 23800(*)/ <b>23780, 72509</b> 82386(16)	23800(*)/ <b>23780, 72509</b>	78,78 <b>163,169</b> 123	
Ram 3500 w/mono beam	10-13	RWD	N/A	N/A		■ 23800(*)/ <b>23780, 72509</b> 82386(16)	23800(*)/ <b>23780, 72509</b>	78,78 <b>163,169</b> 123	
Ram 3500	03-09	4WD	N/A	N/A		■ 23800(*)/ <b>23780, 72509</b> 82385(16)	23800(*)/ <b>23780, 72509</b>	78,78 <b>163,169</b> 123	
Ram 3500 w/mono beam	03-09	RWD	N/A	N/A		■ 23800(*)/ <b>23780, 72509</b> 82385(16)	23800(*)/ <b>23780, 72509</b>	78,78 <b>163,169</b> 123	
Ram 3500 w/o mono beam	03-12	RWD	N/A	N/A		■ OEMA	OEMA		
Ram 3500	00-02	4WD	N/A	N/A		■ 23710(*)/ <b>23780, 72509</b> 82385(16)	23710(*)/ <b>23780, 72509</b>	78,78 <b>163,169</b> 123	
Ram 3500 w/mono beam	00-02	RWD	N/A	N/A		■ 23710(*)/ <b>23780, 72509</b> 82385(16)	23710(*)/ <b>23780, 72509</b>	78,78 <b>163,169</b> 123	
Ram 3500	94-99	4WD	N/A	N/A		■ 23130(*)/ <b>88830, 77880</b> 24130/74500 82395(16)	23130(*)/ <b>88830, 77880</b> 24130/74500	75,75 <b>175,171</b> 79/170 124	



**FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)**

**BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85**  
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (\*) = Series P/N, see page for size  
**All products from Specialty Products Company are intended for use by professional installers only.** ©2020 Niwot Corp. dba Specialty Products Co.®



[www.specprod.com](http://www.specprod.com)

Call for your nearest distributor, product info or Technical Assistance • In the USA and Canada

**1-800-525-6505**

Applications  
Alignment Parts  
Heavy Duty  
OE Replacement  
Racing/Builders  
Tools  
Brake and CV  
Gear/Index

# CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

## DODGE/RAM-cont.

## REAR

## FRONT

Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate	CASTER/TOOL	CAMBER/TOOL	Page
Ram 3500 w/mono beam	94-99	RWD	N/A	N/A		■	23130(*)/ 88830, 77880 24130/74500 82395(16)	23130(*)/ 88830, 77880 24130/74500	75,75 175,171 79/170 124
Ram 3500 w/o mono beam	94-02	RWD	N/A	N/A		■	OEMA/8286	OEMA/8286	163,163
Ram 4500 / 5500	08-18	RWD/4WD	N/A	N/A		■	N/A	23850(*)/88360	78/175
Ramcharger AD150	90-96	RWD	N/A	N/A		■	OEMA/8286	OEMA/8286	163,163
Ramcharger	74-87	RWD	N/A	N/A			OEMA 83160	OEMA 83160	124,124
Ramcharger	74-87	4WD	N/A	N/A			23000(*)/4169	23000(*)/4169	74/163
Ramcharger AD150	72-89	RWD	N/A	N/A		■	OEMA 83160	OEMA 83160	124,124
Rampage	82-84	FWD	75200(1)	75200(1)	116,116		N/A	OEMA 83170/85130	125/173
Shadow	87-94	FWD	75200(1)	75200(1)	116,116		N/A	OEMA 83170/85130	125/173
Spirit	89-96	FWD	75200(1)	75200(1)	116,116		N/A	OEMA 83170/85130	125/173
Sprinter 2500	07-09	RWD	N/A	N/A		■	N/A	35077	84
Sprinter 2500	03-06	RWD	N/A	N/A		■	N/A	35075, 35076	84,84
Sprinter 3500	07-09	RWD	N/A	N/A			N/A	35077	84
Sprinter 3500	03-06	RWD	N/A	N/A			N/A	35075, 35076	84,84
Stealth	91-96	FWD/AWD	OEMA	OEMA			N/A	81250	117
Stratus4Dr.	04-06	FWD	67025	OEMA	87		N/A	67180/40920	89/165
Stratus 2Dr. 73400 must be used with 73415	01-05	FWD	73400+73415(7) 73600, 73620(8)	OEMA	115,115 115,115		N/A	81280 82120/85130	117 122/173
Stratus 4Dr.	95-03	FWD	OEMA	OEMA			N/A	67180/40920	89/165
Viper	13-17	RWD	OEMA	OEMA			OEMA	OEMA	
Viper	94-10	RWD	OEMA	OEMA			OEMA	OEMA	
W100 W150 AW150 Truck	72-93	4WD	N/A	N/A		■	23000(*)/4169	23000(*)/4169	74/163
W200 W250 Truck w/ Dana 44	72-93	4WD	N/A	N/A			23000(*)/4169	23000(*)/4169	74/163
W200 W250 Truck w/ Dana 60	72-93	4WD	N/A	N/A		■	88940	88940	134,134
W300 W350 Truck w/ Dana 60	75-93	4WD	N/A	N/A		■	Axle Wedges 88940	88940	144,134 134
W300 W350 Truck	60-93	4WD	N/A	N/A		■	Axle Wedges	N/A	144

## EAGLE

Medallion	88-89	FWD	75200(1)	75200(1)	116,116		N/A	81280 82120/85130	117 122/173
Premier	88-92	FWD	75200(1)	75200(1)	116,116		N/A	81280 82120/85130	117 122/173
Summit SW	92-96	FWD/AWD	N/A	OEMA			N/A	81250	117
Summit	89-96	FWD	N/A	N/A			N/A	81250	117
Talon 73400 must be used with 73415	95-98	FWD/AWD	73400+73415(7) 73600, 73620(8)	OEMA	115,115 115,115		N/A	67170/40920 67370(8)	89/165 92/165
Talon	90-94	AWD	OEMA	OEMA			N/A	81250	117
Talon	90-94	FWD	N/A	N/A			N/A	81250	117
Vision	93-97	FWD	67020	OEMA	WB		N/A	81280 82120/85130	117 122/173

## FIAT

124 Spider	17-20	RWD	OEMA	OEMA			OEMA	OEMA	
500	12-19	FWD	71770(*)	71770(*)	104,104		N/A	81240	117
500x	16-20	FWD/AWD	81250	N/A	117		N/A	81250	117
500L	14-20	FWD	N/A	N/A			N/A	81250	117

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

# CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

FORD			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Aerostar	86-97	RWD/4WD	N/A	N/A		47700(*)	47700(*)	84,84	
Aspire	95-97	FWD	75200(1)	75200(1)	116,116	N/A	OEMA 81250	117	
Bronco	80-96	4WD	N/A	N/A		23100(*)/ 77880, 88830 24130/74500	23100(*)/ 77880, 88830 24130/74500	75,75 171,175 79,170	
Bronco	71-79	4WD	N/A	N/A		23000(*)/4169	23000(*)/4169	74/163	
Bronco II Dana 35 (Late 1990)	90-90	4WD	N/A	N/A		23180(*)/87175 77880, 88830 24180/ 74400, 74500	23180(*)/87175 77880, 88830 24180/ 74400, 74500	75/173 171,175 79,79 170,170	
Bronco II Dana 35 (Late 1990)	89-90	RWD	N/A	N/A		23180(*)/87175 77880, 88830 24180/ 74400, 74500	23180(*)/87175 77880, 88830 24180/ 74400, 74500	75/173 171,175 79,79 170,170	
Bronco II	84-88	RWD	N/A	N/A		N/A	24160/74400	79/170	
Bronco II Dana 28 (Early 1990)	83-90	4WD	N/A	N/A		24120/74500	24120/74500	79/170	
C-Max	13-18	FWD	67420	OEMA	93	N/A	OEMA		
Contour	95-00	FWD	N/A	OEMA		89675	89675	WB	
Crown Victoria	03-12	RWD	N/A	N/A		OEMA	OEMA 87365/ 85130,02099	132 173,180	
Crown Victoria	92-02	RWD	N/A	N/A		OEMA	OEMA/88325	174	
Crown Victoria	80-91	RWD	N/A	N/A		OEMA	OEMA		
E-150	92-14	RWD	N/A	N/A		23180(*)/87175 77880, 88830 24180/ 74400,74500 87280(26)	23180(*)/87175 77880, 88830 24180/ 74400,74500	75/173 171,175 79,79 170,170 131	
E-150 w/king pins	65-90	RWD	N/A	N/A		N/A	N/A		
E-250,E-350,E-450	92-20	RWD	N/A	N/A		23180(*)/87175 77880, 88830 24180/ 74400,74500 87280(26)	23180(*)/87175 77880, 88830 24180/ 74400,74500	75/173 171,175 79,79 170,170 131	
E-250,E-350,E-450 w/king pins	65-90	RWD	N/A	N/A		N/A	N/A		
EcoSport	18-20	FWD/AWD	N/A	OEMA		N/A	81250	117	
Edge	15-20	FWD/AWD	N/A	OEMA		N/A	81280	117	
Edge	07-14	FWD/AWD	OEMA	OEMA		N/A	81280	117	
Escape Inc. Hybrid	13-19	FWD/AWD	67420	OEMA	93	N/A	OEMA		
Escape Inc. Hybrid	01-12	FWD/AWD	67285/37995	OEMA	97/164	OEMA	OEMA 81250	117	
Escort	97-04	FWD	81250	OEMA	117	OEMA	OEMA 81250	117	
Escort	91-96	FWD	81250	OEMA 67070	117 WB	OEMA	OEMA 81250	117	
Escort	81-90	FWD	81250	OEMA	117	N/A	N/A		
Excursion	00-05	RWD	N/A	N/A		23180(*)/87175 77880, 88830 24180/ 74400,74500	23180(*)/87175 77880, 88830 24180/ 74400,74500	75/173 171,175 79,79 170,170	
Excursion	00-05	4WD	N/A	N/A		23130(*)/87175 77880, 88830 24130/74500	23130(*)/87175 77880, 88830 24130/74500	75/173 171,175 170,170	
Expedition	18-20	RWD/4WD	OEMA	OEMA		N/A	N/A		



**FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)**

**BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85**  
 Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (\*) = Series P/N, see page for size  
 All products from Specialty Products Company are intended for use by professional installers only. ©2020 Niwot Corp. dba Specialty Products Co.®



[www.specprod.com](http://www.specprod.com)

Call for your nearest distributor, product info or  
 Technical Assistance • In the USA and Canada

**1-800-525-6505**

Applications  
Alignment Parts  
Heavy Duty  
OE Replacement  
Racing/Builders  
Tools  
Brake and CV  
Gear/Index

# Applications

## CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

FORD-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Expedition	07-17	RWD/4WD	OEMA 67275 86690	OEMA	90 131	OEMA <b>25680</b> 86250, 86252	OEMA <b>25680</b> 86250, 86252	82,82 127,127	
Expedition	03-06	RWD/4WD	86680	OEMA	131	86640/ <b>83820</b>	86640/ <b>83820</b>	131/ <b>172</b>	
Expedition	97-02	RWD/4WD	N/A	N/A		■ 87385	87385	132,132	
Explorer	11-19	RWD/4WD	OEMA 84130	OEMA	126	N/A	81280	117	
Explorer Sport Trac	07-10	RWD/4WD	OEMA	OEMA		OEMA	OEMA		
Explorer	06-10	RWD/4WD	OEMA	OEMA		OEMA	OEMA		
Explorer	04-05	4WD	86180	OEMA	127	86140	86140	127,127	
Explorer	02-03	4WD	86180	OEMA	127	86140	26012, 26014 86140	127,83,83 127	
Explorer 2 door 'Sport'	02-03	RWD/4WD	N/A	N/A		■ 87310 87500	87310 87500	131,131 133,133	
Explorer	02-05	RWD	86180	OEMA	127	86140	86140	127,127	
Explorer	01-01	RWD	N/A	N/A		■ 87310 87500	87310 87500	131,131 133,133	
Explorer	01-01	4WD	N/A	N/A		■ 87310 87500	26012, 26014 87310 87500	131,83,83 133,131 133	
Explorer Sport Trac	01-05	RWD	N/A	N/A		■ 87310 87500	87310 87500	131,131 133,133	
Explorer Sport Trac	01-05	4WD	N/A	N/A		■ 87310 87500	26012, 26014 87310 87500	131,83,83 133,13 133	
Explorer	95-00	RWD/4WD	N/A	N/A		■ 87310 87500	87310 87500	131,131 133,133	
Explorer	91-94	RWD/4WD	N/A	N/A		■ 23180(*)/ <b>87175</b> <b>77880, 88830</b> 24180/ <b>74400, 74500</b>	23180(*)/ <b>87175</b> <b>77880, 88830</b> 24180/ <b>74400, 74500</b>	75/ <b>173</b> <b>171,175</b> 79,79 <b>170,170</b>	
EXP	82-88	FWD	81250	OEMA	117	N/A	N/A		
F-100 w/ ball joint suspension	80-83	RWD/4WD	N/A	N/A		■ N/A	24160/ <b>74400</b>	79/ <b>170</b>	
F-100	66-79	4WD	N/A	N/A		■ 23000(*)/ <b>4169</b>	23000(*)/ <b>4169</b>	74/ <b>163</b>	
F-100 w/ king pin suspension	65-83	RWD	N/A	N/A		■ N/A	N/A		
F-150 Except Raptor	04-20	RWD/4WD	86255( <b>19</b> )	N/A	128	OEMA <b>25680</b> 86250, 86252	OEMA <b>25680</b> 86250, 86252	82,82 127,127	
F-150 Raptor	17-20	4WD	N/A	N/A		■ OEMA <b>86250</b> , 86252	OEMA <b>86250</b> , 86252	127,127	
F-150 Raptor	10-14	4WD	86255( <b>19</b> )	N/A	128	■ OEMA <b>86250</b> , 86252	OEMA <b>86250</b> , 86252	127,127	
F-150 Heritage	04-05	RWD/4WD	N/A	N/A		■ 87385	87385	132,132	
F-150	97-03	RWD/4WD	N/A	N/A		■ 87385	87385	132,132	
F-150	87-96	RWD	N/A	N/A		■ 23180(*)/ <b>87175</b> <b>77880, 88830</b> 24180/ <b>74400, 74500</b> 87280	23180(*)/ <b>87175</b> <b>77880, 88830</b> 24180/ <b>74400, 74500</b>	75/ <b>173</b> <b>171,175</b> 79,79 <b>170,170</b> 131	
F-150	82-86	RWD	N/A	N/A		■ N/A	24160/ <b>74400</b>	79/ <b>170</b>	
F-150	80-96	4WD	N/A	N/A		■ 23100(*)/ <b>77880, 88830</b> 24130/ <b>74500</b>	23100(*)/ <b>77880, 88830</b> 24130/ <b>74500</b>	74,74 <b>171,175</b> 79/ <b>170</b>	
F-150	66-79	4WD	N/A	N/A		■ 23000(*)/ <b>4169</b>	23000(*)/ <b>4169</b>	74/ <b>163</b>	
F-150 King Pin	65-90	RWD	N/A	N/A		■ N/A	N/A		
F-250 Solid Axle - Coil Spring	05-20	RWD/4WD	N/A	N/A		■ 23220(*) 23268, 23269 24220/ <b>74600</b>	23220(*) 23268, 23269 24220/ <b>74600</b>	76,76 76,76 79/ <b>170</b>	
F-250 Solid Axle - Leaf Spring	99-04	RWD/4WD	N/A	N/A		■ 23130(*)/ <b>77880, 88830</b> 24130/ <b>74500</b>	23130(*)/ <b>77880, 88830</b> 24130/ <b>74500</b>	75,75 <b>171,175</b> 79/ <b>170</b>	

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

# CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

FORD-cont.			REAR			FRONT			
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate	CASTER/TOOL	CAMBER/TOOL	Page
F-250 Twin I-Beam	98-20	RWD	N/A	N/A		■	23180(*)/87175 77880, 88830 24180/ 74400, 74500	23180(*)/87175 77880, 88830 24180/ 74400, 74500	75/173 171,175 79,79 170,170
F-250L/D	97-99	RWD/4WD	N/A	N/A		■	87385	87385	132,132
F-250	87-98	RWD	N/A	N/A		■	23180(*)/87175 77880, 88830 24180/ 74400, 74500	23180(*)/87175 77880, 88830 24180/ 74400, 74500	75/173 171,175 79,79 170,170
F-250	82-86	RWD	N/A	N/A		■	N/A	N/A	
F-250	80-98	4WD	N/A	N/A		■	23100(*)/ 77880, 88830 24130/74500	23100(*)/ 77880, 88830 24130/74500	74,74 171,175 79/170
F-250 Dana 60	74-79	4WD	N/A	N/A		■	88940	88940	134,134
F-250	73-79	4WD	N/A	N/A		■	Axle Wedges 23000(*)/4169	23000(*)/4169	144,74/163 74/163
F-250 King Pin	65-90	RWD	N/A	N/A		■	N/A	N/A	
F-350 Solid Axle - Coil Spring	05-20	RWD/4WD	N/A	N/A		■	23220(*) 23268, 23269 24220/74600	23220(*) 23268, 23269 24220/74600	76,76 76,76 79/170
F-350 Solid Axle - Leaf Spring	99-04	RWD/4WD	N/A	N/A		■	23130(*)/ 77880, 88830 24130/74500	23130(*)/ 77880, 88830 24130/74500	75,75 171,175 79/170
F-350 Twin I-Beam	98-20	RWD	N/A	N/A		■	23180(*)/87175 77880, 88830, 24180/ 74400, 74500	23180(*)/87175 77880, 88830, 24180/ 74400, 74500	75/173 171,175 79,79 170,170
F-350 Crew Cab	92-98	4WD	N/A	N/A		■	23130(*)/ 77880, 88830 24130/74500 87275	23130(*)/ 77880, 88830 24130/74500	75,75 171,175 79/170 WB
F-350	87-98	RWD	N/A	N/A		■	23180(*)/87175 77880, 88830, 24180/ 74400, 74500	23180(*)/87175 77880, 88830, 24180/ 74400, 74500	75/173 171,175 79,79 170,170
F-350	82-86	RWD	N/A	N/A		■	N/A	N/A	
F-350	80-98	4WD	N/A	N/A		■	23100(*)/ 77880, 88830 24130/74500	23100(*)/ 77880, 88830 24130/74500	75,75 171,175 79/170
F-350 Dana 60	74-91	4WD	N/A	N/A		■	88940	88940	134,134
F-350	73-79	4WD	N/A	N/A		■	Axle Wedges	N/A	144
F-350 King Pin	65-90	RWD	N/A	N/A		■	N/A	N/A	
F-450 w/ 10 lug axles	05-20	RWD/4WD	N/A	N/A		■	23230(*) 24230/74600	23230(*) 24230/74600	76,76 79/170
F-450 w/ 8 lug axles	05-20	RWD/4WD	N/A	N/A		■	23220(*) 23268, 23269 24220/74600	23220(*) 23268, 23269 24220/74600	76,76 76,76 79,170
F-450	99-04	RWD/4WD	N/A	N/A		■	23130(*)/ 77880, 88830 24130/74500	23130(*)/ 77880, 88830 24130/74500	75,75 171,175 79/170
F-550	05-20	RWD/4WD	N/A	N/A		■	23230(*) 24230/74600	23230(*) 24230/74600	76,76 79/170
F-550	99-04	RWD/4WD	N/A	N/A		■	23130(*)/ 77880, 88830 24130/74500	23130(*)/ 77880, 88830 24130/74500	75,75 171,175 79/170
Fairlane 94009, upper ball joint pg. 157	66-69	RWD	N/A	N/A			OEMA 94210	OEMA 94210 83160	135,135 124



**FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)**

**BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85**  
 Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (\*) = Series P/N, see page for size  
**All products from Specialty Products Company are intended for use by professional installers only.** ©2020 Niwot Corp. dba Specialty Products Co.®



**www.specprod.com**

Call for your nearest distributor, product info or  
 Technical Assistance • In the USA and Canada

**1-800-525-6505**

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

# CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

FORD-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Mustang	79-93	RWD	N/A	N/A		N/A	OEMA 81280 <b>82120/85130</b>	117 122/173	
Mustang II	74-78	RWD	N/A	N/A		OEMA 97260	OEMA 97260	140,140	
Mustang 94009, upper ball joint pg. 157	67-73	RWD	N/A	N/A		OEMA 94210	OEMA 94210 83160	135,135 124	
Mustang 94009, upper ball joint pg. 157	64-66	RWD	N/A	N/A		47700(*) 94215 94220	47700(*) 94215	84,84 135,135 135	
Police Interceptor Sedan	13-18	FWD/AWD	OEMA 84130	OEMA	126	N/A	N/A		
Police Interceptor Utility	13-18	RWD/4WD	OEMA 84130	OEMA	126	N/A	81280	117	
Probe	89-97	FWD	81250	OEMA	117	OEMA	OEMA 81250	117	
Ranchero 94009, upper ball joint pg. 157	66-71	RWD	N/A	N/A		OEMA 94210	OEMA 94210 83160	135,135 124	
Ranchero 94009, upper ball joint pg. 157	64-65	RWD	N/A	N/A		47700(*) 94215 94220	47700(*) 94215	84,84 135,135 135	
Ranger	19-20	RWD/4WD	N/A	N/A		OEMA 25670	OEMA 25670	82,82	
Ranger	03-11	RWD	N/A	N/A		■ 87500	87500	133,133	
Ranger	03-11	4WD	N/A	N/A		■ 87500	26012, 26014 87500	133,83,83 133	
Ranger	01-02	RWD/4WD	N/A	N/A		■ 87500	87500	133,133	
Ranger	98-00	RWD/4WD	N/A	N/A		■ 87310 87500	87310 87500	131,131 133,133	
Ranger Dana 35 Twin I-Beam	90-97	4WD	N/A	N/A		■ 23180(*)/87175 77880, 88830 24180/ 74400, 74500	23180(*)/87175 77880, 88830 24180/ 74400, 74500	75/173 171,175 79,79 170,170	
Ranger	89-97	RWD	N/A	N/A		■ 23180(*)/87175 77880, 88830 24180/ 74400, 74500 87280	23180(*)/87175 77880, 88830 24180/ 74400, 74500	75/173 171,175 79,79 170,170 131	
Ranger	83-88	RWD	N/A	N/A		■ 87275	24160/74400	WB,79/170	
Ranger Dana 28	83-89	4WD	N/A	N/A		■ 24120/74500	24120/74500	79/170	
Taurus	13-19	FWD/AWD	OEMA 84130	OEMA	126	N/A	N/A		
Taurus	10-12	FWD/AWD	OEMA 84130	OEMA	126	N/A	OEMA		
Taurus	08-09	AWD	67690	OEMA	101	N/A	OEMA		
<b>Stock Replacement Part</b>			12710		151				
Taurus	08-09	FWD	71760(*)	OEMA	104	N/A	OEMA		
Taurus X	08-09	AWD	67690	OEMA	101	N/A	OEMA		
<b>Stock Replacement Part</b>			12710		151				
Taurus X	08-09	FWD	71760(*)	OEMA	104	N/A	OEMA		
Taurus Wagon	96-05	FWD	87350/85130	OEMA/ 97650	132/173 175	OEMA/68670	OEMA 89635/68670	168 134/168	
Taurus Sedan 87325 Intended for use on OE adjusters - NOT intended for aftermarket parts	86-07	FWD	87330/ 8370, 87320	OEMA/87325 87330/ 8370, 87320	132/174 163/132 163,173	OEMA/68670	OEMA 89635/68670	168 134/168	



**FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)**

**BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD** • WB = Check www.specprod.com for more information ■ = Thrust Plate, pg. 85  
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (\*) = Series P/N, see page for size  
**All products from Specialty Products Company are intended for use by professional installers only.** ©2020 Niwot Corp. dba Specialty Products Co.®



[www.specprod.com](http://www.specprod.com)

Call for your nearest distributor, product info or  
Technical Assistance • In the USA and Canada

**1-800-525-6505**

Applications  
Alignment Parts  
Heavy Duty  
OE Replacement  
Racing/Builders  
Tools  
Brake and CV  
Gear/Index

# CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

## LINCOLN-cont.

## REAR

## FRONT

Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate	CASTER/TOOL	CAMBER/TOOL	Page
Navigator	07-17	RWD/4WD	OEMA 67275 86690	OEMA	90 131		OEMA <b>25680</b> 86250, 86252	OEMA <b>25680</b> 86250, 86252	82,82 127,127
Navigator	03-06	RWD/4WD	86680	OEMA	131		86640/ <b>83820</b>	86640/ <b>83820</b>	131/ <b>172</b>
Navigator	98-02	RWD/4WD	N/A	N/A			87385	87385	132,132
Town Car	03-11	RWD	N/A	N/A			OEMA	OEMA 87365/ <b>02099, 85130</b>	132/ <b>180,173</b>
Town Car	91-02	RWD	N/A	N/A			OEMA	OEMA/ <b>88325</b>	<b>174</b>
Town Car	80-90	RWD	N/A	N/A			OEMA	OEMA	
Zephyr	06-06	FWD/AWD	OEMA 67425	OEMA	93		N/A	67115/ <b>40920</b>	89/ <b>165</b>

## MAZDA

2	11-14	FWD	N/A	N/A			N/A	81250	117
3	19-20	FWD/AWD	N/A	N/A			N/A	N/A	
3	14-18	FWD	67415	OEMA 67415 67417	93 93 93		N/A	81260	117
3 Inc. Mazdaspeed 3	04-13	FWD	67420	OEMA	93		N/A	N/A	
323	90-94	FWD/AWD	81250	OEMA 67070	117 WB		N/A	OEMA 81250	117
323	86-89	FWD/AWD	81250	OEMA	117		N/A	OEMA 81250	117
5	06-15	FWD	67420	OEMA	93		N/A	N/A	
6	14-20	FWD	N/A	OEMA			N/A	81280	117
6	09-13	FWD	67425	OEMA	93		N/A	N/A	
6 Inc. Mazdaspeed 6	03-08	FWD/AWD	OEMA 67425	OEMA	93		N/A	67115/ <b>40920</b>	89/ <b>165</b>
626	83-02	FWD	81250	OEMA	117		OEMA	OEMA 81250	117
626	79-82	RWD	N/A	N/A			N/A	N/A	
929	92-95	RWD	OEMA	OEMA			N/A	OEMA	
929	88-91	RWD	N/A	OEMA			OEMA	OEMA 81250	117
B-Series Pickup	98-12	RWD/4WD	N/A	N/A		■	87500	87500	133,133
B-Series Pickup	94-97	RWD/4WD	N/A	N/A		■	23180(*)/ <b>87175</b> <b>77880, 88830</b> 24180/ <b>74400, 74500</b> 87280( <b>24</b> )	23180(*)/ <b>87175</b> <b>77880, 88830</b> 24180/ <b>74400, 74500</b>	75/ <b>173</b> <b>171,175</b> 79,79 <b>170,170</b> 131
CX-3	16-20	FWD/AWD	N/A	N/A			N/A	81260	117
CX-5	13-19	FWD/AWD	67416/ <b>85130</b>	OEMA 67417/ <b>85130</b>	93/ <b>173</b> 93/ <b>173</b>		N/A	81280	117
CX-7	07-12	FWD/AWD	N/A	OEMA			OEMA	OEMA 81260	117
CX-9	16-20	FWD/AWD	N/A	OEMA			N/A	81280	117
CX-9	07-15	FWD/AWD	OEMA	OEMA			N/A	81260	117
GLC	82-85	FWD	81250	OEMA	117		N/A	OEMA 81250	117
GLC	77-83	RWD	N/A	N/A			N/A	N/A	
Millenia	95-02	FWD	OEMA	OEMA			N/A	OEMA	
MPV	89-07	FWD/AWD	N/A	N/A			OEMA	OEMA 81250	117
MX-3	92-95	FWD	81250	OEMA	117		N/A	OEMA 81250	117
MX-5 Miata (ND)	16-20	RWD	OEMA	OEMA			OEMA	OEMA	
MX-5 Miata (NC)	06-15	RWD	OEMA	OEMA			OEMA 83185	OEMA 83185	125,125
MX-5 Miata (NA/NB)	90-05	RWD	OEMA 83180	OEMA 83180	125,125		OEMA 83180	OEMA 83180	125,125
MX-6	88-97	FWD	81250	OEMA	117		OEMA	OEMA 81250	117

Applications

Alignment Parts

Heavy Duty

OE Replacement

Racing/Builders

Tools

Brake and CV

Gear/Index

# CAR/MINI-VAN/SUV/TRUCK APPLICATIONS

MAZDA-cont.			REAR			Thrust Plate	FRONT		
Model/Body Style	Year	Drive Type	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page
Navajo	91-94	RWD/4WD	N/A	N/A		■ 23180(*)/87175 77880, 88830, 24180/ 74400, 74500 87280(24)	23180(*)/87175 77880, 88830, 24180/ 74400, 74500	75/173 171,175 79,79 170,170 131	
Pickup	86-93	RWD/4WD	N/A	N/A		■ 47700(*)	47700(*)	84,84	
Protege	99-03	FWD/AWD	81250	OEMA	117	OEMA	OEMA 81250	117	
Protege	95-98	FWD/AWD	81250	OEMA 67070	117 WB	OEMA	OEMA 81250	117	
Protege	90-94	FWD/AWD	81250	OEMA	117	OEMA	OEMA 81250	117	
Protege5	02-03	FWD/AWD	81250	OEMA	117	OEMA	OEMA 81250	117	
RX-7	93-96	RWD	OEMA	OEMA		OEMA	OEMA		
RX-7	86-92	RWD	N/A	OEMA		OEMA	OEMA 81250	117	
RX-7	80-85	RWD	N/A	N/A		OEMA	OEMA		
RX-8	04-12	RWD	OEMA	OEMA		OEMA	OEMA		
Tribute	01-11	FWD/AWD	67285/37995	OEMA	91/164	OEMA	OEMA 81250	117	

## MERCEDES-BENZ

**NOTE: ON ALL MERCEDES - MANUFACTURER RECOMMENDS TOOL #99918 FOR SETTING TOE (PG. 175)**

A-Class W177	19-20	FWD/AWD	N/A	N/A		N/A	N/A	
B-Class W246	12-17	FWD	N/A	OEMA		N/A	81260	117
B-Class W245	05-11	FWD	N/A	OEMA		N/A	81260	117
C-Class W205/C205 Sedan & Coupe	16-20	RWD/AWD	28855(32)/ 72509, 76000	OEMA	83 169,171	N/A	N/A	
C-Class W204 Coupe	15-15	RWD	28855(32)/ 72509, 76000	OEMA	83 169,171	28815	28815	83,83
C-Class W204 4MATIC Coupe	15-15	AWD	28855(32)/ 72509, 76000	OEMA	83 169,171	28815	28815 81260	83,83 117
C-Class W205 Sedan	15-16	RWD/AWD	28855(32)/ 72509, 76000	OEMA	83 169,171	N/A	N/A	
C-Class W204	08-14	RWD	28855(32)/ 72509, 76000	OEMA	83 169,171	28815	28815	83,83
C-Class W204 4MATIC	08-14	AWD	28855(32)/ 72509, 76000	OEMA	83 169,171	28815	28815 81260	83,83 117
C-Class W203	01-07	RWD	28840/ 72509, 75990	OEMA	83 169,171	28810	28810	83,83
C-Class W203 4MATIC	01-07	AWD	28840/ 72509, 75990	OEMA	83 169,171	28810	28810 81260	83,83 117
C-Class W202	94-00	RWD/AWD	28840/ 72509, 75990	OEMA	83 169,171	28815	28815	83,83
C-Class W201	82-93	RWD/AWD	N/A	OEMA		OEMA	OEMA	
CL-Class C216	07-14	RWD/AWD	N/A	OEMA		N/A	N/A	
CL-Class C215	00-06	RWD	N/A	OEMA		28815	28815	83,83
CLA-Class C117	14-19	FWD/AWD	N/A	OEMA		N/A	81260	117
CLK-Class W209	04-09	RWD	28840/ 72509, 75990	OEMA	83 169,171	28810	28810	83,83
CLK-Class W208 Cabriolet	03-03	RWD	28840/ 72509, 75990	OEMA	83 169,171	28815	28815	83,83
CLK-Class W209 Coupe	03-03	RWD	28840/ 72509, 75990	OEMA	83 169,171	28810	28810	83,83
CLK-Class W208	98-02	RWD	28840/ 72509, 75990	OEMA	83 169,171	28815	28815	83,83



**FOR THE MOST RECENT APPLICATION INFORMATION AND NEWEST PARTS VISIT OUR WEBSITE - WWW.SPECPROD.COM OR CHECK OUT OUR ALIGNGUIDE™ APP (PG 181)**

**BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD** • WB = Check [www.specprod.com](http://www.specprod.com) for more information ■ = Thrust Plate, pg. 85  
Alignment Footnotes on page 70 • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (\*) = Series P/N, see page for size  
*All products from Specialty Products Company are intended for use by professional installers only.* ©2020 Niwot Corp. dba Specialty Products Co.®



[www.specprod.com](http://www.specprod.com)

Call for your nearest distributor, product info or  
Technical Assistance • In the USA and Canada

**1-800-525-6505**



# Parts Adjustable Sleeves



Inventory getting out of hand? Just need to fill in a few odd sizes? An Adjustable Sleeve may be just what you need. These sleeves can adjust camber and/or caster in a large variety of combinations. **A great solution for saving money and keeping sales.**

**Replaces up to 5 stock sleeves.  
Minimum Adjustment  $\pm 1.00^\circ$**


**Front Adjustment range:**  
Camber/Caster  $\pm 1.00^\circ$  to  $\pm 2.75^\circ$   
Required: 1 per wheel



**74500 - Adjustable Sleeve Wrench, pg 170**

### APPLICATIONS

**Ford 4WD:** 1983 - 89 Bronco II; 1983 - 89 Ranger  
Early 1990 Bronco II (Dana 28)



## 24120

**Replaces up to 21 stock sleeves.  
Minimum Adjustment  $\pm .75$**

**Front Adjustment range:**  
Camber/Caster  $\pm .75^\circ$  to  $\pm 2.75^\circ$   
Required: 1 per wheel

### APPLICATIONS



**74500 - Adjustable Sleeve Wrench, pg 170**

**Dodge RWD:** 1994 - 99 3500 Ram w/Mono Beam  
**Dodge 4WD:** 1994 - 99 2500HD, 3500 Ram  
**Ford RWD/4WD:** 1999 - 04 F450, F550  
**Ford 4WD:** 1999 - 04 F250, F350 Solid Axles/Leaf Springs  
1980 - 96 Bronco - Full Size; 1980 - 96 F150  
1980 - 98 F250, F350; 2000 - 05 Excursion  
1992 - 98 F350 Crew Cab



## 24130

**We have Fixed Sleeves for these Apps, Part Nos. 23100 - page 74 and 23130 - page 75**

**Replaces up to 8 stock sleeves.**


**Front Adjustment range:**  
Camber  $0.0^\circ$  to  $\pm 2.25^\circ$   
Required: 1 per wheel



**74400 - Adjustable Sleeve Wrench, pg 170**

### APPLICATIONS

**Ford RWD:** 1984 - 88 Bronco II; 1982 - 86 F150  
1983 - 88 Ranger; 1980 - 83 F100



## 24160

**Replaces up to 9 stock sleeves.  
Minimum Adjustment  $\pm .50^\circ$**


**Front Adjustment range:**  
Camber/Caster  $\pm .50^\circ$  to  $\pm 2.25^\circ$   
Required: 1 per wheel

### APPLICATIONS



**74400 - Adj. Sleeve Wrench, pg 170**  
**74500 - Adj. Sleeve Wrench, pg 170**

**Ford RWD:** 1989 - 90 Bronco II  
1992 & Up E150, E250, E350, E450  
2000 - 05 Excursion; 1987 - 96 F150  
1998 & Up F250, F350 Twin I-Beam  
1987 - 98 F250, F350  
**Ford 4WD:** 1990 - 90 Bronco II (Late 90-Dana 35)  
**Ford RWD/4WD:** 1991 - 94 Explorer  
1990 - 97 Ranger  
**Mazda RWD/4WD:** 1994 - 97 B-Series Pickup  
1991 - 94 Navajo



## 24180

**We have Fixed Sleeves for these Apps, Part No. 23180 - page 75**

**Replaces up to 11 stock sleeves.**

**Front Adjustment range:**  
Camber/Caster  $\pm 2.50^\circ$   
Required: 1 per wheel

### APPLICATIONS



**74600 - Adjustable Sleeve Wrench, pg 170**

**Ford RWD/4WD:**  
2005 & Up F250, F350 Solid Axle, Coil Spring  
2005 & Up F450 With 8 Lug Axles



## 24220

**We have Fixed Sleeves for these Apps, Part No. 23220 - page 76**

**Replaces up to 10 stock sleeves.**

**Front Adjustment range:**  
Camber/Caster  $\pm 2.75^\circ$   
Required: 1 per wheel

### APPLICATIONS



**74600 - Adjustable Sleeve Wrench, pg 170**

**Chevy/GMC 4WD:** 2003 - 09  
Kodiak/Topkick K4500, Kodiak/Topkick K5500  
**Ford RWD/4WD:**  
2005 & Up F450, F550 With 10 Lug Axles



## 24230

**We have Fixed Sleeves for these Apps, Part No. 23230 - page 76**



# 73010



## 1-1/8" PUNCH

This tool is used to cut holes necessary to install our **83115** (page 124) camber kits. A must to ensure a good, round hole.

**NOTE:** Lubricate before use.

**CAUTION:** Not for use with impact wrenches (air tools).

# 73119



## PITMAN ARM PULLER

Designed to handle the toughest job, the **73119** is adjustable and has special forged jaws shaped to fit the job. Positive grip allows this tool to do many other pulling jobs.

**CAUTION:** Not for use with impact wrenches (air tools).

# 74400 74500 74600



## ADJ. SLEEVE WRENCHES

These wrenches make presetting our adjustable truck sleeves (page 79) easier for the installer. When using the **74400** wrench it is recommended that the opening be equally positioned over the slot opening of the sleeve body.

### 74400 1-1/2" Open End

For **24160** - Holds outer bushing body and for **24180** - Holds inner eccentric sleeve.

**72370** -- Holds outer eccentric sleeve.


### 74500 1-1/4" Box End

For **24120**, **24130**, **24180** - Adjusts the inner sleeve.

### 74600 Double Box End

For **24220**, **24230** - Adjusts the inner sleeve.

# 74910



## KNOCK OUT PUNCH

A necessary tool for removing the alignment inserts on the upper control arm alignment brackets without damaging the bracket. Includes a center punch for the older GM vehicles and newer Jeep JKs and an offset punch for GM's newer models.

**74914** - Replacement Offset Punch.

**74915** - Replacement Center Punch.

### APPLICATIONS

**Cadillac RWD/4WD:** 1999 - 01 Escalade

**Chevrolet/GM RWD/4WD:**

1988 - 00 1500, 2500, 3500

1992 - 94 Blazer (Full Size)

1996 - 02 Express & Savana Van

1988 - 91 Jimmy (Full Size)

1992 - 99 Suburban; 1995 - 99 Tahoe

1992 - 99 Yukon

**Chevrolet/GM AWD:**

1990 - 01 Astro & Safari Van

**Jeep RWD/4WD:** 2007 - 18 Wrangler (JK)

# 74920 74930 74940

## PUNCH TOOLS

Use an SPC slot punch to elongate a hole and get the change you need. Whether the OE left you an upset that won't break out, didn't give you a large enough slot, or didn't give you a slot at all, use this high quality tool to quickly and easily punch one. Made on the USA with tight tolerances and high quality bearings these punches are built to last.

### 74920




14mm bolt / ±8mm offset

### 74930

12mm bolt / ±7mm offset

### 74940

12mm bolt / ±4mm offset



# 75915



## EZ SHIM™ CUTTER

This cutter, a must for properly cutting our EZ Shims™ (page 116), is a great tool for a variety of cutting needs. Its thin cutting blades help prevent breakage and waste.

**1-800-525-6505** Call for your nearest distributor, product info or Technical Assistance • In the USA and Canada

[www.specprod.com](http://www.specprod.com)

