SP TOOLS FULL PRODUCT LINE

66150 FLARE NUT WRENCH FOR CUMMINS **DIESEL ENGINE COMMON RAIL INJECTION 24mm**

This special 24mm flare nut type wrench will slide back into the recessed area of the cylinder head where the fuel line retainer screws into the head. This tool holds the 24mm retainer in place while you loosen the 19mm coupler to the high-pressure fuel lines.

Applications: Cummins common fuel rail setup on:

5.91 2003 - later 6.7L 2007 - later Dodge trucks 2003 6.7L diesels with a common fuel rail



66200 GM DOOR BUSHING INSTALLATION TOOL

Easily access and install the hard to reach bushings on door hinges. It accurately guides and holds the bushing in place while the technician taps the tool with a hammer or squeezes it with pliers.

Applications:

S10 & Sonoma 1982-2004 1/2 & 3/4 ton trucks 1980-1999 1 ton trucks 1980-2001 Blazer 1980-2005 Suburban 1980 & later Tahoe 1980 & later Astro & Express 1980 & later Avalanche 2002 & later



66750B SHIELDED OXYGEN & AIR FUEL SENSOR

SOCKET 22mm Designed to R&R "can" type shielded oxygen sensors and air fuel sensors. The depth and outer diameter of the socket are critical features enabling it to fit in the limited space of the heat shield. For maximum strength this 6-point tool is forged steel and comes in the SP High Tech black finish.

Applications:

Toyota 2003 & later Lexus 2006 & later 2006 & later Honda 2007 & later Acura Mazda 2006 & later Hyundai 2006 & later Kia 2006 & later 2007 & later Nissan 2007 & later Infiniti

See Replacement Parts Page 43-44

67250 HARLEY DAVIDSON FRONT FORK CAP

TOOL R&R the front fork caps when servicing fork fluids. This is required at each 10,000 mile service. This tool eliminates the need to undo electric connectors and remove the flaring on FLH, FLHT, FLTR and FLHX models.

Applications: 1984 and later big twin Harley Davidson Motorcycles.





<mark>67300 Universal Brake Caliper Tool and 1/2" Drive</mark>

ADAPTER Set includes 86100B-7 and 85250-10

Applications: Jaguar X Type 2006 and later, Mini 2002 and later Mazda 3 2004 and later, Mazda 5 2006 and later

Volvo S40 2004 1/2 and later, Volvo V50 2006 and later, Volvo C30 2007



67380 3/8" DRIVE BRAKE CALIPER ADAPTER

Designed to attach to a brake caliper tool to turn and press pistons into the brake caliper.

Applications: Mazda 3 2004 & later. Mazda 5 2006 & later, Mini 2002 & later Volvo S40 2004 & later, Volvo V509 2006 & later, Volvo C30 2007 & later

> Center to Center 20mm



ACURA • HONDA



60100A HONDA /ACURA 4" OFFSET HARMONIC DAMPER PULLEY HOLDING TOOL 50mm



65100, 65130 HONDA / ACURA BUSHING X-TRACTOR™ REMOVAL AND INSTALLATION KIT



See Page 18, 31 See Page 19

66750B SHIELDED OXYGEN & AIR FUEL SENSOR SOCKET



68100 HONDA /

ACURA FRONT LOWER

COMPLIANCE BUSHING

See Page 20



88800, 88950 UNIVERSAL VALVE ADJUSTMENT TOOL

See Page 26



LEXUS • TOYOTA



10950 HONDA / ACURA SERPENTINE BELT TENSIONER

See Page 5







15800 TOYOTA SERPENTINE BELT WRENCH



63800 CAM SEAL INSTALLER



See Page 16

64300 LEXUS & TOYOTA HARMONIC DAMPER PULLEY HOLDING TOOL



See Page 17

64400 TOYOTA HARMONIC DAMPER HOLDING TOOL



See Page 17

65400 LEXUS & TOYOTA FRONT AXLE LOCK NUT REMOVER KIT



See Page 18

65510 TOYOTA / LEXUS V6 CAM SEAL R&R TOOL

See Page 5, 15



See Page 18

66750B SHIELDED OXYGEN & AIR FUEL SENSOR SOCKET



68960 TOYOTA / LEXUS 39mm 12 POINT SOCKET AXLE NUT



See Page 21

88250 TOYOTA / LEXUS VALVE ADJUSTMENT TOOLS



See Page 25



LEXUS • TOYOTA







97300 TIMING BELT













88950 UNIVERSAL VALVE ADJUSTMENT TOOL 10mm

See Page 16







See Page 7, 30 See Page 30

MAZDA • MITSUBISHI













