SP TOOLS FULL PRODUCT LINE Product No. 806100B-7-88550

86100B-7 1/2" DRIVE BRAKE

CALIPER ADAPTER Designed to attach to a brake caliper tool to turn and press pistons into the brake caliper.

Applications: All 1/2" drive sets

Center to Center 20mm



86400 VW & AUDI TENSION PULLEY SPANNER WRENCH Easily adjust the camshaft spur belts with idler pulleys and pin holes. Spanner wrench grips the center of the idler pulley with the protruding pins, and rotates around the off-center retaining bolt. This rotation allows for camshaft spur belt tension adjustment. Made from heat treated alloy steel, comes with a black finish and a soft grip handle.

Applications: early Audi & VW's –1997.





87300 VW & AUDI STRUT SHOCK NUT SOCKET

Allows for the easy removal and installation of the shock retaining nut used on most front wheel drive Volkswagens and Audis. Located at the bottom of the tool is a slot drive to fit the slot on the top of the lower retaining nut. Center opening allows an Allen wrench to hold the shock from turning.





88150 BENCH HEAD STAND For Use On Aluminum & Steel Heads Designed for use on most cylinder heads. Holds the head off the bench for valve work, head cleaning and assembly. Holding rods have a long 5" taper which allows them to go further into the stud hole for more contact in the hole and a firmer grip on the head. Heat treated to remain smooth for use on aluminum heads and comes in a black finish.





88250 TOYOTA /LEXUS VALVE ADJUSTING TOOLS This set of pliers and spacer wedge was designed for easy valve adjustment. Plier tip pushes between the spacer shim and the camshaft as the pliers are squeezed close, while the spacer wedge maintains a gap between the shim and the camshaft as the pliers are removed. The spacer shim can be removed through this gap and replaced with one of the correct thickness. Made from quality heat treated alloy steel 88250-6 Replacement Pliers 88251 REPLACEMENT SPACER WEDGE (6mm & 7mm)

Applications: Most Toyotas with overhead camshaft engines using spacer shims. Does not work with Land Cruiser 1993-1997 and Lexus LX450 1996-1997






88550 HEAVY DUTY FAN CLUTCH WRENCH 36mm

Used on 36mm viscous fan clutch assemblies found on many engines. This includes Dodge trucks with the Cummins B Series Diesel engines.



AUDI





See Page 8



12900 AUDI, BMW, VW, **PORSCHE ALIGNMENT** WRENCH





67600 AUDI & VW TIMING **BELT PULLEY HOLDER**



67650 AUDI & VW **TIMING BELT TENSIONER RELEASE TOOL**



68950 AUDI, BMW & VW 32mm 12 POINT DEEP **SOCKET AXLE NUT**



See Page 21

See Page 9

83400 CIS FUEL INJECTOR PULLER

See Page 24



87300 VW & AUDI STRUT SHOCK NUT SOCKET



See Page 25

89250 MASTER CYLINDER PRESSURE CAP



See Page 26

96280 AUDI & VW POWER **STEERING &WATER PUMP PULLEY REMOVAL & REPLACEMENT AID** See Page 29

BMW

11800 BMW INJECTOR PULLER



See Page 8







See Page 9



See Page 9





See Page 11

61600 FAN CLUTCH WRENCH

See Page 15, 16, 28, 29, 30, 31

62100 AUDI, BMW, VW **FAN CLUTCH WRENCH** See Page 16, 32





MERCEDES BENZ









80460 BOSCH **ADJUSTMENT WRENCH**

PORSCHE



See Page 24

80350 PORSCHE & VW **FLYWHEEL LOCK**





VOLVO











68950 AUDI, BMW & VW

32mm 12 POINT DEEP

See Page 8

12700 &12720 AUDI, **BMW, VW BRAKE BLEEDER WRENCHES 11mm**

See Page 9 **79100A VW MULTIPLE**



79400A VW VALVE

















